





























MAIN PASS - Ran with 1000 PSI

6 in / 100 ft

REPEAT PASS - Ran with 0 PSI

6 in / 100 ft

Database File 2019_04_03_conoco_property_reserve_4_05_3_4_2ah_cbl#2019_04_03_conoco_property_reserve_4_05
Dataset Pathname REPEATPASS
Presentation Format cbl_ftp
Dataset Creation Mon Apr 03 15:55:25 2019
Charted by Depth in Feet scaled 1:240

REPEAT PASS - Ran with 0 PSI

6 in / 100 ft

Database File d:\warrior\data\2019_04_03_conoco_property_reserve_4_05_3_4_2ah_cbl#2019_04_03_conoco_property_reserve_4_05
Dataset Pathname pass3
Dataset Creation Wed Apr 03 13:51:43 2019

Gamma Ray Calibration Report

Serial Number:	203MSH1
Tool Model:	2 3/4" TelCo
Performed:	Mon Dec 12 23:01:19 2016
Calibrator Value:	194.0 GAPI
Background Reading:	59.5 cps
Calibrator Reading:	300.8 cps
Sensitivity:	0.9039 GAPI/cps

Segmented Cement Bond Log Calibration Report

Serial Number:	15F58-54
Tool Model:	2 3/4" RSB Analog
Calibration Casing Diameter:	5.500 in
Calibration Depth:	112.540 ft

Master Calibration, performed (Derived):

	Raw (x)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	0.001	1.061	0.000	62.000	58.520	-0.063
3' CAL	0.000	1.076	0.000	62.000	57.665	-0.126
SUM						
1'	0.026	0.896	0.000	62.000	71.312	-1.677
02	0.035	0.632	0.000	62.000	76.320	-1.502
03	0.030	0.860	0.000	62.000	74.447	-2.230
04	0.045	0.584	0.000	62.000	69.618	-2.829
05	0.041	0.685	0.000	62.000	72.199	-2.923
06	0.035	1.005	0.000	62.000	62.156	-2.051
07	0.023	1.082	0.000	62.000	58.580	-1.368
08	0.010	0.954	0.000	62.000	66.039	-1.016

Internal Reference Calibration, performed (Not Performed):

	Raw (x)		Calibrated (x)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
CAL	0.000	0.000	-0.004	0.749	1.000	0.000

Air Zero Calibration, performed (Not Performed):

	Raw (x)		Calibrated (x)		Results	
	Zero		Zero		Offset	
3'	0.000		0.000		0.000	
3'	0.000		0.000		0.000	
SUM						
1'	0.000		0.000		0.000	
02	0.000		0.000		0.000	
03	0.000		0.000		0.000	
04	0.000		0.000		0.000	
05	0.000		0.000		0.000	
06	0.000		0.000		0.000	
07	0.000		0.000		0.000	
08	0.000		0.000		0.000	

Temperature Calibration Report

Serial Number:	15F58-54
Tool Model:	2 3/4" RSB Analog
Performed:	Tue Jan 08 11:46:09 2019

Reference	Reading	
Low Reference:	0.00 degF	0.00 usec
High Reference:	1.00 degF	1.00 usec
Gain:	0.33	
Offset:	0.00	
Delta Spacing:	1	

Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb)
			Cablehead-TitanCoreType2	1.03	1.44	3.60
CCL	13.50		CCL_Log-2 3/4" TelCo (0221-08)	1.83	2.75	33.00
			Antelope-Overbody	1.25	2.75	
TEMP	10.05					
			RBTA-2 3/4" RIB Analog (03F56-04)	9.13	2.75	102.00
WVF58	8.76					
WVF57	8.76					
WVF56	8.76					
WVF55	8.76					
WVF54	8.76					
WVF53	8.76					
WVF52	8.76					
WVF51	8.76					
WVF50	8.01					
WVF3FT	7.01					
WVF37NC	3.68		Antelope-Overbody	1.25	2.75	
WVF37MC	3.68		GR_Log-2 3/4" TelCo (0E5M9-01)	3.68	2.75	47.00
WVF0AL	3.68					
GR	1.04					
LOCTIM	0.00					
UTCTIM	0.00					

Dataset: 2019_04_03_conoco_property_reserve_4_05_3_4_2ah_cbl.db: fieldwalkrun1/MAINPASS
Total length: 15.67 ft
Total weight: 290.60 lb
O.D.: 2.75 in

Company	Conoco Phillips
Well	Property Reserve 4-05 3-4 2AH
Field	----
County	Anadrkoe
State	CO
Country	U.S.A.