

FORM  
6  
Rev  
05/18

State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109



DE ET OE ES

Date Received:

Document Number:

**WELL ABANDONMENT REPORT**

This form is to be submitted as an Intent to Abandon whenever an abandonment is planned on a borehole. After the abandonment is complete, this form shall again be submitted as a Subsequent Report of the actual work completed. The approved intent shall be valid for six months after the approval date, after that period, a new intent will be required. Attachments required with the Intent to Abandon are wellbore diagrams of the current configuration and the proposed configuration with plugs set.  
A Subsequent Report of Abandonment shall indicate the actual work completed. Attachments required with a Subsequent Report are a wellbore diagram showing plugs that were set and casing remaining in the hole, the job summaries from all plugging contractors used, including wireline and cementing (third party verification) and any logs that may have been run during abandonment.

OGCC Operator Number: 10362 Contact Name: Sherry Campbell  
 Name of Operator: S + D LLC Phone: 970 568 8658  
 Address: 7119 Silver Moon Lane Fax: \_\_\_\_\_  
 City: FT Collins State: CO Zip: 80525 Email: msheep8@msn.com  
 For Intent 24 hour notice required, Name: Sherry Campbell Tel: 970 568 8658  
 COGCC contact: Email: msheep8@msn.com 7193383157

API Number 005-06877 00 Well Number: 1-9  
 Well Name: Kissler  
 Location: QtrQtr: SESE Section: 09 Township: 045 Range: 064 W Meridian: 6  
 County: Anapahoe Federal, Indian or State Lease Number: 06539  
 Field Name: Chalice (#10775) Field Number: 10775

Notice of Intent to Abandon  Subsequent Report of Abandonment

*Only Complete the Following Background Information for Intent to Abandon*

Latitude: 39.71225 Longitude: -104.55032  
 GPS Data:  
 Date of Measurement: 8/2/2012 PDOP Reading: 2.9 GPS Instrument Operator's Name: Keith Westfall  
 Reason for Abandonment:  Dry  Production for Sub-economic  Mechanical Problems  
 Other \_\_\_\_\_  
 Casing to be pulled:  Yes  No Estimated Depth: 1,830'  
 Fish in Hole:  Yes  No If yes, explain details below  
 Wellbore has Uncemented Casing leaks:  Yes  No If yes, explain details below  
 Details: \_\_\_\_\_

**Current and Previously Abandoned Zones**

Formation	Code	Perf. Top	Perf. Btm	Date	Method of Isolation	Plug Depth
J SAND	JSND	8099	8109			

Total: 0 zone(s)

**Casing History**

Casing Type	Size of Hole	Size of Casing	Weight Per Foot	Setting Depth	Sacks Cement	Cement Bot	Cement Top	Status
SURF	13-1/2"	9-5/8"	25#	348'	300	348	0	VISU
1ST	7-7/8"	4-1/2"	11.6 #	8,184'	350	8184	6414	CALC

### Plugging Procedure for Intent and Subsequent Report

CIBP #1: Depth 8040 with 2 sacks cmt on top. CIBP #2: Depth 7138 with 2 sacks cmt on top.  
 CIBP #3: Depth \_\_\_\_\_ with \_\_\_\_\_ sacks cmt on top. CIBP #4: Depth \_\_\_\_\_ with \_\_\_\_\_ sacks cmt on top.  
 CIBP #5: Depth \_\_\_\_\_ with \_\_\_\_\_ sacks cmt on top.

NOTE: Two(2) sacks cement required on all CIBPs.

Set 73 sks cmt from 1930' ft. to 1680' ft. in Plug Type: STUB Plug Tagged:   
 Set 10 sks cmt from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. in Plug Type: STUB Plug Tagged:   
 Set \_\_\_\_\_ sks cmt from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. in Plug Type: \_\_\_\_\_ Plug Tagged:   
 Set \_\_\_\_\_ sks cmt from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. in Plug Type: \_\_\_\_\_ Plug Tagged:   
 Set \_\_\_\_\_ sks cmt from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. in Plug Type: \_\_\_\_\_ Plug Tagged:

Perforate and squeeze at \_\_\_\_\_ ft. with \_\_\_\_\_ sacks. Leave at least 100 ft. in casing \_\_\_\_\_ CICR Depth  
 Perforate and squeeze at \_\_\_\_\_ ft. with \_\_\_\_\_ sacks. Leave at least 100 ft. in casing \_\_\_\_\_ CICR Depth  
 Perforate and squeeze at \_\_\_\_\_ ft. with \_\_\_\_\_ sacks. Leave at least 100 ft. in casing \_\_\_\_\_ CICR Depth

(Cast Iron Cement Retainer Depth)

Set 110 sacks half in, half out surface casing from 400' ft. to 198' ft. Plug Tagged:

Set 10 sacks at surface

Cut four feet below ground level, weld on plate Above Ground Dry-Hole Marker:  Yes  No

Set \_\_\_\_\_ sacks in rat hole Set \_\_\_\_\_ sacks in mouse hole

#### Additional Plugging Information for Subsequent Report Only

Casing Recovered: \_\_\_\_\_ ft. of \_\_\_\_\_ inch casing Plugging Date: \_\_\_\_\_

\*Wireline Contractor: \_\_\_\_\_ \*Cementing Contractor: \_\_\_\_\_

Type of Cement and Additives Used: \_\_\_\_\_

Flowline/Pipeline has been abandoned per Rule 1105  Yes  No \*ATTACH JOB SUMMARY

Provide Technical Detail:

\_\_\_\_\_

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Sherry Campbell Print Name: Sherry Campbell  
 Title: member, Date: 4/3/2019 Email: msheep8@msn.com

Based on the information provided herein, this Well Abandonment Report (Form 6) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: \_\_\_\_\_ Date: \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:

\_\_\_\_\_  
 \_\_\_\_\_

#### Attachment Check List

Att Doc Num	Name

Total Attach: PROPOSED P:A WBD ; PROPOSED P:A PROCEDURE ; LAT/LONG BACKUP

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>

Total: