




Project: Mesa County, CO
 Site: Hayward 0993 25-09 Pad
 Well: Hayward 0993-25-06E
 Wellbore: B-3
 Design: Design #2
 Latitude: 39.244824
 Longitude: -107.715795
 Ground Level: 8007.0
 RKB @ 8037.0usft (H&P #522)



PROJECT DETAILS: Mesa County, CO

Geodetic System: US State Plane 1983
 Datum: North American Datum 1983
 Ellipsoid: GRS 1980
 Zone: Colorado Central Zone
 System Datum: Mean Sea Level



SECTION DETAILS

MD	Inc	Azi	TVD	+N/-S	+E/-W	Dleg	TFaca	Vsect	Annotation
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.0	KOP (Build 3°/100')
450.0	0.00	0.00	450.0	0.0	0.0	0.00	0.00	0.0	EOB @ 0.00° Inc. / 15.36° Azm
715.5	8.00	15.36	715.5	17.9	4.9	3.00	15.36	18.0	Drop 3° / 100'
8299.8	8.00	15.36	8264.4	632.6	173.6	0.00	0.00	637.7	EOB @ Vertical
8566.3	0.00	0.00	8520.0	650.5	178.7	3.00	180.00	655.7	TD @ 8548.3' MD / 8502.0' TVD
8548.3	0.00	0.00	8502.0	650.5	178.7	0.00	0.00	655.7	

DESIGN TARGET DETAILS

Name	TVD	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude
PBHL - Hayward 0993-25-06E	8502.0	650.5	178.7	1522380.11	2372726.96	39.244824	-107.715164

WELL DETAILS: Hayward 0993-25-06E


	8007.0				
+N/-S	0.0	+E/-W	0.0	Northing	1522714.16
				Easting	2372532.45
				Latitude	39.244824
				Longitude	-107.715795

FORMATION TOP DETAILS

TVDPATH	MDPATH	FORMATION
3252.0	3277.8	G' Sand
5202.0	5246.9	Ohio Creek
5552.0	5590.3	Williams Fork
6552.0	6598.3	TDG
7902.0	7948.3	Cameo
8282.0	8328.3	Base Cameo Coal
8302.0	8348.3	Rollins

REFERENCE INFORMATION

Co-ordinate (N/E) Reference: Well Hayward 0993-25-06E, True North
 Vertical (TVD) Reference: RKB @ 8037.0usft (H&P #522)
 Section (VS) Reference: Slat - (0.00, 0.00)
 Measured Depth Reference: RKB @ 8037.0usft (H&P #522)
 Calculation Method: Minimum Curvature



Plan: Design #2 (Hayward 0993-25-06E/B-3)

Created By: Will Jircik Date: 9:47, May 14 2019



Laramie Energy, LLC

**Mesa County, CO
Hayward 0993 25-09 Pad
Hayward 0993-25-06E**

B-3

Plan: Design #2

QES Well Planning Report

14 May, 2019





Well Planning Report



Database:	EDM 5000.1 Single User Db	Local Co-ordinate Reference:	Well Hayward 0993-25-06E
Company:	Laramie Energy, LLC	TVD Reference:	RKB @ 8037.0usft (H&P #522)
Project:	Mesa County, CO	MD Reference:	RKB @ 8037.0usft (H&P #522)
Site:	Hayward 0993 25-09 Pad	North Reference:	True
Well:	Hayward 0993-25-06E	Survey Calculation Method:	Minimum Curvature
Wellbore:	B-3		
Design:	Design #2		

Project	Mesa County, CO		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	Colorado Central Zone		

Site		Hayward 0993 25-09 Pad			
Site Position:		Northing:	1,519,030.59 usft	Latitude:	39.237495
From:	Lat/Long	Easting:	2,373,084.06 usft	Longitude:	-107.713617
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "	Grid Convergence:	-1.40

Well	Hayward 0993-25-06E					
Well Position	+N/-S	2,669.3 usft	Northing:	1,521,714.16 usft	Latitude:	39.244824
	+E/-W	-616.8 usft	Easting:	2,372,532.45 usft	Longitude:	-107.715795
Position Uncertainty		0.0 usft	Wellhead Elevation:		Ground Level:	8.007.0 usft

Wellbore	B-3				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM	5/9/2019	9.08	65.20	51,203.10000000

Design	Design #2			
Audit Notes:				
Version:	Phase:	PLAN	Tie On Depth:	0.0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)
	0.0	0.0	0.0	28.95

Plan Sections										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.00	
450.0	0.00	0.00	450.0	0.0	0.0	0.00	0.00	0.00	0.00	
716.5	8.00	15.36	715.6	17.9	4.9	3.00	3.00	0.00	15.36	
5,299.8	8.00	15.36	5,254.4	632.6	173.8	0.00	0.00	0.00	0.00	
5,566.3	0.00	0.00	5,520.0	650.5	178.7	3.00	-3.00	0.00	180.00	
8,548.3	0.00	0.00	8,502.0	650.5	178.7	0.00	0.00	0.00	0.00	PBHL - Hayward 06



Well Planning Report



Database:	EDM 5000.1 Single User Db	Local Co-ordinate Reference:	Well Hayward 0993-25-06E
Company:	Laramie Energy, LLC	TVD Reference:	RKB @ 8037.0usft (H&P #522)
Project:	Mesa County, CO	MD Reference:	RKB @ 8037.0usft (H&P #522)
Site:	Hayward 0993-25-09 Pad	North Reference:	True
Well:	Hayward 0993-25-06E	Survey Calculation Method:	Minimum Curvature
Wellbore:	B-3		
Design:	Design #2		

Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00
100.0	0.00	0.00	100.0	0.0	0.0	0.0	0.00	0.00	0.00
200.0	0.00	0.00	200.0	0.0	0.0	0.0	0.00	0.00	0.00
300.0	0.00	0.00	300.0	0.0	0.0	0.0	0.00	0.00	0.00
400.0	0.00	0.00	400.0	0.0	0.0	0.0	0.00	0.00	0.00
KOP (Build 3°/100')									
450.0	0.00	0.00	450.0	0.0	0.0	0.0	0.00	0.00	0.00
500.0	1.50	15.36	500.0	0.6	0.2	0.6	3.00	3.00	0.00
600.0	4.50	15.36	599.8	5.7	1.6	5.7	3.00	3.00	0.00
700.0	7.50	15.36	699.3	15.8	4.3	15.9	3.00	3.00	0.00
EOB @ 8.00° Inc. / 15.36° Azm									
716.5	8.00	15.36	715.6	17.9	4.9	18.0	3.00	3.00	0.00
800.0	8.00	15.36	798.3	29.1	8.0	29.3	0.00	0.00	0.00
900.0	8.00	15.36	897.4	42.5	11.7	42.9	0.00	0.00	0.00
1,000.0	8.00	15.36	996.4	55.9	15.4	56.4	0.00	0.00	0.00
1,100.0	8.00	15.36	1,095.4	69.3	19.0	69.9	0.00	0.00	0.00
1,200.0	8.00	15.36	1,194.4	82.7	22.7	83.4	0.00	0.00	0.00
1,300.0	8.00	15.36	1,293.5	96.2	26.4	96.9	0.00	0.00	0.00
1,400.0	8.00	15.36	1,392.5	109.6	30.1	110.4	0.00	0.00	0.00
1,500.0	8.00	15.36	1,491.5	123.0	33.8	124.0	0.00	0.00	0.00
8 5/8"									
1,530.0	8.00	15.36	1,521.2	127.0	34.9	128.0	0.00	0.00	0.00
1,600.0	8.00	15.36	1,590.5	136.4	37.5	137.5	0.00	0.00	0.00
1,700.0	8.00	15.36	1,689.6	149.8	41.2	151.0	0.00	0.00	0.00
1,800.0	8.00	15.36	1,788.6	163.2	44.8	164.5	0.00	0.00	0.00
1,900.0	8.00	15.36	1,887.6	176.6	48.5	178.0	0.00	0.00	0.00
2,000.0	8.00	15.36	1,986.7	190.0	52.2	191.6	0.00	0.00	0.00
2,100.0	8.00	15.36	2,085.7	203.5	55.9	205.1	0.00	0.00	0.00
2,200.0	8.00	15.36	2,184.7	216.9	59.6	218.6	0.00	0.00	0.00
2,300.0	8.00	15.36	2,283.7	230.3	63.3	232.1	0.00	0.00	0.00
2,400.0	8.00	15.36	2,382.8	243.7	66.9	245.6	0.00	0.00	0.00
2,500.0	8.00	15.36	2,481.8	257.1	70.6	259.2	0.00	0.00	0.00
2,600.0	8.00	15.36	2,580.8	270.5	74.3	272.7	0.00	0.00	0.00
2,700.0	8.00	15.36	2,679.9	283.9	78.0	286.2	0.00	0.00	0.00
2,800.0	8.00	15.36	2,778.9	297.3	81.7	299.7	0.00	0.00	0.00
2,900.0	8.00	15.36	2,877.9	310.7	85.4	313.2	0.00	0.00	0.00
3,000.0	8.00	15.36	2,976.9	324.2	89.0	326.8	0.00	0.00	0.00
3,100.0	8.00	15.36	3,076.0	337.6	92.7	340.3	0.00	0.00	0.00
3,200.0	8.00	15.36	3,175.0	351.0	96.4	353.8	0.00	0.00	0.00
G' Sand									
3,277.8	8.00	15.36	3,252.0	361.4	99.3	364.3	0.00	0.00	0.00
3,300.0	8.00	15.36	3,274.0	364.4	100.1	367.3	0.00	0.00	0.00
3,400.0	8.00	15.36	3,373.1	377.8	103.8	380.8	0.00	0.00	0.00
3,500.0	8.00	15.36	3,472.1	391.2	107.5	394.4	0.00	0.00	0.00
3,600.0	8.00	15.36	3,571.1	404.6	111.2	407.9	0.00	0.00	0.00
3,700.0	8.00	15.36	3,670.1	418.0	114.8	421.4	0.00	0.00	0.00
3,800.0	8.00	15.36	3,769.2	431.5	118.5	434.9	0.00	0.00	0.00
3,900.0	8.00	15.36	3,868.2	444.9	122.2	448.4	0.00	0.00	0.00
4,000.0	8.00	15.36	3,967.2	458.3	125.9	462.0	0.00	0.00	0.00
4,100.0	8.00	15.36	4,066.2	471.7	129.6	475.5	0.00	0.00	0.00
4,200.0	8.00	15.36	4,165.3	485.1	133.3	489.0	0.00	0.00	0.00
4,300.0	8.00	15.36	4,264.3	498.5	136.9	502.5	0.00	0.00	0.00
4,400.0	8.00	15.36	4,363.3	511.9	140.6	516.0	0.00	0.00	0.00
4,500.0	8.00	15.36	4,462.4	525.3	144.3	529.5	0.00	0.00	0.00



Well Planning Report



Database:	EDM 5000.1 Single User Db	Local Co-ordinate Reference:	Well Hayward 0993-25-06E
Company:	Laramie Energy, LLC	TVD Reference:	RKB @ 8037.0usft (H&P #522)
Project:	Mesa County, CO	MD Reference:	RKB @ 8037.0usft (H&P #522)
Site:	Hayward 0993 25-09 Pad	North Reference:	True
Well:	Hayward 0993-25-06E	Survey Calculation Method:	Minimum Curvature
Wellbore:	B-3		
Design:	Design #2		

Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
4,600.0	8.00	15.36	4,561.4	538.8	148.0	543.1	0.00	0.00	0.00
4,700.0	8.00	15.36	4,660.4	552.2	151.7	556.6	0.00	0.00	0.00
4,800.0	8.00	15.36	4,759.4	565.6	155.4	570.1	0.00	0.00	0.00
4,900.0	8.00	15.36	4,858.5	579.0	159.1	583.6	0.00	0.00	0.00
5,000.0	8.00	15.36	4,957.5	592.4	162.7	597.1	0.00	0.00	0.00
5,100.0	8.00	15.36	5,056.5	605.8	166.4	610.7	0.00	0.00	0.00
5,200.0	8.00	15.36	5,155.6	619.2	170.1	624.2	0.00	0.00	0.00
Ohio Creek									
5,246.9	8.00	15.36	5,202.0	625.5	171.8	630.5	0.00	0.00	0.00
Drop 3° / 100'									
5,299.8	8.00	15.36	5,254.4	632.6	173.8	637.7	0.00	0.00	0.00
5,400.0	4.99	15.36	5,353.9	643.5	176.8	648.7	3.00	-3.00	0.00
5,500.0	1.99	15.36	5,453.7	649.4	178.4	654.6	3.00	-3.00	0.00
EOD @ Vertical									
5,566.3	0.00	0.00	5,520.0	650.5	178.7	655.7	3.00	-3.00	0.00
Williams Fork									
5,598.3	0.00	0.00	5,552.0	650.5	178.7	655.7	0.00	0.00	0.00
5,600.0	0.00	0.00	5,553.7	650.5	178.7	655.7	0.00	0.00	0.00
5,700.0	0.00	0.00	5,653.7	650.5	178.7	655.7	0.00	0.00	0.00
5,800.0	0.00	0.00	5,753.7	650.5	178.7	655.7	0.00	0.00	0.00
5,900.0	0.00	0.00	5,853.7	650.5	178.7	655.7	0.00	0.00	0.00
6,000.0	0.00	0.00	5,953.7	650.5	178.7	655.7	0.00	0.00	0.00
6,100.0	0.00	0.00	6,053.7	650.5	178.7	655.7	0.00	0.00	0.00
6,200.0	0.00	0.00	6,153.7	650.5	178.7	655.7	0.00	0.00	0.00
6,300.0	0.00	0.00	6,253.7	650.5	178.7	655.7	0.00	0.00	0.00
6,400.0	0.00	0.00	6,353.7	650.5	178.7	655.7	0.00	0.00	0.00
6,500.0	0.00	0.00	6,453.7	650.5	178.7	655.7	0.00	0.00	0.00
TOG									
6,598.3	0.00	0.00	6,552.0	650.5	178.7	655.7	0.00	0.00	0.00
6,600.0	0.00	0.00	6,553.7	650.5	178.7	655.7	0.00	0.00	0.00
6,700.0	0.00	0.00	6,653.7	650.5	178.7	655.7	0.00	0.00	0.00
6,800.0	0.00	0.00	6,753.7	650.5	178.7	655.7	0.00	0.00	0.00
6,900.0	0.00	0.00	6,853.7	650.5	178.7	655.7	0.00	0.00	0.00
7,000.0	0.00	0.00	6,953.7	650.5	178.7	655.7	0.00	0.00	0.00
7,100.0	0.00	0.00	7,053.7	650.5	178.7	655.7	0.00	0.00	0.00
7,200.0	0.00	0.00	7,153.7	650.5	178.7	655.7	0.00	0.00	0.00
7,300.0	0.00	0.00	7,253.7	650.5	178.7	655.7	0.00	0.00	0.00
7,400.0	0.00	0.00	7,353.7	650.5	178.7	655.7	0.00	0.00	0.00
7,500.0	0.00	0.00	7,453.7	650.5	178.7	655.7	0.00	0.00	0.00
7,600.0	0.00	0.00	7,553.7	650.5	178.7	655.7	0.00	0.00	0.00
7,700.0	0.00	0.00	7,653.7	650.5	178.7	655.7	0.00	0.00	0.00
7,800.0	0.00	0.00	7,753.7	650.5	178.7	655.7	0.00	0.00	0.00
7,900.0	0.00	0.00	7,853.7	650.5	178.7	655.7	0.00	0.00	0.00
Cameo									
7,948.3	0.00	0.00	7,902.0	650.5	178.7	655.7	0.00	0.00	0.00
8,000.0	0.00	0.00	7,953.7	650.5	178.7	655.7	0.00	0.00	0.00
8,100.0	0.00	0.00	8,053.7	650.5	178.7	655.7	0.00	0.00	0.00
8,200.0	0.00	0.00	8,153.7	650.5	178.7	655.7	0.00	0.00	0.00
8,300.0	0.00	0.00	8,253.7	650.5	178.7	655.7	0.00	0.00	0.00
Base Cameo Coal									
8,328.3	0.00	0.00	8,282.0	650.5	178.7	655.7	0.00	0.00	0.00
Rollins									
8,348.3	0.00	0.00	8,302.0	650.5	178.7	655.7	0.00	0.00	0.00



Well Planning Report



Database:	EDM 5000.1 Single User Db	Local Co-ordinate Reference:	Well Hayward 0993-25-06E
Company:	Laramie Energy, LLC	TVD Reference:	RKB @ 8037.0usft (H&P #522)
Project:	Mesa County, CO	MD Reference:	RKB @ 8037.0usft (H&P #522)
Site:	Hayward 0993 25-09 Pad	North Reference:	True
Well:	Hayward 0993-25-06E	Survey Calculation Method:	Minimum Curvature
Wellbore:	B-3		
Design:	Design #2		

Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
8,400.0	0.00	0.00	8,353.7	650.5	178.7	655.7	0.00	0.00	0.00
8,500.0	0.00	0.00	8,453.7	650.5	178.7	655.7	0.00	0.00	0.00
TD @ 8548.3' MD / 8502.0' TVD									
8,548.3	0.00	0.00	8,502.0	650.5	178.7	655.7	0.00	0.00	0.00

Design Targets

Target Name	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude
- hit/miss target									
- Shape									
PBHL - Hayward 0993	0.00	0.00	8,502.0	650.5	178.7	1,522,360.12	2,372,726.96	39.246610	-107.715164
- plan hits target center									
- Circle (radius 65.0)									

Casing Points

Measured Depth (usft)	Vertical Depth (usft)	Name	Casing Diameter (")	Hole Diameter (")
1,530.0	1,521.2	8 5/8"	8-5/8	11

Formations

Measured Depth (usft)	Vertical Depth (usft)	Name	Lithology	Dip (°)	Dip Direction (°)
3,277.8	3,252.0	G' Sand			
5,246.9	5,202.0	Ohio Creek			
5,598.3	5,552.0	Williams Fork			
6,598.3	6,552.0	TOG			
7,948.3	7,902.0	Cameo			
8,328.3	8,282.0	Base Cameo Coal			
8,348.3	8,302.0	Rollins			

Plan Annotations

Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
450.0	450.0	0.0	0.0	KOP (Build 3°/100')
716.5	715.6	17.9	4.9	EOB @ 8.00° Inc. / 15.36° Azm
5,299.8	5,254.4	632.6	173.8	Drop 3° / 100'
5,566.3	5,520.0	650.5	178.7	EOD @ Vertical
8,548.3	8,502.0	650.5	178.7	TD @ 8548.3' MD / 8502.0' TVD