

Operator:	SRC Energy	Reviewed: 5/30/19	
Well Name:	Avex #35D		
Legal:	NWSE 35 5N 68W		
Location:	Weld County, CO		
API:	05-069-06441		
Surface:	8.625" 24# @ 608'	Hole Size: 12.25"	TOC: Surface
Production:	4.5" 11.6# @ 7599'	Hole Size: 7.875"	TOC: 2025' (CBL)
Perforations:	7138-7156 CODELL		
TD:	7614		

P&A Procedure

1. Conduct pre-job safety meeting and complete daily JSA
2. Blow down well if necessary, circulate hole with treated water
3. Dig out around wellhead and perform bradenhead test
4. MIRU WO unit, ND wellhead, NU BOP, tally all pipe
5. TIH w/ 4-1/2" 11.6# CIBP on tubing, set at 7063'
6. Pressure test casing to 500 psi for 15 minutes
7. Set 35 sx on top of existing CIBP
8. Pump 29 sx balanced plug at 2400'
9. Cut 4.5" casing @708'
10. TIH with tubing to 758' and pump stub plug from 0 - 758'
 - a. pump 200 sks of 15.8# class G neat 1.15 cu./ft. yield cement
 - b. trip out of surface casing
 - c. Wait 4 hours and tag plug
11. RDMO WO unit
12. Dig up wellhead and cut off 10' below restored ground level, top off if necessary
13. Weld on cap with ID plate, inscribed with well location, and identity
14. Backfill, clean location