Anschutz Coffelt 5-6-35-1724B

MD
2":100'

Company: High Point
Well Name: Anshutz Coffelt 5-61-35-1724B
API: 05-123-49131
County/Parish: Weld
State: Colorado
Country: USA
Job number: 00183-HI-CO
Field: Wattenburg
Rig Id: Cade 23
Survey Company: Atlas Drilling Services
Day MWD Kevin Hursh
Nigh MWD Ben Kilby

Log measurements: GAMMA/ROP
Depth measured from: RKB ft
Maximum temperature: 233

	Depth	Date
Start:	928.50 ft	05/14/2019
End:	15908 ft	5/19/2019

Casing	Depth	Size
Surface:	977 ft	9.625"
Intermediate:		7"

Mud Type: WBM
Density: 9.2
Viscosity: 30
Rm: **Rmf:** **Rmc:**

Elevations
KB: 4508.10
GL: 4491.60
DF: 16.5

Run	Bit Size	Offsets Gamma	Offsets Survey	Depths Start	Depths End	Dates Start	Dates End
1	8.5"	45.53 ft	65.00 ft	928.50 ft	6186 ft	05/15/2019 06:00	05/16/2019 09:00
2	6.125"	48.47 ft	69.00 ft	6186 ft		05/16/2019 20:00	5/19/2019 16:00
3							
4							
5							
6							
7							
8							
9							
10							

Float: 6127
Shoe:6170
KOP:5340

Atlas Drilling Services uses its best efforts to provide its customers with accurate information and interpretations in conjunction with services performed but will not be held liable or responsible for the accuracy of such information or interpretation.

#95 MD(9957.00) Inc(88.82) Azm(89.48)
TVD(5854.50) VS(3941.76) NI-S(-147.33)
10000
#96 MD(10052.00) Inc(87.72) Azm(89.70)
TVD(5857.36) VS(4036.71) NI-S(-146.65)
10100
#97 MD(10148.00) Inc(89.79) Azm(88.29)
TVD(5859.45) VS(4132.67) NI-S(-144.96)
10200
#98 MD(10243.00) Inc(91.81) Azm(88.77)
TVD(5858.04) VS(4227.63) NI-S(-142.53)
10300
#99 MD(10338.00) Inc(91.91) Azm(88.99)
TVD(5854.97) VS(4322.57) NI-S(-140.67)
10400
#100 MD(10434.00) Inc(92.09) Azm(89.08)
TVD(5851.52) VS(4418.50) NI-S(-139.06)
10500
#101 MD(10529.00) Inc(89.79) Azm(87.58)
TVD(5849.97) VS(4513.45) NI-S(-136.29)
10600
#102 MD(10625.00) Inc(90.81) Azm(91.20)
TVD(5849.46) VS(4609.43) NI-S(-135.27)
10700
#103 MD(10716.00) Inc(90.81) Azm(90.49)
TVD(5848.18) VS(4700.40) NI-S(-136.61)
10800
#104 MD(10808.00) Inc(91.38) Azm(91.20)
TVD(5846.42) VS(4792.37) NI-S(-137.96)
10900
#105 MD(10900.00) Inc(90.28) Azm(91.11)
TVD(5845.09) VS(4884.33) NI-S(-139.82)
11000
#106 MD(10993.00) Inc(89.70) Azm(90.89)
TVD(5845.10) VS(4977.31) NI-S(-141.44)
11100
#107 MD(11085.00) Inc(91.21) Azm(92.08)
TVD(5844.37) VS(5069.26) NI-S(-143.82)
11200
#108 MD(11177.00) Inc(91.91) Azm(92.30)
TVD(5841.87) VS(5161.15) NI-S(-147.34)
11300
#109 MD(11269.00) Inc(90.01) Azm(89.70)
TVD(5840.33) VS(5253.10) NI-S(-148.94)
11400
#110 MD(11361.00) Inc(88.91) Azm(89.79)
TVD(5841.19) VS(5345.10) NI-S(-148.53)
11500
#111 MD(11453.00) Inc(87.00) Azm(88.60)
TVD(5843.83) VS(5437.05) NI-S(-147.24)
11600
#112 MD(11545.00) Inc(88.91) Azm(89.88)
TVD(5846.47) VS(5529.01) NI-S(-146.02)
11700
#113 MD(11637.00) Inc(88.29) Azm(89.39)
TVD(5848.72) VS(5620.98) NI-S(-145.44)
11800
#114 MD(11729.00) Inc(89.31) Azm(89.08)
TVD(5850.65) VS(5712.95) NI-S(-144.21)
11900
#115 MD(11821.00) Inc(88.11) Azm(88.51)
TVD(5852.72) VS(5804.91) NI-S(-142.28)
12000
#116 MD(11913.00) Inc(89.88) Azm(88.99)
TVD(5854.33) VS(5896.88) NI-S(-140.27)
12100
#117 MD(12005.00) Inc(88.60) Azm(89.61)
TVD(5855.55) VS(5988.87) NI-S(-139.14)
12200
#118 MD(12097.00) Inc(92.18) Azm(88.51)
TVD(5854.93) VS(6080.84) NI-S(-137.64)
12300
#119 MD(12189.00) Inc(91.12) Azm(89.39)
TVD(5852.28) VS(6172.79) NI-S(-135.95)
12400
#120 MD(12284.00) Inc(88.88) Azm(88.99)
TVD(5851.49) VS(6267.78) NI-S(-134.61)
12500
#121 MD(12377.00) Inc(90.99) Azm(90.10)
TVD(5850.74) VS(6360.77) NI-S(-133.87)
12600
#122 MD(12472.00) Inc(90.99) Azm(89.48)
TVD(5849.10) VS(6455.76) NI-S(-133.52)
12700
#123 MD(12566.00) Inc(90.50) Azm(91.29)
TVD(5847.61) VS(6549.74) NI-S(-134.15)
12800
#124 MD(12661.00) Inc(91.00) Azm(93.18)
TVD(5846.83) VS(6644.64) NI-S(-137.86)
12900
#125 MD(12756.00) Inc(89.70) Azm(90.01)
TVD(5846.50) VS(6739.58) NI-S(-140.50)
13000
#126 MD(12851.00) Inc(90.09) Azm(89.48)
TVD(5847.08) VS(6834.58) NI-S(-140.08)
13100
#127 MD(12945.00) Inc(89.49) Azm(89.39)
TVD(5848.76) VS(6928.57) NI-S(-139.55)
13200
#128 MD(13039.00) Inc(88.20) Azm(90.40)
TVD(5850.67) VS(7022.54) NI-S(-139.78)
13300
#129 MD(13134.00) Inc(90.59) Azm(89.79)
TVD(5851.67) VS(7117.53) NI-S(-139.94)
13400
#130 MD(13229.00) Inc(91.70) Azm(91.01)
TVD(5849.70) VS(7212.50) NI-S(-141.02)
13500
#131 MD(13323.00) Inc(91.78) Azm(92.21)
TVD(5846.78) VS(7306.39) NI-S(-144.07)
13600
#132 MD(13418.00) Inc(92.40) Azm(90.67)
TVD(5843.32) VS(7401.28) NI-S(-146.46)
13700
#133 MD(13513.00) Inc(91.60) Azm(91.80)
TVD(5840.00) VS(7496.22) NI-S(-148.00)
13800
#134 MD(13607.00) Inc(87.88) Azm(88.77)
TVD(5840.35) VS(7590.18) NI-S(-147.96)
13900
#135 MD(13703.00) Inc(87.01) Azm(88.51)
TVD(5844.54) VS(7686.08) NI-S(-146.04)
14000
#136 MD(13798.00) Inc(87.50) Azm(90.80)
TVD(5849.10) VS(7780.96) NI-S(-145.80)
14100
#137 MD(13894.00) Inc(86.48) Azm(91.20)
TVD(5854.14) VS(7876.81) NI-S(-147.47)
14200
#138 MD(13989.00) Inc(88.38) Azm(90.27)
TVD(5858.40) VS(7971.69) NI-S(-148.69)
14300
#139 MD(14084.00) Inc(89.88) Azm(90.58)
TVD(5859.84) VS(8066.68) NI-S(-149.39)
14400
#140 MD(14179.00) Inc(90.09) Azm(91.11)
TVD(5859.12) VS(8161.65) NI-S(-150.79)
14500
#141 MD(14274.00) Inc(90.90) Azm(87.19)
TVD(5857.55) VS(8256.62) NI-S(-149.38)
14600
#142 MD(14368.00) Inc(92.71) Azm(86.80)
TVD(5854.59) VS(8350.46) NI-S(-144.52)
14700
#143 MD(14463.00) Inc(92.09) Azm(90.18)
TVD(5850.61) VS(8445.34) NI-S(-142.09)
14800
#144 MD(14558.00) Inc(92.71) Azm(88.99)
TVD(5846.63) VS(8540.26) NI-S(-141.40)
14900
#145 MD(14653.00) Inc(90.99) Azm(89.70)
TVD(5843.55) VS(8635.19) NI-S(-140.32)
15000
#146 MD(14748.00) Inc(91.30) Azm(88.77)
TVD(5841.67) VS(8730.17) NI-S(-139.05)
15100
#147 MD(14843.00) Inc(90.41) Azm(89.48)
TVD(5840.25) VS(8825.15) NI-S(-137.60)
15200
#148 MD(14938.00) Inc(89.70) Azm(89.58)
TVD(5840.08) VS(8920.15) NI-S(-137.32)
15300
#149 MD(15033.00) Inc(89.88) Azm(90.49)
TVD(5840.36) VS(9015.14) NI-S(-137.87)
15400
#150 MD(15128.00) Inc(89.62) Azm(89.79)
TVD(5840.77) VS(9110.14) NI-S(-138.10)
15500
#151 MD(15223.00) Inc(88.91) Azm(89.48)
TVD(5841.99) VS(9205.13) NI-S(-137.50)
15600
#152 MD(15318.00) Inc(91.12) Azm(90.89)
TVD(5841.96) VS(9300.12) NI-S(-137.81)
15700
#153 MD(15412.00) Inc(91.38) Azm(89.70)
TVD(5839.91) VS(9394.09) NI-S(-138.29)
15800
#154 MD(15508.00) Inc(89.48) Azm(90.58)
TVD(5839.19) VS(9490.08) NI-S(-138.52)
15900
#155 MD(15602.00) Inc(89.70) Azm(90.49)
TVD(5839.87) VS(9584.07) NI-S(-139.40)
#156 MD(15698.00) Inc(89.70) Azm(91.20)
TVD(5840.37) VS(9680.06) NI-S(-140.82)
#157 MD(15793.00) Inc(90.10) Azm(90.49)
TVD(5840.53) VS(9775.04) NI-S(-142.22)
#158 MD(15836.00) Inc(90.01) Azm(90.49)
TVD(5840.49) VS(9821.04) NI-S(-142.61)
PTB: MD(15908.00) Inc(90.01) Azm(90.49)
TVD(5840.48) VS(9890.03) NI-S(-143.20)
Gamma
API
0 200
200 400
ROP
ft/hr
0 1000
1000 2000
TVD
ft
0 7000
7000 14000
Temperature
degF
0 250