WT FED Wapiewood BW-20-4

Well Name: WT FED Wapiewood BW-20-4
Location: 20-4-1W5
Licence: 0123456
Operator: Wapiti Energy Ltd.
Drilling Contractor: Rig 7
Rig Type: Single
Spud Date: 2024-03-12
Rig Release: 2024-03-19
Total Depth: 1,842.0 m
Final Drill: 1,842.0 m
Elevation: 1,012.4 m
Elevation Ref: KB
Surface Coordinates: 51.0412° N, 114.3187° W
Bottom Hole Coordinates: 51.0412° N, 114.3187° W
Ground Elevation: 1,004.1 m
Logged Interval: 1,000.0 m to 1,842.0 m
Total Depth (logger): 1,842.0 m
Type of Drill Stem Tests: None
Number of Cores: 0
Core Interval: —
Completion Status: Abandoned
Tops Picked By: Wapiti Energy Ltd.

Name	MD (m)	TVD (m)	Subsea (m)	Thickness (m)	Dip (°)	Dip Dir (°)	Method
Top Wapiewood	1,000.0	1,000.0	+12.4	—	0.4	182	Pick
Base Wapiewood	1,118.5	1,118.5	-106.1	118.5	0.4	182	Pick
Top Kakwa	1,118.5	1,118.5	-106.1	0.0	0.4	182	Pick
Base Kakwa	1,162.0	1,162.0	-149.6	43.5	0.4	182	Pick
Top Falher	1,162.0	1,162.0	-149.6	0.0	0.4	182	Pick
Base Falher	1,214.5	1,214.5	-202.1	52.5	0.4	182	Pick
Top Cardium	1,214.5	1,214.5	-202.1	0.0	0.4	182	Pick
Base Cardium	1,241.0	1,241.0	-228.6	26.5	0.4	182	Pick
Top Blackstone	1,241.0	1,241.0	-228.6	0.0	0.4	182	Pick
Base Blackstone	1,268.5	1,268.5	-256.1	27.5	0.4	182	Pick
Top Paddy	1,268.5	1,268.5	-256.1	0.0	0.4	182	Pick
Base Paddy	1,296.0	1,296.0	-283.6	27.5	0.4	182	Pick
Top Ellerslie	1,296.0	1,296.0	-283.6	0.0	0.4	182	Pick
Base Ellerslie	1,318.5	1,318.5	-306.1	22.5	0.4	182	Pick
Top Wilrich	1,318.5	1,318.5	-306.1	0.0	0.4	182	Pick
Base Wilrich	1,342.0	1,342.0	-329.6	23.5	0.4	182	Pick
Top Notikewin	1,342.0	1,342.0	-329.6	0.0	0.4	182	Pick
Base Notikewin	1,362.5	1,362.5	-350.1	20.5	0.4	182	Pick
Top Fish Scales	1,362.5	1,362.5	-350.1	0.0	0.4	182	Pick
Base Fish Scales	1,378.0	1,378.0	-365.6	15.5	0.4	182	Pick
Top Belly River	1,378.0	1,378.0	-365.6	0.0	0.4	182	Pick
Base Belly River	1,842.0	1,842.0	-829.6	464.0	0.4	182	Pick










16000
16050
16100
16150
16200
16250
16300
16350
16400
16450
16500
16550
16600
16650
16700
16750
16800
16850
16900
16950
17000
17050
17100
17150
Gamma
API
0
150
300
RDP
ft/hr
1000
2000
Bottom Hole Temp
degF
0
300