C&J ENERGY SERVICES

GAMMA RAY / CCL
CEMENT BOND / VDL

Company	ANADARKO PETROLEUM CORP.
Well	DACONO 29-2
Field	WATTENBERG
County	WELD
State	COLORADO

Company	ANADARKO PETROLEUM CORP.		
Well	DACONO 29-2		
Field	WATTENBERG		
County	WELD	State	COLORADO
Location:	API # : 05-123-33812		Other Services
	SE / NW		
	SEC 2 TWP 1N RGE 68W		
Permanent Datum	GL	Elevation 5016'	Elevation
Log Measured From	KB		K.B. 5031'
Drilling Measured From	KB		D.F. 5030' G.L. 5016'

Date	September 20, 2019
Run Number	One
Depth Driller	8710'
Depth Logger	7850'
Bottom Logged Interval	7850'
Top Log Interval	Surface
Casing Size	4 1/2
Type Fluid	Water
Max. Recorded Temp.	NA
Estimated Cement Top	---
Time Well Ready	3:30pm
Time Logger On Bottom	4:00pm
Unit Number	200054
Tool Size / ID Number	2 3/4 Tecko
Location	HWY 52 & 1-25
Recorded By	Adam Frank
Witnessed By	Traux Deal

Borehole Record			Tubing Record			
Run Number	Bit	From	To	Size	Weight	From	To

Casing Record	Size	Wgt/Ft	Top	Bottom
Surface String	8 5/8	24#	Surface	945'
Prot. String				
Production String	4 1/2	11.6#	Surface	8700'
Liner				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank You for using Casedhole Solutions!
Log Not Correlated
Log ran with 500 PSI

Database File:	dacono 29-2.db
Dataset Pathname:	pass6
Presentation Format:	nuexbond
Dataset Creation:	Fri Sep 20 16:06:58 2019 by Log SCH 120430
Charted by:	Depth in Feet scaled 1:240


3800
3850
3900
3950


4000
4050
4100
4150
4200


4250
4300
4350
4400


4450
4500
4550
4600


4650
4700
4750
4800
4850


4900
4950
5000
5050


5100
5150
5200
5250


5300
5350
5400
5450
5500


5550
5600
5650
5700


5750
5800
5850
5900


5950
6000
6050
6100
6150


6200
6250
6300
6350


6400
6450
6500
6550


6600
6650
6700
6750
6800


6850
6900
6950
7000
7050


7100
7150
7200
7250


7300
7350
7400
7450
7500


7550
7600
7650
7700
7750



Calibration Report

Database File: dacono 29-2.db
Dataset Pathname: pass6
Dataset Creation: Fri Sep 20 16:06:58 2019 by Log SCH 120430

Gamma Ray Calibration Report

Serial Number: 234GR-328
Tool Model: TekcoGR
Performed: Fri Jun 06 09:19:31 2014

Calibrator Value: 1.0 GAPI

Background Reading: 0.0 cps
Calibrator Reading: 1.0 cps

Sensitivity: 0.8000 GAPI/cps

Segmented Cement Bond Log Calibration Report

Serial Number: 234B35C-8013
Tool Model: TEKCO
Performed: Fri Sep 20 15:50:23 2019

Depth: 4440.200 ft
Casing Diameter: 4.500 in

	3' Spacing	5' Spacing	
Signal Zero:			mV
Calibrated Amplitude:			mV
Reading at Signal Zero:			V
Reading in Free Pipe:			V

Gain:
Offset: