

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:
402187893

Date Received:
09/25/2019

FIR RESOLUTION FORM

Overall Status: CAC

CA Summary:

2 of 2 CAs from the FIR responded to on this Form

2 CA Completed
0 Factual Review Request

OPERATOR INFORMATION

OGCC Operator Number: 10112

Name of Operator: FOUNDATION ENERGY MANAGEMENT LLC

Address: 5057 KELLER SPRINGS RD STE 650

City: ADDISON State: TX Zip: 75001

Contact Name and Telephone:

Name: _____

Phone: () _____ Fax: () _____

Email: _____

Additional Operator Contact:

Contact Name

Phone

Email

Daniel Steerman

970-630-4330

regulatory@foundationenergy.com

COGCC INSPECTION SUMMARY:

FIR Document Number: 696200782

Inspection Date: 09/16/2019

FIR Submit Date: 09/23/2019

FIR Status: _____

Inspected Operator Information:

Company Name: FOUNDATION ENERGY MANAGEMENT LLC

Company Number: 10112

Address: 5057 KELLER SPRINGS RD STE 650

City: ADDISON State: TX Zip: 75001

LOCATION - Location ID: 303599

Location Name: GROSECLOSE-64S43W Number: 30NWNE County: _____

Qtrqr: NWNE Sec: 30 Twp: 4S Range: 43W Meridian: 6

Latitude: 39.685985 Longitude: -102.222626

FACILITY - API Number: 05-125-00 Facility ID: 303599

Facility Name: GROSECLOSE-64S43W Number: 30NWNE

Qtrqr: NWNE Sec: 30 Twp: 4S Range: 43W Meridian: 6

Latitude: 39.685985 Longitude: -102.222626

CORRECTIVE ACTIONS:

1 CA# 130916

Corrective Action: Foundation shall conduct reclamation in accordance with COGCC 1000 series rules on the degraded adjacent lands due to stormwater runoff. Foundation shall establish vegetation with total perennial, non-invasive uniform plant cover of at least eighty (80) percent of pre-disturbance or reference area levels. A seed mixture requested by the surface owner, or a mixture prescribed by the local county NRCS will be used. Foundation will ensure erosion controls are implemented to stabilize the seeded soil. Foundation shall conduct ongoing reclamation and stormwater monitoring/management until passing "Final Reclamation" pursuant to 1004 rules.

Date: 09/16/2019

Response: CA COMPLETED

Date of Completion: 09/19/2019

Stormwater management and surface disturbance minimization resolved

Operator
Comment:

COGCC Decision:

COGCC
Representative:

2 CA# 130917

Corrective Action: SEE "COGCC COMMENTS" FOR CORRECTIVE ACTION REGARDING
STORMWATER

Date: 09/16/2019

Response: CA COMPLETED

Date of Completion: 09/18/2019

Operator
Comment:

Stormwater management corrected

COGCC Decision:

COGCC
Representative:

OPERATOR COMMENT AND SUBMITTAL

Comment: Actions corrected and resolved

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Alyssa Beard

Signed:

Title: HSE Manager

Date: 9/25/2019 7:13:17 AM

ATTACHMENT LIST

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
402187895	Groseclose 31-30
402187897	Groseclose 31-30
402187898	Groseclose 31-30

Total Attach: 3 Files