

FORM  
5A  
Rev  
06/12

State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:  
400499726

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: <u>69175</u>	4. Contact Name: <u>Cassie Gonzalez</u>
2. Name of Operator: <u>PDC ENERGY INC</u>	Phone: <u>(303) 860-5800</u>
3. Address: <u>1775 SHERMAN STREET - STE 3000</u>	Fax: _____
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80203</u>	Email: <u>Cassie.Gonzalez@pdce.com</u>

5. API Number <u>05-123-36986-00</u>	6. County: <u>WELD</u>
7. Well Name: <u>Waste Management</u>	Well Number: <u>2Y-201</u>
8. Location: QtrQtr: <u>SESE</u> Section: <u>2</u> Township: <u>2N</u> Range: <u>64W</u> Meridian: <u>6</u>	
9. Field Name: <u>WATTENBERG</u> Field Code: <u>90750</u>	

### Completed Interval

FORMATION: NIOBRARA Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 10/28/2013 End Date: 10/29/2013 Date of First Production this formation: 11/11/2013  
Perforations Top: 7281 Bottom: 11229 No. Holes: Hole size:

Provide a brief summary of the formation treatment: Open Hole:

20 Stage Sliding Sleeve, Swell Packer set at 7,281'  
Total Fluid: 73,102 bbls  
Gel Fluid: 58,565 bbls  
Slickwater Fluid: 14,537 bbls  
Total Proppant: 4,421,429 lbs  
Silica Proppant: 4,421,429 lbs  
Method for determining flowback: measuring flowback tank volumes.

This formation is commingled with another formation:  Yes  No

Total fluid used in treatment (bbl): 73102 Max pressure during treatment (psi): 4246  
Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal): 8.34  
Type of gas used in treatment: Min frac gradient (psi/ft): 0.96  
Total acid used in treatment (bbl): Number of staged intervals: 20  
Recycled water used in treatment (bbl): Flowback volume recovered (bbl): 7707  
Fresh water used in treatment (bbl): 73102 Disposition method for flowback: DISPOSAL  
Total proppant used (lbs): 4421429 Rule 805 green completion techniques were utilized:   
Reason why green completion not utilized:

**Fracture stimulations must be reported on FracFocus.org**

#### Test Information:

Date: 11/29/2013 Hours: 24 Bbl oil: 347 Mcf Gas: 248 Bbl H2O: 36  
Calculated 24 hour rate: Bbl oil: 347 Mcf Gas: 248 Bbl H2O: 36 GOR: 715  
Test Method: Flowing Casing PSI: 1073 Tubing PSI: 710 Choke Size: 16/64  
Gas Disposition: SOLD Gas Type: WET Btu Gas: 1316 API Gravity Oil: 44  
Tubing Size: 2 + 3/8 Tubing Setting Depth: 6839 Tbg setting date: 11/07/2013 Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze:  Yes  No If yes, number of sacks cmt

\*\* Bridge Plug Depth: \*\* Sacks cement on top: \*\* Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Cassie Gonzalez  
Title: Regulatory Technician Date: Email: Cassie.Gonzalez@pdce.com

### Attachment Check List

Att Doc Num	Name

Total Attach: 0 Files

### General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Permit	Returned to draft for AOC settlement.	09/15/2016

Total: 1 comment(s)