RELIANCE OILFIELD SERVICES

Radial Cement Bond
Gamma Ray
Casing Collar Log

Company	TEP Rocky Mountain LLC
Well	Federal RWF 513-8
Field	Rulison
County	Garfield
State	Colorado

Company TEP Rocky Mountain LLC

Well Federal RWF 513-8

Field Rulison

County Garfield State Colorado

Location: API # : 05-045-24032

SEC 17 TWP 6S RGE 94W

Other Services --

Permanent Datum	Ground Level	Elevation 6175'	Elevation
Log Measured From	Kelly Bushing	24 FT	K.B. 6199'
Drilling Measured From	Kelly Bushing		D.F. ---
			G.L. 6175'

Date	13-AUG-2019
Run Number	One
Depth Driller	9355 FT
Depth Logger	9311 FT
Bottom Logged Interval	9297 FT
Top Log Interval	Surface
Open Hole Size	8.750"
Type Fluid	Fresh Water
Density / Viscosity	8.34 lb/gal
Max. Recorded Temp.	255°F
Estimated Cement Top	See Log
Time Well Ready	ROA
Time Logger on Bottom	1500
Equipment Number	HD-0331
Location	Grand Junction, CO
Recorded By	Z. Fisher
Witnessed By	Dustin Welsh

Borehole Record				Tubing Record			
Run Number	Bit	From	To	Size	Weight	From	To

Casing Record	Size (in)	Wgt (lbs/Ft)	Grade	Top	Bottom
Surface Casing	9 5/8	36	J-55	Surface	1103 FT
Intermediate #1	4 1/2	11.6	P-110	Surface	9324 FT
Intermediate #2					
Liner					

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Log ran as per customer request
Depth referenced to Kelly Bushing at 24 FT
Marker Joint logged from 5280-5302 FT
Log ran with 0 PSI Surface Induced Pressure

Thank you for choosing Reliance Oilfield Services, LLC!!

RELIANCE OILFIELD SERVICES

Main Pass

Recorded With 0 PSI Surface Induced Pressure

Database File	tep_federal rwf 513-8\tep_federal rwf 513-8_rbl_08-13-19.db
Dataset Pathname	main
Presentation Format	ros_rbt004_tep
Dataset Creation	Tue Aug 13 13:41:04 2019
Charted by	Depth in Feet scaled 1:240

Gamma Ray	3' Amplitude	5' Variable Density Log	Sector Map	Average Amplitude
0 (GAPI) 200	0 (mV) 100	200 (usec) 1200		0 150
CCL$1	3' Amplitude x 5			Mimimum Amplitude
Line Speed	0 (mV) 20			0 150
-150 (ft/min) 150	3' Travel Time			Maximum Amplitude
Line Tension	300 (usec) 200			0 150
0 (lb) 2000				
Differential Temperature				
-2 (degF) 2				
Temperature				
0 (degF) 20				


126.7
3700
128.7
3800


130.6
3900
132.5
4000
134.6
4100


136.5
4200
138.4
4300


140.5
4400
142.4
4500


144.4
4600
146.1
4700
148.0
4800


150.0
4900
151.9
5000


154.0
5100
156.2
5200


Marker Joint
158.5
5300
160.7
5400


162.9
5500
164.7
5600


166.9
5700
168.5
5800


170.0
5900
171.6
6000


173.6
6100
175.5
6200


176.9
6300
179.6
6400


181.8
6500
183.5
6600


185.3
6700
187.2
6800


189.1
6900
190.9
7000


193.0
7100
194.7
7200


196.6
7300
198.4
7400


200.4
7500
202.2
7600

Gamma Ray 0 (GAPI) 200	3' Amplitude 0 (mV) 100	5' Variable Density Log 200 (usec) 1200	Sector Map	Average Amplitude 0 150
CCL$1	3' Amplitude x 5 0 (mV) 20			Mimimum Amplitude 0 150
Line Speed -150 (ft/min) 150	3' Travel Time 300 (usec) 200			Maximum Amplitude 0 150
Line Tension 0 (lb) 2000				
Differential Temperature -2 (degF) 2				
Temperature 0 (degF) 20				

RELIANCE
OILFIELD SERVICES

Repeat Pass

Recorded With 0 PSI Surface Induced Pressure

Database File	tep_federal rwf 513-8\tep_federal rwf 513-8_rbl_08-13-19.db
Dataset Pathname	repeat1
Presentation Format	ros_rbt004_tep
Dataset Creation	Tue Aug 13 13:36:16 2019
Charted by	Depth in Feet scaled 1:240

Gamma Ray 0 (GAPI) 200	3' Amplitude 0 (mV) 100	5' Variable Density Log 200 (usec) 1200	Sector Map	Average Amplitude 0 150
Line Speed -150 (ft/min) 150	3' Amplitude x 5 0 (mV) 20			Mimimum Amplitude 0 150
Line Tension 0 (lb) 2000	3' Travel Time 300 (usec) 200			Maximum Amplitude 0 150
Differential Temperature -2 (degF) 2				
Temperature 0 (degF) 20				



Gamma Ray 0 (GAPI) 200	3' Amplitude 0 (mV) 100	5' Variable Density Log 200 (usec) 1200	Sector Map	Average Amplitude 0 150
Line Speed -150 (ft/min) 150	3' Amplitude x 5 0 (mV) 20			Mimimum Amplitude 0 150
Line Tension 0 (lb) 2000	3' Travel Time 300 (usec) 200			Maximum Amplitude 0 150
Differential Temperature -2 (degF) 2				
Temperature 0 (degF) 20				



Sensor	Offset (ft)	Description	Length (ft)	O.D. (in)	Weight (lb)
		Titan CHD-14375 GO Titan 1-7/16" Assembled Electric Cable Head with 1" Fishing Neck	1.03	1.44	3.60
		Probe CENT-2750 Probe 2-3/4" Electric Inline Bowspring Centralizer	2.88	2.75	20.00
TEMP WVFS8 WVFS7 WVFS6 WVFS5 WVFS4 WVFS3 WVFS2 WVFS1 WVFCAL WVF3FT WVF5FT HEADVOLT	14.12 11.89 11.89 11.89 11.89 11.89 11.89 11.89 11.89 11.89 11.89 10.89 7.64	Probe Radii-2750 RBT (120855) Probe 2-3/4" Radial Cement Bond Tool with Integral Temperature Sub	9.39	2.75	105.00
		Probe CENT-2750 Probe 2-3/4" Electric Inline Bowspring Centralizer	2.88	2.75	20.00
CCL$2 CCL$1 GR	3.88 3.88 2.63	Probe GR-CCL-2750 GOB (FW1211-081) Probe 2-3/4" rev.2 Digital Scintillation Gamma Ray/CCL Combined with GO Bottom	4.51	2.75	55.00
		GO BN-14375 GO 1-7/16" Bull Nose with Go Box Top	0.25	1.44	1.00

Dataset:	TEP_Federal RWF 513-8_RBL_08-13-19.db: field/well/run1/main
Total length:	20.94 ft
Total weight:	204.60 lb
O.D.:	2.75 in

Calibration Report

Database File	C:\ProgramData\Warrior\Data\TEP_Federal RWF 513-8\TEP_Federal RWF 513-8_RBL_08-13-19.db
Dataset Pathname	main
Dataset Creation	Tue Aug 13 13:41:04 2019

Gamma Ray Calibration Report

Serial Number:	FW1211-081	
Tool Model:	2750 GOB	
Performed:	Mon Oct 01 11:32:39 2018	
Calibrator Value:	637.0	GAPI
Background Reading:	112.4	cps
Calibrator Reading:	1008.7	cps
Sensitivity:	0.7107	GAPI/cps

Segmented Cement Bond Log Calibration Report

Serial Number:	120855	
Tool Model:	2750 RBT	
Calibration Casing Diameter:	4.500	in
Calibration Depth:	30.544	ft

Master Calibration, performed Tue Aug 13 10:42:22 2019:

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	0.004	0.733	0.800	81.196	110.336	0.346
CAL	0.003	0.746				
5'	0.005	0.603	0.800	81.196	134.409	0.121
SUM						
S1	0.005	0.740	0.000	100.000	136.154	-0.735
S2	0.004	0.722	0.000	100.000	139.367	-0.570
S3	0.003	0.692	0.000	100.000	145.184	-0.493
S4	0.005	0.757	0.000	100.000	133.047	-0.651
S5	0.005	0.761	0.000	100.000	132.310	-0.722
S6	0.005	0.722	0.000	100.000	139.476	-0.678
S7	0.004	0.687	0.000	100.000	146.260	-0.520
S8	0.005	0.727	0.000	100.000	138.505	-0.724

Internal Reference Calibration, performed (Not Performed):

	Raw (v)		Calibrated (v)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
CAL	0.000	0.000	0.003	0.746	1.000	0.000

Air Zero Calibration, performed Tue Aug 13 10:41:17 2019:

	Raw (v)	Calibrated (v)	Results
	Zero	Zero	Offset
3'	0.000	0.000	0.000
5'	0.000	0.000	0.000
SUM			
S1	0.000	0.000	0.000
S2	0.000	0.000	0.000
S3	0.000	0.000	0.000
S4	0.000	0.000	0.000
S5	0.000	0.000	0.000
S6	0.000	0.000	0.000
S7	0.000	0.000	0.000
S8	0.000	0.000	0.000

Temperature Calibration Report

Serial Number:	120855	
Tool Model:	2750 RBT	
Performed:	Mon Oct 01 11:32:15 2018	
	Reference	Reading
Low Reference:	100.00 degF	112.30 degF
High Reference:	350.00 degF	394.75 degF
Gain:	0.89	
Offset:	0.60	
Delta Spacing	1	

RELIANCE
OILFIELD SERVICES

Company	TEP Rocky Mountain LLC
Well	Federal RWF 513-8
Field	Rulison
County	Garfield
State	Colorado