

Smith Energy Corp, Running Creek State 11
039-06583

Inspection #688306102

10/23/2019

Inspection



COLORADO

**Oil & Gas Conservation
Commission**

Department of Natural Resources



Colorado Oil and Gas Conservation Commission
39.53558, -104.56359, 6148.3ft, 162°
10/23/2019 11:40:05 AM



Colorado Oil and Gas Conservation Commission
39.53559, -104.56359, 6145.0ft, 170°
10/23/2019 11:39:58 AM



Stained soil from tank leak, inside containment.



RUNNING C
R
NV
ELBERT CO.
In Emergency Ca.
Directions: ECR 186

Colorado Oil and Gas Conservation Commission
39.5355, -104.56353, 6171.3ft, 203°
10/23/2019 11:44:31 AM



Colorado Oil and Gas Conservation Commission
39.53551, -104.5634, 6177.8ft, 213°
10/23/2019 11:44:46 AM



Colorado Oil and Gas Conservation Commission
39.53548, -104.56341, 6171.3ft, 221°
10/23/2019 11:44:52 AM



Colorado Oil and Gas Conservation Commission
39.53542, -104.56341, 6171.3ft, 224°
10/23/2019 11:45:00 AM



Colorado Oil and Gas Conservation Commission
39.53542, -104.56356, 6171.3ft, 237°
10/23/2019 11:45:19 AM



Colorado Oil and Gas Conservation Commission
39.53541, -104.56351, 6168.0ft, 239°
10/23/2019 11:45:13 AM



Unmarked risers.




Colorado Oil and Gas Conservation Commission
39.53542, -104.56361, 6168.0ft, 227°
10/23/2019 11:45:25 AM



Unused stairway.

HAZARD
ly
eme Danger
ardous
ghtly Hazardous
ormal Material

FIRE HAZARD
Flash Points
4 Below 73 F
3 Below 100 F
2 Below 200 F
1 Above 200 F
0 Will Not Burn



SPECIFIC HAZARD
Oxidizer
Acid
Alkali
Corrosive
Use NO Water
Radioactive
OX
ACID
ALK
COR
W
▲

REACTIVITY
4 May detonate
3 Shock and Heat
may detonate
2 Violent Chemical
Change
1 Unstable if Heated
0 Stable

**Unless otherwise labeled
process vessels and
storage tanks contain
one or more of the
following:**

- CONDENSATE**
- CRUDE OIL**
- NATURAL GAS**
- PRODUCED WATER**

Colorado Oil and Gas Conservation Commission
39.53546, -104.5638, 6168.0ft, 190°

10/23/2019 11:47:22 AM



Colorado Oil and Gas Conservation Commission
39.53543, -104.56373, 6171.3ft, 229°
10/23/2019 11:45:36 AM



An 80 bbl, open topped, netted, fiberglass skim tank.



Colorado Oil and Gas Conservation Commission
39.53541, -104.56389, 6171.3ft, 239°
10/23/2019 11:45:49 AM

PRODUCED WATER

HEALTH HAZARD

4 Deadly
3 Extreme Danger
2 Hazardous
1 Slightly Hazardous
0 Normal Material

FIRE HAZARD

Flash Points
4 Below 73° F
3 Below 100° F
2 Below 200° F
1 Above 200° F
0 Will not burn



SPECIFIC HAZARD

Oxidizer
Acid
Alkal
Corrosive
Use NO Water
Radioactive

OR
ALK
COR
W
R

REACTIVITY

4 May detonate
3 Shock and heat
may detonate
2 Violent chemical
change
1 Unstable if heated
0 Stable

Colorado Oil and Gas Conservation Commission


39.53544, -104.56392, 6168.0ft, 179°

10/23/2019 11:46:51 AM

2011

2011

Colorado Oil and Gas Conservation Commission
39.53544, -104.56391, 6168.0ft, 190°
10/23/2019 11:46:54 AM



Colorado Oil and Gas Conservation Commission
39.53541, -104.56392, 6171.3ft, 301°
10/23/2019 11:46:30 AM