



00225863

	QTR	QTR	SEC	TWNS	RANGE	PM	NAME	DEPTH	TPERF	BPERF
A	NE	NE	02	070N	0590W	S	WILLIAMS CLAUDE	180	100	180
B	NW	NW	02	070N	0590W	S	WILLIAMS CLAUDE	182	90	182
C	NE	SE	02	070N	0590W	S	WILLIAMS CLAUDE	164		
D	NE	SW	02	070N	0590W	S	WILLIAMS CLAUDE	140		
E	NW	SW	03	070N	0590W	S	DOLL GEORGE	223		
F	NW	NE	05	070N	0590W	S	GREEN ALTA	260		
G	NW	NE	05	070N	0590W	S	GREENE ALTA	260		
H	NW	SE	05	070N	0590W	S	GREEN T D			
I	SE	NE	08	070N	0590W	S	CASTOR DUANE			
J	NE	SE	08	070N	0590W	S	LIVENGOD R.E.	250	180	240
K	NW	NE	10	070N	0590W	S	WILLIAMS C R	112		
L	SW	SW	11	070N	0590W	S	CASTOR DELBERT	206	126	206
M	NW	SW	15	070N	0590W	S	ASHBAUGH KEITH			
N	NW	SW	15	070N	0590W	S	ASHBAUGH KEITH			
O	NW	NW	17	070N	0590W	S	LIVENGOD R E	147		
P	NW	NW	19	070N	0590W	S	FORD JOHN E.			
Q	NW	NW	19	070N	0590W	S	FORD JOHN E	125		
R	SW	NW	22	070N	0590W	S	STRAIGHT FLORENCE E	290	140	290
S	NW	SW	22	070N	0590W	S	STRAIGHT FLORENCE			
T	NW	SW	22	070N	0590W	S	STRAIGHT FLORENCE E	290		

Letter=Choice | F10=Mark 1 | PgUp/PgDn=±20 | UpAr/DnAr =±1 | Esc=Quit

1/5 58



ATLAS WIRELINE SERVICES

DUP. INDUCTION FOCUSED LOG
CRRR RRY

FILE NO.	COMPANY	ENERGY MINERALS CORPORATION
WELL	ORFORD No. 1	
FIELD	OREFIRE	
COUNTY	WAD	STATE COLORADO
LOCATION:	N 5E 1900 FAL 1900 FAL	
SEC 7	TWP 7 N	RGE 59 W
PERFORM UNIT	C.L.	ELEV. 4902
LOGGING MEASURED FROM	K.B.	10 FT. ABOVE P.O.
DRILLING MEASURED FROM	K.B.	
DATE	8-2-89	
SERVICE ORDER	004878	
DEPTH-DRILLER	6500	
DEPTH-LOADER	6500	
BOTTOM LOGGED INTERVAL	6940	
TOP LOGGED INTERVAL	6940	
OSING - DRILLER	8 5/8	221
OSING - LOADER	221	
BIT SIZE	1 7/8	
TYPE FLUID IN HOLE	OPEN BL	
DENSITY / VISCOSITY	9.4	59
PH / FLUID LOSS	9.0	6.0
SOURCE OF SAMPLE	FLUID LINE	
RI AT MERS. TEMP.	2.81	8 75
RI AT MERS. TEMP.	2.86	8 75
RI AT MERS. TEMP.	3.51	8 160
SOURCE OF RI / MTC	MERS.	1 ORC.
RI AT BIT	1.25	8 160
TIME SINCE CIRCULATION	3 HRS	
TRK. REC. TEMP. DEG. F	160	
EQUIP. NO. / LOC.	6307	ORFIR
RECORDED BY	JL PATTERSON	
WITNESSED BY	BOB SMITH	

TIFFIN HOLE

IN MAKING INTERPRETATIONS OF LOGS OUR EMPLOYEES WILL GIVE CUSTOMER THE BEST FIT OF THEIR BEST JUDGMENT, BUT SINCE ALL INTERPRETATIONS ARE OPINIONS BASED ON INFERENCES FROM ELECTRICAL OR OTHER MEASUREMENTS, WE CANNOT, AND WE DO NOT GUARANTEE THE ACCURACY OR CORRECTNESS OF ANY INTERPRETATION. WE SHALL NOT BE LIABLE OR RESPONSIBLE FOR ANY LOSS, COST, DAMAGES, OR EXPENSES WHATSOEVER INCURRED OR SUSTAINED BY THE CUSTOMER RESULTING FROM ANY INTERPRETATION MADE BY ANY OF OUR EMPLOYEES.

REMARKS RUN (1)

CREW: GLASOE & HAGEN
RIG: GEAR 1

EQUIPMENT DATA

RUN	TRIP	TOOL	SERIAL NO.	SERIES NO.	POSITION
1	1	DIFL	57631	1503	FREE
1	1	GR	71540	1305	FREE

