

Location

Overall Good:

Signs/Marker:

Type	WELLHEAD		
Comment:	Adequate		
Corrective Action:			Date:

Emergency Contact Number:

Comment:	<input type="text"/>		
Corrective Action:	<input type="text"/>		Date: _____

Good Housekeeping:

Type	WEEDS		
Comment:	Weeds inside wellhed fencing. See attached photo.		
Corrective Action:	Comply with Rule 603.f.		Date: 10/17/2019

Overall Good:

Spills:

Type	Area	Volume		

In Containment: No

Comment:

Multiple Spills and Releases?

Fencing/:

Type	WELLHEAD		
Comment:	Panel		
Corrective Action:			Date:

Equipment:

Type: Plunger Lift	# 1		corrective date
Comment:			
Corrective Action:			Date:
Type: Bradenhead	# 1		
Comment:			
Corrective Action:			Date:

Venting:

Yes/No	NO		
Comment:			
Corrective Action:			Date:

Flaring:

Type			
Comment:			
Corrective Action:			Date:

Inspected Facilities

Facility ID: 292937 Type: WELL API Number: 123-26421 Status: SI Insp. Status: TA

Idle Well

Purpose: Shut In Temporarily Abandoned Reminder: SITE CONDITION

Comment: TA; MIT requirement waived per variance doc#401474555.

Corrective Action: Date:

COGCC Comments

Comment	User	Date
<p>THIS IS A FOLLOW UP INSPECTION TO PREVIOUS INSPECTION DOC#: 679601702. All corrective actions assigned in previous inspection DOC#: 679601702 have not been completed. All corrective actions assigned in DOC#: 679601702 have been RE-ASSIGNED to this location. Please review my inspection summary, photos and previous inspection DOC#: 679601702 for additional information on this location.</p> <p>COGCC Inspection Report Summary On Thursday, November 14, 2019 at approximately 10:30, I, Inspector Brittani Santistevan, conducted an on-site inspection at COUNTRY 1 29-4 (Noble Energy), at API #: 05-123-26421 in WELD COUNTY Colorado. While there, I observed a temporarily abandoned wellhead. During this inspection the following possible compliance issues were observed: 1. Weeds inside fencing that contains wellhead. Please removed to COMPLY WITH RULE 603.F. (Corrective Action Date: October 17, 2019) See attached photos #2,3.</p> <p>A follow up on this site inspection needs to be conducted to ensure the compliance issues have been corrected to comply with COGCC rules. This is a summary of inspection report.</p> <p>Continuing Education Inspection.</p>	santistb	11/14/2019

Attached Documents

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
402239964	INSPECTION SUBMITTED	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=4989009
679601913	Photos	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=4988998