



Caerus Oil & Gas

Rio Blanco County, CO (UTM 12N)

SEC 14-T4S-R96W ELU J14 496

ELU J14 FED 11C-14 496

OH

Plan: Plan 1

Standard Planning Report

05 December, 2019

Database:	USA EDM 5000 Multi Users DB	Local Co-ordinate Reference:	Well ELU J14 FED 11C-14 496
Company:	Caerus Oil & Gas	TVD Reference:	RKB @ 7932.00usft
Project:	Rio Blanco County, CO (UTM 12N)	MD Reference:	RKB @ 7932.00usft
Site:	SEC 14-T4S-R96W ELU J14 496	North Reference:	True
Well:	ELU J14 FED 11C-14 496	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan 1		

Project	Rio Blanco County, CO (UTM 12N)		
Map System:	Universal Transverse Mercator (US Survey Fee	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 - Western US		
Map Zone:	Zone 12N (114 W to 108 W)		

Site						SEC 14-T4S-R96W ELU J14 496											
Site Position:			Northing:			14,430,024.30 usft			Latitude:			39.700971					
From:			Map			Easting:			2,445,919.10 usft			Longitude:			-108.136478		
Position Uncertainty:			0.00 usft			Slot Radius:			13-3/16 "			Grid Convergence:			1.83		

Well	ELU J14 FED 11C-14 496					
Well Position	+N/-S	-28.70 usft	Northing:	14,429,998.09 usft	Latitude:	39.700892
	+E/-W	77.33 usft	Easting:	2,445,997.32 usft	Longitude:	-108.136204
Position Uncertainty		0.00 usft	Wellhead Elevation:		Ground Level:	7,902.00 usft

Wellbore	OH				
-----------------	----	--	--	--	--

Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM_FILE	10/30/2019	9.48	65.82	51,241.30000000

Design	Plan 1				
---------------	--------	--	--	--	--

Audit Notes:					
Version:		Phase:	PLAN	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00	340.91	

Plan Sections										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
300.00	0.00	0.00	300.00	0.00	0.00	0.00	0.00	0.00	0.00	
400.00	3.00	20.00	399.95	2.46	0.90	3.00	3.00	0.00	20.00	
600.00	3.00	20.00	599.68	12.30	4.48	0.00	0.00	0.00	0.00	
1,260.95	22.10	341.76	1,242.32	148.00	-28.86	3.00	2.89	-5.79	-43.36	
8,210.73	22.10	341.76	7,681.40	2,631.51	-847.33	0.00	0.00	0.00	0.00	
8,947.47	0.00	0.00	8,400.00	2,764.80	-891.26	3.00	-3.00	0.00	180.00	
8,994.75	0.95	240.02	8,447.28	2,764.61	-891.60	2.00	2.00	-253.77	240.02	
12,799.99	0.95	240.02	12,252.00	2,733.22	-945.99	0.00	0.00	0.00	0.00	BHL - ELU J14 11C

Database:	USA EDM 5000 Multi Users DB	Local Co-ordinate Reference:	Well ELU J14 FED 11C-14 496
Company:	Caerus Oil & Gas	TVD Reference:	RKB @ 7932.00usft
Project:	Rio Blanco County, CO (UTM 12N)	MD Reference:	RKB @ 7932.00usft
Site:	SEC 14-T4S-R96W ELU J14 496	North Reference:	True
Well:	ELU J14 FED 11C-14 496	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan 1		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
300.00	0.00	0.00	300.00	0.00	0.00	0.00	0.00	0.00	0.00
Begin 3.00° Build									
400.00	3.00	20.00	399.95	2.46	0.90	2.03	3.00	3.00	0.00
Hold 3.00 Inc at 20.00 Azm									
500.00	3.00	20.00	499.82	7.38	2.69	6.09	0.00	0.00	0.00
600.00	3.00	20.00	599.68	12.30	4.48	10.16	0.00	0.00	0.00
Begin 3.00° Build & Turn									
700.00	5.58	358.29	699.40	19.61	5.23	16.82	3.00	2.58	-21.71
800.00	8.44	350.71	798.64	31.71	3.90	28.69	3.00	2.86	-7.58
900.00	11.37	346.98	897.14	48.55	0.49	45.72	3.00	2.93	-3.73
1,000.00	14.33	344.77	994.63	70.10	-4.98	67.87	3.00	2.96	-2.21
1,100.00	17.30	343.31	1,090.83	96.29	-12.50	95.08	3.00	2.97	-1.46
1,200.00	20.28	342.26	1,185.49	127.05	-22.05	127.27	3.00	2.98	-1.05
1,260.95	22.10	341.76	1,242.32	148.00	-28.86	149.30	3.00	2.99	-0.83
Hold 22.10 Inc at 341.76 Azm									
1,300.00	22.10	341.76	1,278.50	161.96	-33.46	163.99	0.00	0.00	0.00
1,400.00	22.10	341.76	1,371.15	197.69	-45.24	201.61	0.00	0.00	0.00
1,500.00	22.10	341.76	1,463.80	233.43	-57.02	239.23	0.00	0.00	0.00
1,600.00	22.10	341.76	1,556.45	269.16	-68.79	276.86	0.00	0.00	0.00
1,700.00	22.10	341.76	1,649.11	304.90	-80.57	314.48	0.00	0.00	0.00
1,800.00	22.10	341.76	1,741.76	340.63	-92.35	352.10	0.00	0.00	0.00
1,900.00	22.10	341.76	1,834.41	376.37	-104.12	389.72	0.00	0.00	0.00
2,000.00	22.10	341.76	1,927.06	412.10	-115.90	427.34	0.00	0.00	0.00
2,100.00	22.10	341.76	2,019.71	447.84	-127.68	464.96	0.00	0.00	0.00
2,200.00	22.10	341.76	2,112.36	483.57	-139.45	502.58	0.00	0.00	0.00
2,300.00	22.10	341.76	2,205.02	519.31	-151.23	540.21	0.00	0.00	0.00
2,400.00	22.10	341.76	2,297.67	555.04	-163.01	577.83	0.00	0.00	0.00
2,500.00	22.10	341.76	2,390.32	590.78	-174.78	615.45	0.00	0.00	0.00
2,600.00	22.10	341.76	2,482.97	626.51	-186.56	653.07	0.00	0.00	0.00
2,700.00	22.10	341.76	2,575.62	662.25	-198.34	690.69	0.00	0.00	0.00
2,800.00	22.10	341.76	2,668.27	697.98	-210.11	728.31	0.00	0.00	0.00
2,900.00	22.10	341.76	2,760.92	733.72	-221.89	765.94	0.00	0.00	0.00
3,000.00	22.10	341.76	2,853.58	769.45	-233.67	803.56	0.00	0.00	0.00
3,100.00	22.10	341.76	2,946.23	805.19	-245.45	841.18	0.00	0.00	0.00
3,200.00	22.10	341.76	3,038.88	840.92	-257.22	878.80	0.00	0.00	0.00
3,300.00	22.10	341.76	3,131.53	876.66	-269.00	916.42	0.00	0.00	0.00
3,363.11	22.10	341.76	3,190.00	899.21	-276.43	940.16	0.00	0.00	0.00
WASATCH.NPC									
3,400.00	22.10	341.76	3,224.18	912.39	-280.78	954.04	0.00	0.00	0.00
3,500.00	22.10	341.76	3,316.83	948.13	-292.55	991.66	0.00	0.00	0.00
3,600.00	22.10	341.76	3,409.49	983.86	-304.33	1,029.29	0.00	0.00	0.00
3,700.00	22.10	341.76	3,502.14	1,019.60	-316.11	1,066.91	0.00	0.00	0.00
3,800.00	22.10	341.76	3,594.79	1,055.33	-327.88	1,104.53	0.00	0.00	0.00
3,900.00	22.10	341.76	3,687.44	1,091.07	-339.66	1,142.15	0.00	0.00	0.00
4,000.00	22.10	341.76	3,780.09	1,126.80	-351.44	1,179.77	0.00	0.00	0.00
4,100.00	22.10	341.76	3,872.74	1,162.54	-363.21	1,217.39	0.00	0.00	0.00
4,200.00	22.10	341.76	3,965.40	1,198.27	-374.99	1,255.01	0.00	0.00	0.00
4,300.00	22.10	341.76	4,058.05	1,234.01	-386.77	1,292.64	0.00	0.00	0.00
4,400.00	22.10	341.76	4,150.70	1,269.74	-398.55	1,330.26	0.00	0.00	0.00
4,500.00	22.10	341.76	4,243.35	1,305.48	-410.32	1,367.88	0.00	0.00	0.00
4,600.00	22.10	341.76	4,336.00	1,341.21	-422.10	1,405.50	0.00	0.00	0.00
4,700.00	22.10	341.76	4,428.65	1,376.95	-433.88	1,443.12	0.00	0.00	0.00
4,800.00	22.10	341.76	4,521.30	1,412.68	-445.65	1,480.74	0.00	0.00	0.00

Database:	USA EDM 5000 Multi Users DB	Local Co-ordinate Reference:	Well ELU J14 FED 11C-14 496
Company:	Caerus Oil & Gas	TVD Reference:	RKB @ 7932.00usft
Project:	Rio Blanco County, CO (UTM 12N)	MD Reference:	RKB @ 7932.00usft
Site:	SEC 14-T4S-R96W ELU J14 496	North Reference:	True
Well:	ELU J14 FED 11C-14 496	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan 1		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
4,900.00	22.10	341.76	4,613.96	1,448.42	-457.43	1,518.36	0.00	0.00	0.00
5,000.00	22.10	341.76	4,706.61	1,484.15	-469.21	1,555.99	0.00	0.00	0.00
5,100.00	22.10	341.76	4,799.26	1,519.89	-480.98	1,593.61	0.00	0.00	0.00
5,200.00	22.10	341.76	4,891.91	1,555.62	-492.76	1,631.23	0.00	0.00	0.00
5,300.00	22.10	341.76	4,984.56	1,591.36	-504.54	1,668.85	0.00	0.00	0.00
5,400.00	22.10	341.76	5,077.21	1,627.09	-516.31	1,706.47	0.00	0.00	0.00
5,500.00	22.10	341.76	5,169.87	1,662.83	-528.09	1,744.09	0.00	0.00	0.00
5,600.00	22.10	341.76	5,262.52	1,698.56	-539.87	1,781.71	0.00	0.00	0.00
5,700.00	22.10	341.76	5,355.17	1,734.30	-551.65	1,819.34	0.00	0.00	0.00
5,800.00	22.10	341.76	5,447.82	1,770.03	-563.42	1,856.96	0.00	0.00	0.00
5,900.00	22.10	341.76	5,540.47	1,805.77	-575.20	1,894.58	0.00	0.00	0.00
5,953.46	22.10	341.76	5,590.00	1,824.87	-581.49	1,914.69	0.00	0.00	0.00
WASATCH_G.NPC									
6,000.00	22.10	341.76	5,633.12	1,841.50	-586.98	1,932.20	0.00	0.00	0.00
6,100.00	22.10	341.76	5,725.78	1,877.24	-598.75	1,969.82	0.00	0.00	0.00
6,200.00	22.10	341.76	5,818.43	1,912.97	-610.53	2,007.44	0.00	0.00	0.00
6,300.00	22.10	341.76	5,911.08	1,948.71	-622.31	2,045.07	0.00	0.00	0.00
6,400.00	22.10	341.76	6,003.73	1,984.44	-634.08	2,082.69	0.00	0.00	0.00
6,500.00	22.10	341.76	6,096.38	2,020.18	-645.86	2,120.31	0.00	0.00	0.00
6,577.30	22.10	341.76	6,168.00	2,047.80	-654.96	2,149.39	0.00	0.00	0.00
FORT_UNION.NPC									
6,600.00	22.10	341.76	6,189.03	2,055.91	-657.64	2,157.93	0.00	0.00	0.00
6,700.00	22.10	341.76	6,281.68	2,091.65	-669.41	2,195.55	0.00	0.00	0.00
6,800.00	22.10	341.76	6,374.34	2,127.38	-681.19	2,233.17	0.00	0.00	0.00
6,900.00	22.10	341.76	6,466.99	2,163.12	-692.97	2,270.79	0.00	0.00	0.00
7,000.00	22.10	341.76	6,559.64	2,198.85	-704.74	2,308.42	0.00	0.00	0.00
7,100.00	22.10	341.76	6,652.29	2,234.59	-716.52	2,346.04	0.00	0.00	0.00
7,200.00	22.10	341.76	6,744.94	2,270.32	-728.30	2,383.66	0.00	0.00	0.00
7,300.00	22.10	341.76	6,837.59	2,306.06	-740.08	2,421.28	0.00	0.00	0.00
7,400.00	22.10	341.76	6,930.25	2,341.79	-751.85	2,458.90	0.00	0.00	0.00
7,500.00	22.10	341.76	7,022.90	2,377.53	-763.63	2,496.52	0.00	0.00	0.00
7,600.00	22.10	341.76	7,115.55	2,413.26	-775.41	2,534.14	0.00	0.00	0.00
7,700.00	22.10	341.76	7,208.20	2,449.00	-787.18	2,571.77	0.00	0.00	0.00
7,800.00	22.10	341.76	7,300.85	2,484.73	-798.96	2,609.39	0.00	0.00	0.00
7,900.00	22.10	341.76	7,393.50	2,520.47	-810.74	2,647.01	0.00	0.00	0.00
8,000.00	22.10	341.76	7,486.15	2,556.20	-822.51	2,684.63	0.00	0.00	0.00
8,100.00	22.10	341.76	7,578.81	2,591.94	-834.29	2,722.25	0.00	0.00	0.00
8,200.00	22.10	341.76	7,671.46	2,627.67	-846.07	2,759.87	0.00	0.00	0.00
8,210.73	22.10	341.76	7,681.40	2,631.51	-847.33	2,763.91	0.00	0.00	0.00
Begin 3.00° Drop									
8,300.00	19.42	341.76	7,764.86	2,661.56	-857.24	2,795.55	3.00	-3.00	0.00
8,400.00	16.42	341.76	7,860.00	2,690.79	-866.87	2,826.32	3.00	-3.00	0.00
8,500.00	13.42	341.76	7,956.62	2,715.24	-874.93	2,852.07	3.00	-3.00	0.00
8,600.00	10.42	341.76	8,054.45	2,734.86	-881.39	2,872.72	3.00	-3.00	0.00
8,624.94	9.68	341.76	8,079.00	2,739.00	-882.76	2,877.07	3.00	-3.00	0.00
OHIO_CREEK.NPC									
8,700.00	7.42	341.76	8,153.23	2,749.59	-886.25	2,888.23	3.00	-3.00	0.00
8,800.00	4.42	341.76	8,252.68	2,759.40	-889.48	2,898.55	3.00	-3.00	0.00
8,900.00	1.42	341.76	8,352.54	2,764.24	-891.08	2,903.65	3.00	-3.00	0.00
8,947.47	0.00	0.00	8,400.00	2,764.80	-891.26	2,904.24	3.00	-3.00	0.00
Hold Vertical, Begin 2.00° Turn									
8,994.75	0.95	240.02	8,447.28	2,764.61	-891.60	2,904.17	2.00	2.00	0.00
Hold 0.95 Inc at 240.00 Azm									

Database:	USA EDM 5000 Multi Users DB	Local Co-ordinate Reference:	Well ELU J14 FED 11C-14 496
Company:	Caerus Oil & Gas	TVD Reference:	RKB @ 7932.00usft
Project:	Rio Blanco County, CO (UTM 12N)	MD Reference:	RKB @ 7932.00usft
Site:	SEC 14-T4S-R96W ELU J14 496	North Reference:	True
Well:	ELU J14 FED 11C-14 496	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan 1		

Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
9,000.00	0.95	240.02	8,452.53	2,764.56	-891.67	2,904.15	0.00	0.00	0.00
9,039.48	0.95	240.02	8,492.00	2,764.24	-892.24	2,904.03	0.00	0.00	0.00
WILLIAMS_FORK.NPC									
9,089.48	0.95	240.02	8,542.00	2,763.82	-892.95	2,903.87	0.00	0.00	0.00
TOP_GAS.NPC									
9,100.00	0.95	240.02	8,552.52	2,763.74	-893.10	2,903.84	0.00	0.00	0.00
9,200.00	0.95	240.02	8,652.50	2,762.91	-894.53	2,903.53	0.00	0.00	0.00
9,300.00	0.95	240.02	8,752.49	2,762.09	-895.96	2,903.22	0.00	0.00	0.00
9,400.00	0.95	240.02	8,852.48	2,761.26	-897.39	2,902.90	0.00	0.00	0.00
9,500.00	0.95	240.02	8,952.46	2,760.44	-898.82	2,902.59	0.00	0.00	0.00
9,600.00	0.95	240.02	9,052.45	2,759.61	-900.25	2,902.28	0.00	0.00	0.00
9,700.00	0.95	240.02	9,152.44	2,758.79	-901.68	2,901.97	0.00	0.00	0.00
9,800.00	0.95	240.02	9,252.42	2,757.96	-903.11	2,901.66	0.00	0.00	0.00
9,900.00	0.95	240.02	9,352.41	2,757.14	-904.54	2,901.34	0.00	0.00	0.00
10,000.00	0.95	240.02	9,452.39	2,756.32	-905.97	2,901.03	0.00	0.00	0.00
10,100.00	0.95	240.02	9,552.38	2,755.49	-907.40	2,900.72	0.00	0.00	0.00
10,200.00	0.95	240.02	9,652.37	2,754.67	-908.83	2,900.41	0.00	0.00	0.00
10,300.00	0.95	240.02	9,752.35	2,753.84	-910.26	2,900.10	0.00	0.00	0.00
10,400.00	0.95	240.02	9,852.34	2,753.02	-911.69	2,899.79	0.00	0.00	0.00
10,500.00	0.95	240.02	9,952.33	2,752.19	-913.12	2,899.47	0.00	0.00	0.00
10,600.00	0.95	240.02	10,052.31	2,751.37	-914.54	2,899.16	0.00	0.00	0.00
10,700.00	0.95	240.02	10,152.30	2,750.54	-915.97	2,898.85	0.00	0.00	0.00
10,800.00	0.95	240.02	10,252.29	2,749.72	-917.40	2,898.54	0.00	0.00	0.00
10,900.00	0.95	240.02	10,352.27	2,748.89	-918.83	2,898.23	0.00	0.00	0.00
11,000.00	0.95	240.02	10,452.26	2,748.07	-920.26	2,897.92	0.00	0.00	0.00
11,100.00	0.95	240.02	10,552.24	2,747.24	-921.69	2,897.60	0.00	0.00	0.00
11,200.00	0.95	240.02	10,652.23	2,746.42	-923.12	2,897.29	0.00	0.00	0.00
11,300.00	0.95	240.02	10,752.22	2,745.59	-924.55	2,896.98	0.00	0.00	0.00
11,400.00	0.95	240.02	10,852.20	2,744.77	-925.98	2,896.67	0.00	0.00	0.00
11,500.00	0.95	240.02	10,952.19	2,743.95	-927.41	2,896.36	0.00	0.00	0.00
11,583.82	0.95	240.02	11,036.00	2,743.25	-928.61	2,896.10	0.00	0.00	0.00
CAMEO.NPC									
11,600.00	0.95	240.02	11,052.18	2,743.12	-928.84	2,896.04	0.00	0.00	0.00
11,700.00	0.95	240.02	11,152.16	2,742.30	-930.27	2,895.73	0.00	0.00	0.00
11,800.00	0.95	240.02	11,252.15	2,741.47	-931.70	2,895.42	0.00	0.00	0.00
11,900.00	0.95	240.02	11,352.14	2,740.65	-933.13	2,895.11	0.00	0.00	0.00
12,000.00	0.95	240.02	11,452.12	2,739.82	-934.56	2,894.80	0.00	0.00	0.00
12,100.00	0.95	240.02	11,552.11	2,739.00	-935.99	2,894.49	0.00	0.00	0.00
12,200.00	0.95	240.02	11,652.09	2,738.17	-937.42	2,894.17	0.00	0.00	0.00
12,300.00	0.95	240.02	11,752.08	2,737.35	-938.85	2,893.86	0.00	0.00	0.00
12,400.00	0.95	240.02	11,852.07	2,736.52	-940.28	2,893.55	0.00	0.00	0.00
12,500.00	0.95	240.02	11,952.05	2,735.70	-941.71	2,893.24	0.00	0.00	0.00
12,599.96	0.95	240.02	12,052.00	2,734.87	-943.13	2,892.93	0.00	0.00	0.00
ROLLINS.NPC									
12,600.00	0.95	240.02	12,052.04	2,734.87	-943.13	2,892.93	0.00	0.00	0.00
12,700.00	0.95	240.02	12,152.03	2,734.05	-944.56	2,892.62	0.00	0.00	0.00
12,799.99	0.95	240.02	12,252.00	2,733.22	-945.99	2,892.30	0.00	0.00	0.00
TD at 12799.99									

Database:	USA EDM 5000 Multi Users DB	Local Co-ordinate Reference:	Well ELU J14 FED 11C-14 496
Company:	Caerus Oil & Gas	TVD Reference:	RKB @ 7932.00usft
Project:	Rio Blanco County, CO (UTM 12N)	MD Reference:	RKB @ 7932.00usft
Site:	SEC 14-T4S-R96W ELU J14 496	North Reference:	True
Well:	ELU J14 FED 11C-14 496	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan 1		

Design Targets									
Target Name									
- hit/miss target	Dip Angle	Dip Dir.	TVD	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude
- Shape	(°)	(°)	(usft)	(usft)	(usft)	(usft)	(usft)		
BHL - ELU J14 11C-14 - plan hits target center - Ellipse (radii L75.00 W50.00 on 240.00 azi)	0.00	0.00	12,252.00	2,733.22	-945.99	14,432,699.70	2,444,964.50	39.708393	-108.139565

Formations						
Measured Depth	Vertical Depth	Name	Lithology	Dip	Dip Direction	
(usft)	(usft)			(°)	(°)	
3,363.11	3,190.00	WASATCH.NPC				
5,953.46	5,590.00	WASATCH_G.NPC				
6,577.30	6,168.00	FORT_UNION.NPC				
8,624.94	8,079.00	OHIO_CREEK.NPC				
9,039.48	8,492.00	WILLIAMS_FORK.NPC				
9,089.48	8,542.00	TOP_GAS.NPC				
11,583.82	11,036.00	CAMEO.NPC				
12,599.96	12,052.00	ROLLINS.NPC		0.00		
12,799.99	12,252.00	TD.MBL		0.00		

Plan Annotations				
Measured Depth	Vertical Depth	Local Coordinates		Comment
(usft)	(usft)	+N/-S (usft)	+E/-W (usft)	
300.00	300.00	0.00	0.00	Begin 3.00° Build
400.00	399.95	2.46	0.90	Hold 3.00 Inc at 20.00 Azm
600.00	599.68	12.30	4.48	Begin 3.00° Build & Turn
1,260.95	1,242.32	148.00	-28.86	Hold 22.10 Inc at 341.76 Azm
8,210.73	7,681.40	2,631.51	-847.33	Begin 3.00° Drop
8,947.47	8,400.00	2,764.80	-891.26	Hold Vertical, Begin 2.00° Turn
8,994.75	8,447.28	2,764.61	-891.60	Hold 0.95 Inc at 240.00 Azm
12,799.99	12,252.00	2,733.22	-945.99	TD at 12799.99