

**FORM
INSP**Rev
X/15**State of Colorado
Oil and Gas Conservation Commission**1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

Inspection Date:

11/20/2019

Submitted Date:

12/18/2019

Document Number:

699700072**FIELD INSPECTION FORM**Loc ID 316678 Inspector Name: Heil, John On-Site Inspection ☐ 2A Doc Num: _____**Operator Information:**OGCC Operator Number: 100264Name of Operator: XTO ENERGY INCAddress: 110 W 7TH STREETCity: FORTH WORTH State: TX Zip: 76102**Status Summary:**☐ THIS IS A FOLLOW UP INSPECTION☒ FOLLOW UP INSPECTION REQUIRED☐ NO FOLLOW UP INSPECTION REQUIRED**Findings:**5 Number of Comments2 Number of Corrective Actions☒ Corrective Action Response Requested**ANY CORRECTIVE ACTION(S) FROM
PREVIOUS INSPECTIONS THAT HAVE NOT
BEEN ADDRESSED ARE STILL APPLICABLE****Contact Information:**

Contact Name	Phone	Email	Comment
Arauzo, Steven		steven.arauza@state.co.us	
Pesicka, Conor		conor.pesicka@state.co.us	
Steiner, Natalie	9706754089	natalie_steiner@xtoenergy.com	Spills
Fischer, Alex		alex.fischer@state.co.us	
Dooling, Jessica		Jessica_Dooling@xtoenergy.com	Piceance Creek insp

General Comment:

On November 20, 2019, COGCC Environmental Staff (John Heil and Steven Arauzo) conducted an environmental field inspection of XTO ENERGY INC (XTO operator #100264) Location ID 316678 Yellow Creek Federal XOM 2-35-1, Spill/Release ID 468770. Weather was rainy and temperatures about 45 degrees Fahrenheit. See attached summary for details.

COGCC Environmental staff conducted an Inspection of Spill/Release ID 468770 on 10/16/2019 Doc# 699700045.

See COAs on F27 Supplemental Doc #402235840.

LocationOverall Good: ☐**Signs/Marker:**

Type	TANK LABELS/PLACARDS		
Comment:	BOBCO LP sign on southwest produced water tank.		
Corrective Action:	Install sign to comply with Rule 210.d.	Date:	01/18/2020

Emergency Contact Number:

Comment:			
Corrective Action:		Date:	

Good Housekeeping:

Type	TRASH		
Comment:	Trash within the tank battery secondary containment (Tarps).		
Corrective Action:	Comply with Rule 603.f .	Date:	12/25/2019

Overall Good: ☐**Spills:**

Type	Area	Volume		
------	------	--------	--	--

In Containment: No

Comment: ☐ Multiple Spills and Releases?**Venting:**

Yes/No			
Comment:			
Corrective Action:		Date:	

Flaring:

Type			
Comment:			
Corrective Action:		Date:	

Attached DocumentsYou can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
402267305	INSPECTION SUBMITTED	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5017117
699700078	20191120 Summary	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5017114
699700079	20191120 Photos	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5017115