

US ROCKIES REGION
Operation Summary Report

Well: **COLAND STATE 9-16**

Spud date: 11/27/2009

Project: COLORADO-WELD-NAD83-UTM13

Site: Coland 9-16

Rig name no.: ENSIGN 317/317, ENSIGN 317/317

Event: ABANDONMENT

Start date: 10/28/2019

End date: 12/10/2019

Active datum: RKB @4,903.00usft (above Mean Sea Level)

UWI: NE/SE/0/3/N/66/W/16/0/0/6/PM/S/2,100.00/E/0/475.00/0/0

Date	Time Start-End	Duration (hr)	Phase	Code	Sub Code	P/U	MD from (usft)	Operation
10/21/2019	8:00 - 11:00	3.00	LOCPRP	53	B	P		LONE TREE SERVICES INSTALL A STRING FENCE AND LEVEL FOR BASE BEAM.
10/25/2019	12:00 - 13:00	1.00	ABANDP	30	G	P		MOVE RIG TO LOCATION, JSA
	13:00 - 16:00	3.00	ABANDP	30	A	P		MIRUWSU, SPOT EQUIP, LAY PUMP LINES, SCHECK PRESSURES
	16:00 - 16:30	0.50	ABANDP	30	G	P		CREW TRAVEL TO YARD
10/28/2019	6:00 - 6:30	0.50	ABANDP	30	G	P		CREW TRAVEL TO RIG
	6:30 - 7:00	0.50	ABANDP	48	B	P		SAFETY MEETING, START EQUIP, CHECK PRESSURES TBG 750 PSI, CSG 760 PSI, SURF 0 PSI, DAILY CHECKLIST
	7:00 - 9:00	2.00	ABANDP	46	E	Z		LINE AND PUMP FROZEN PUT TRUCK EXHAUST ON PUMP AND ORDER RIG HEATER
	9:00 - 10:00	1.00	ABANDP	33	F	P		BLD DOWN TBG AND CSG TO TANK, PUMP 40 BBLs DOWN TBG TO FILL TBG, PUMPED 60 BBLs DOWN CSG TO KILL CSG
	10:00 - 12:30	2.50	ABANDP	30	D	P		ENSURE WELL WAS FULL OF FRESH + BIO, RU HOLE SEEKERS, TEST BLINDS ON STUMP, 250 PSI FOR 5 MIN AND 5000 PSI FOR 15 MIN, ND TREE, NU BOP AND TORQUE TO SPECS, PRESSURE TEST PIPE RAMS, 250 PSI FOR 5 MIN, AND 5000 PSI FOR 15 MIN, RD HOLE SEEKERS
	12:30 - 16:30	4.00	ABANDP	31	I			UMLAND TBG, TALLY OOH, PUMPING 3 BBLs EVERY ROW TO KEEP WELL UNDER CONTROL, SB 230 JTS 2 3/8 J-55
	16:30 - 17:00	0.50	ABANDP	30	I	P		DRAIN PUMP AND LINES, SECURE WELL, SDFN
	17:00 - 17:30	0.50	ABANDP	30	G	P		CREW TRAVEL TO YARD
10/29/2019	6:00 - 6:30	0.50	ABANDP	30	G	P		CREW TRAVEL TO RIG
	6:30 - 7:00	0.50	ABANDP	48	B	P		SAFETY MEETING, START EQUIP, CHECK PRESSURES, CSG SLIGHT VACUUM, SURF 0 PSI, DAILY CHECKLIST
	7:00 - 7:30	0.50	ABANDP	30	M	Z		START EQUIP AND HEATER APPLY TO WELLHEAD. SD DUE TO WEATHER
	7:30 - 8:00	0.50	ABANDP	30	G	P		CREW TRAVEL TO YARD
10/30/2019	6:00 - 6:30	0.50	ABANDP	30	G	P		CREW TRAVEL TO RIG
	6:30 - 7:00	0.50	ABANDP	48	B	P		SAFETY MEETING, START EQUIP, CHECK PRESSURES, CSG 50PSI, SURF 0 PSI, DAILY CHECKLIST
	7:00 - 8:00	1.00	ABANDP	33	F	P		BLOW DOWN WELL TO TANK
	8:00 - 10:00	2.00	ABANDP	34	I	P		MIRU KLX, RUN GUAGE RING TO 7010', SET 4.5" CIBP @ 7000', RD KLX
	10:00 - 12:30	2.50	ABANDP	31	I	P		PU 2 3/8 MULE SHOE AND TIH WITH 219 JT TO 7000', CIRC GAS FROM WELL, PRESSURE TEST 4.5" CIBP TO 1000 PSI, ZERO BLEED OFF
	12:30 - 13:30	1.00	ABANDP	51	D	P		MIRU SLB, PUMP 40 SX @ 1.53 YLD, 10.9 BBL @ 15.8 PPG, DISPLACE 23 BBL, RD SLB
	13:30 - 16:00	2.50	ABANDP	31	I			POOH TO 5000' REVERSE CLEAN, POOH TO 3000'
	16:00 - 16:30	0.50	ABANDP	30	I	P		DRAIN PUMP AND LINES, SECURE WELL, SDFN
	16:30 - 17:00	0.50	ABANDP	30	G	P		CREW TRAVEL TO YARD
10/31/2019	6:00 - 6:30	0.50	ABANDP	30	G	P		CREW TRAVEL TO RIG

US ROCKIES REGION
Operation Summary Report

Well: COLAND STATE 9-16

Spud date: 11/27/2009

Project: COLORADO-WELD-NAD83-UTM13

Site: Coland 9-16

Rig name no.: ENSIGN 317/317, ENSIGN 317/317

Event: ABANDONMENT

Start date: 10/28/2019

End date: 12/10/2019

Active datum: RKB @4,903.00usft (above Mean Sea Level)

UWI: NE/SE/0/3/N/66/W/16/0/0/6/PM/S/2,100.00/E/0/475.00/0/0

Date	Time Start-End	Duration (hr)	Phase	Code	Sub Code	P/U	MD from (usft)	Operation
	6:30 - 7:00	0.50	ABANDP	48	B	P		SAFETY MEETING, START EQUIP, CHECK PRESSURES, CSG 50PSI, SURF 0 PSI, DAILY CHECKLIST
	7:00 - 9:00	2.00	ABANDP	46	E	X		RIG WOULDNT START
	10:00 - 12:00	2.00	ABANDP	31	I	P		LD 3000' 2 3/8 TBG, TIH TO 4095', BREAK CIRC WITH RIG PUMP
	12:00 - 13:00	1.00	ABANDP	51	D	P		MIRU SLB, PUMP 10 SX @ 1.53 YLD, 2.8 BBL @ 15.8 PPG, DISPLACE 14 BBL, RD SLB, ETOC @ 3915'
	13:00 - 14:30	1.50	ABANDP	31	I	P		LD TBG TO 3000' REVERSE CLEAN, LD TO 1100', SB REMAINNG
	14:30 - 15:00	0.50	ABANDP	30	I	P		DRAIN PUMP AND LINES, SECURE WELL, SDFN
	15:00 - 15:30	0.50	ABANDP	30	G	P		CREW TRAVEL TO YARD
11/1/2019	6:00 - 6:30	0.50	ABANDP	30	G	P		CREW TRAVEL TO RIG
	6:30 - 7:00	0.50	ABANDP	48	B	P		SAFETY MEETING, START EQUIP, CHECK PRESSURES, CSG 0 PSI, SURF 0 PSI, DAILY CHECKLIST
	7:00 - 8:00	1.00	ABANDP	31	I	P		PU 4.5" MECH CUTTER, TIH TO 870'
	8:00 - 14:00	6.00	ABANDP	31	Z	P		PU POWER SWIVEL, CUT CSG, RD POWER SWIVEL, TOOH, LD CUTTER, ATTEMPT TO CIRC DOWN CAG AND ANN NO CIRC, HOLE FULL SO ATTEMPT TO FREE CSG CAP, RECIEVED CALL FROM OFFICE TO RUN TBG AND LAND WELL, SI FOR 7 DAYS FOR MISSED FORM 17 TEST
	14:00 - 17:00	3.00	ABANDP	31	I	P		TIH WITH 1100' OF 2 3/8 TBG, LAND WELL, ND BOP, NU TREE, SWI
	17:00 - 17:30	0.50	ABANDP	30	I	P		DRAIN PUMP AND LINES, SECURE WELL, SDFN
	17:30 - 18:00	0.50	ABANDP	30	G	P		CREW TRAVEL TO YARD
11/4/2019	6:00 - 6:30	0.50	ABANDP	30	G	P		CREW TRAVEL TO RIG
	6:30 - 7:00	0.50	ABANDP	48	B	P		SAFETY MEETING, START EQUIP, CHECK PRESSURES, CSG 0 PSI, SURF 0 PSI, DAILY CHECKLIST
	7:00 - 9:00	2.00	ABANDP	48	I	P		WSS @ MONTHLY MEETING
	9:00 - 11:00	2.00	ABANDP	30	C	P		LOAD BOP ON TRL, RD WSU
	11:00 - 14:00	3.00	ABANDP	30	C	P		WAIT FOR 48 HR NOTICE TO MOVE TO 33-15, PERFORM RIG MAINTENANCE
11/8/2019	9:00 - 10:00	1.00	ABANDP	53	B	P		FORM 17 TEST
11/15/2019	9:00 - 10:00	1.00	ABANDP	30	A	P		MIRUWSU
	10:00 - 12:00	2.00	ABANDP	30	D	P		ENSURE WELL WAS FULL OF FRESH + BIO, RU ANYTIME TESTING, TEST BLINDS ON STUMP, 250 PSI FOR 5 MIN AND 5000 PSI FOR 15 MIN, ND TREE, NU BOP AND TORQUE TO SPECS, PRESSURE TEST PIPE RAMS, 250 PSI FOR 5 MIN, AND 5000 PSI FOR 15 MIN, RD ANYTIME TESTING
	12:00 - 13:00	1.00	ABANDP	31	I			UNLAND TBG, TOOH W/ 1100' 2 3/8 J-55 TBG
	13:00 - 17:00	4.00	ABANDP	30	J	P		ND BOP, SPEAR CSG W/ 4.5" SPEAR, ATTEMPT TO UNLAND CSG, COULDN'T UNLAND CSG, CALL ENGINEERING FOR INSTRUCTIONS, NU BP AND SECURE WELL, SDFN
	17:00 - 17:30	0.50	ABANDP	30	G	P		CREW TRAVEL TO YARD

US ROCKIES REGION
Operation Summary Report

Well: COLAND STATE 9-16

Spud date: 11/27/2009

Project: COLORADO-WELD-NAD83-UTM13

Site: Coland 9-16

Rig name no.: ENSIGN 317/317, ENSIGN 317/317

Event: ABANDONMENT

Start date: 10/28/2019

End date: 12/10/2019

Active datum: RKB @4,903.00usft (above Mean Sea Level)

UWI: NE/SE/0/3/N/66/W/16/0/0/6/PM/S/2,100.00/E/0/475.00/0/0

Date	Time Start-End	Duration (hr)	Phase	Code	Sub Code	P/U	MD from (usft)	Operation
11/18/2019	6:00 - 6:30	0.50	ABANDP	30	G	P		TRAVEL TO LOCATION, FILL OUT JSA & HAVE SAFETY MEETING W/RIG CREW, INSPECT EQUIPMENT PRE JOB CHECK TO ELIMINATE JOB ISSUES, FUNCTION TEST BOP, CHECK WELL PRESSURE CP-0#, SP-0# RIG-SAFETY MEETING & JSA
	6:30 - 6:55	0.42	ABANDP	48	B	P		REFER TO SAFETY TAB
	6:55 - 7:00	0.08	ABANDP	52	I	P		COMPLETE DAILY INSPECTION CHECK BRADENHEAD PRESSURE WITH CRYSTAL GAUGE, GAUGE READ 0PSI, TEST PASSED, NO LEL'S NO FLUID
	7:00 - 9:30	2.50	ABANDP	31	I	P		TIH TO 800' 25JTS 2.375" TBG CSG CUTTER
	9:30 - 9:40	0.17	ABANDP	31	H	P		PU POWER SWIVEL AND ATTEMPTED A CUT ATTEMPTED TO CIRCULATE BUT WAS UNABLE TO JUST PRESSURED UP
	9:40 - 10:00	0.33	ABANDP	31	I	P		PUH TO 799' AND ATTEMPTED TO CUT CSG,
	10:00 - 10:10	0.17	ABANDP	31	H	P		ATTEMPTED TO CIRCULATE BUT JUST PRESSURED UP, NOTIFY NOE AND CLARK AND THEY WANT TO RUN A CBL FROM 1000' TO SURFACE AND THEN PUNCH A HOLE IN THE CSG AT 400' AND SEE IF IT WILL CIRCULATE
	10:10 - 11:00	0.83	ABANDP	31	I	P		LD POWER SWIVEL AND TOO H, LD 1JT 2.375" TBG STD BACK 24JTS 2.375" TBG LD CSG CUTTER
	11:00 - 11:30	0.50	ABANDP	46	F	S		WAITING ON WIRELINE WAITING ON WIRELINE TO RUN A CBL AND PUNCH A HOLE IN CSG
	11:30 - 11:40	0.17	ABANDP	48	B	S		WIRELINE JSA AND SAFETY MEETING
	11:40 - 12:30	0.83	ABANDP	41	A	S		REFER TO SAFETY TAB PU & RIH W/CCL, VDL, CBL, GR, LOGGING TOOL, LOG FROM 1000' TO SURFACE, LD TOOL, SEND LOGS TO ENGINEERING CLARK WANTS TO PUNCH A HOLE AT 400' AND THEN CUT CSG AT 540'
	12:30 - 13:00	0.50	ABANDP	34	H	S		RIH WITH A CSG PUNCH TO SHOOT A HOLE IN CSG AT 400',
	13:00 - 13:15	0.25	ABANDP	31	H	P		CIRCULATE 2BPM @ 0PSI FOR 20BBLs GOOD RETURNS

US ROCKIES REGION
Operation Summary Report

Well: COLAND STATE 9-16

Spud date: 11/27/2009

Project: COLORADO-WELD-NAD83-UTM13

Site: Coland 9-16

Rig name no.: ENSIGN 317/317, ENSIGN 317/317

Event: ABANDONMENT

Start date: 10/28/2019

End date: 12/10/2019

Active datum: RKB @4,903.00usft (above Mean Sea Level)

UWI: NE/SE/0/3/N/66/W/16/0/0/6/PM/S/2,100.00/E/0/475.00/0/0

Date	Time Start-End	Duration (hr)	Phase	Code	Sub Code	P/U	MD from (usft)	Operation
	13:15 - 14:30	1.25	ABANDP	31	I	P		TIH TO 540' 17JTS 2.375" TBG CSG CUTTER PU POWER SWIVEL AND CUT CSG
	14:30 - 15:15	0.75	ABANDP	31	I	P		LD POWER SWIVEL & TOO, H, LD SUB LD 1JT 2.375" TBG STD BACK 16JTS 2.375" TBG LD CSG CUTTER
	15:30 - 17:00	1.50	ABANDP	30	J	P		ND BOP, ND WH, UNLAND CSG W/25,000LBS, NU FLANGED WH, NU BOP, CHANGE OUT 2.375" ELEVATORS FOR 4.5" ELEVATORS, CHANGE 2.375" SLIPS TO 4.5" SLIPS, CHANGE OUT 2.375" PIPE RAMS FOR 4.5" PIPE RAMS, FUNCTION TEST BOP
	17:00 - 17:30	0.50	ABANDP	30	I	P		SIW, DRAIN UP EQUIPMENT, COMPLETE POST DAY INSPECTION, CREW CHANGE OUT, SDFN
	17:30 - 18:00	0.50	ABANDP	30	G	P		RIG CREW TRAVEL HOME FOR THE DAY
11/19/2019	6:00 - 6:30	0.50	ABANDP	30	G	P		TRAVEL TO LOCATION, FILL OUT JSA & HAVE SAFETY MEETING W/RIG CREW, INSPECT EQUIPMENT PRE JOB CHECK TO ELIMINATE JOB ISSUES, FUNCTION TEST BOP, CHECK WELL PRESSURE CP-0#, SP-0#
	6:30 - 6:55	0.42	ABANDP	48	B	P		RIG-SAFETY MEETING & JSA REFER TO SAFETY TAB
	6:55 - 7:00	0.08	ABANDP	52	I	P		COMPLETE DAILY INSPECTION CHECK BRADENHEAD PRESSURE WITH CRYSTAL GAUGE, GAUGE READ 0PSI, TEST PASSED, NO LEL'S NO FLUID
	7:00 - 8:00	1.00	ABANDP	31	I	P		TOOH LD 13JTS 4.5" CSG , CHANGE OUT 4.5" ELEVATORS FOR 2.375" ELEVATORS, CHANGE 4.5" SLIPS TO 2.375" SLIPS, CHANGE OUT 4.5" PIPE RAMS FOR 2.375" PIPE RAMS, FUNCTION TEST BOP
	8:00 - 8:30	0.50	ABANDP	31	I	P		TIH TO 1110' , 35JTS 2.375" TBG MULE SHOE CIRCULATE 2BPM @ 0PSI FOR 240BBLs GOOD RETURNS CEMENT-SAFETY MEETING & JSA
	8:30 - 10:30	2.00	ABANDP	31	H	P		
	10:30 - 10:40	0.17	ABANDP	48	B	P		REFER TO SAFETY TAB

US ROCKIES REGION
Operation Summary Report

Well: COLAND STATE 9-16

Spud date: 11/27/2009

Project: COLORADO-WELD-NAD83-UTM13

Site: Coland 9-16

Rig name no.: ENSIGN 317/317, ENSIGN 317/317

Event: ABANDONMENT

Start date: 10/28/2019

End date: 12/10/2019

Active datum: RKB @4,903.00usft (above Mean Sea Level)

UWI: NE/SE/0/3/N/66/W/16/0/0/6/PM/S/2,100.00/E/0/475.00/0/0

Date	Time Start-End	Duration (hr)	Phase	Code	Sub Code	P/U	MD from (usft)	Operation
	10:40 - 11:00	0.33	ABANDP	51	D	P		SCHLUMBERGER PUMP CMT PLUG FROM 1100' TO 570' PUMP 5BBLs WATER, 3BPM, 0PSI, MIX & PUMP 5BBLs CMT AND THE CREW FOUND OUT THEY LEFT A VALVE OPEN ON THE BULKTRUCK AND CROSS CONTAMINATED THE CEMENT.
	11:00 - 11:30	0.50	ABANDP	31	H	S		SLB CLEAND UP CEMENT UNIT AND CIRCULATED CMT OUT OF THE WELL AND CALLED FOR MORE CEMENT
	11:30 - 14:00	2.50	ABANDP	46	B	S		WAITING FOR CEMENT SCHLUMBERGER CROSSED CONTAMINATED THE CEMENT AND HAD TO WAIT FOR MORE CEMENT
	14:00 - 14:30	0.50	ABANDP	51	D	P		SCHLUMBERGER PUMP CMT PLUG FROM 1110' TO 600' PUMP 5BBLs WATER, 3BPM, 0PSI, MIX & PUMP 45sx G+ADDS @ 15.8PPG 1.16YLD, 5.14GPS, 9.3BBLs, 3BPM, 0PSI, PUH TO 634',
	14:30 - 14:45	0.25	ABANDP	31	I	P		LD 15JTS 2.375" TBG
	14:45 - 15:15	0.50	ABANDP	51	D	P		SCHLUMBERGER PUMP CMT PLUG FROM 600' TO 390' MIX & PUMP 44sx G+ADDS @ 15.8PPG 1.16YLD, 5.14GPS, 9.1BBLs, 3BPM, 0PSI, DISPLACE TO BALANCE CMT W/1BBL H2O, 2BPM, 0PSI
	15:15 - 15:45	0.50	ABANDP	31	I	P		WASH UP CMT UNIT PUH TO 158',
	15:45 - 16:15	0.50	ABANDP	31	H	P		LD 15JTS 2.375" TBG CIRCULATE CLEAN
	16:00 - 16:30	0.50	ABANDP	30	I	P		2BPM @ 0PSI FOR 20BBLs SIW, DRAIN UP EQUIPMENT, COMPLETE POST DAY INSPECTION, CREW CHANGE OUT, SDFN
	16:15 - 16:30	0.25	ABANDP	31	I	P		TOOH,
	16:30 - 17:00	0.50	ABANDP	30	G	P		LD 5JTS 2.375" TBG LD 2.375" MULE SHOE RIG CREW TRAVEL HOME FOR THE DAY
11/20/2019	6:00 - 6:30	0.50	ABANDP	30	G	P		RIG CREW TRAVEL TO LOCATION
	6:30 - 6:45	0.25	ABANDP	48	B	P		SAFETY MEETING, REVIEW JSA FOR DAYS EVENTS, ALL ON LOCATION ATTENDING, SEE SAFETY REPORT ALSO
	6:45 - 7:15	0.50	ABANDP	47	C	P		LOOK RIG OVER, RIG SERVICE, START AND WARM UP RIG AND EQUIPMENT,

US ROCKIES REGION
Operation Summary Report

Well: COLAND STATE 9-16

Spud date: 11/27/2009

Project: COLORADO-WELD-NAD83-UTM13

Site: Coland 9-16

Rig name no.: ENSIGN 317/317, ENSIGN 317/317

Event: ABANDONMENT

Start date: 10/28/2019

End date: 12/10/2019

Active datum: RKB @4,903.00usft (above Mean Sea Level)

UWI: NE/SE/0/3/N/66/W/16/0/0/6/PM/S/2,100.00/E/0/475.00/0/0

Date	Time Start-End	Duration (hr)	Phase	Code	Sub Code	P/U	MD from (usft)	Operation
	7:15 - 7:45	0.50	ABANDP	31	I	P		SISCP = 0 PSI, OPEN WELL PICK UP 2-3/8" MULE SHOE COLLAR AND XN, TRIP IN HOLE WITH 3 STANDS OF 2-3/8", 4.7, J-55, EUE TUBING, PICK UP SEVEN JOINTS TAGGED TOP OF STUB PLUG CEMENT AT 414', 8-5/8" CASING SHOE AT 925 ', TAGGED 511' UP INSIDE 8-5/8" CASING, TRIP OUT OF HOLE, LAID DOWN 9 JOINTS, STAND BACK 2 STANDS
	7:45 - 8:15	0.50	ABANDP	52	E	P		LOAD WELL WITH 2 BBLS. OF FRESH WATER WITH BIOCID, PRESSURE TEST CEMENT AND 8-5/8" CASING TO 500 PSI FOR 15 MINUTES, GOOD TEST, RELEASE PRESSURE
	8:15 - 8:30	0.25	ABANDP	31	I	P		PICK UP 2-3/8" MULE SHOE COLLAR AND XN, TRIP IN HOLE WITH 2 STANDS OF 2-3/8", 4.7, J-55, EUE TUBING, PICK UP ONE JOINT, EOT = 150'
	8:30 - 9:00	0.50	ABANDP	31	H	P		ESTABLISH CIRCULATION WITH FRESH WATER AND BIOCID, CIRCULATE WELL, KICK OUT PUMP
	9:00 - 9:45	0.75	ABANDP	51	C	P		PJSM WITH SCHLUMBERGER, SPOT IN RIG UP CEMENTERS, PRESSURE TEST LINES AND EQUIPMENT TO 2,000 PSI, GOOD TEST RELEASE PRESSURE, MAX ALLOWED PRESSURE ON JOB 500 PSI, EOT AT 150' PUMP SURFACE PLUG, PUMP 5 BBLS. OF FRESH WATER, 14.5 BBLS. (70) SACKS CLASS G CEMENT, 15.8 PPG, 1.16 YIELD, 5.129 GALS/SK. OF WATER, 1.7 BBLS/MIN. AT 180 AVERAGE PSI, CIRCULATED CEMENT TO SURFACE, DISPLACE WITH 0.5 BBL. OF FRESH WATER, RIG DOWN CEMENT LINE OFF OF TUBING, WASH UP TO MUD PIT, RIG DOWN SCHLUMBERGER ETOC = 0'
	9:45 - 10:30	0.75	ABANDP	31	I	P		SLOWLY PULL OUT OF CEMENT, LAY DOWN 5 JOINTS OF 2-3/8", 4.7, J-55, EUE TUBING, XN AND MULE SHOE COLLAR, PICK UP 2-3/8" X 10' PUP JOINT, REVERSE CIRCULATE, LAY DOWN PUP JOINT, OPEN UP AND WASH OUT BOP
	10:30 - 11:00	0.50	ABANDP	30	J	P		RIG DOWN FLOOR, NIPPLE DOWN BOP AND P&A SPOOL
	11:00 - 13:00	2.00	ABANDP	30	C	P		RIG DOWN UNIT, GROUND WORK, PUMP AND FLOWLINES, CHECK FOR SPILLS AND TRASH, WILL MOVE TO THE BYDALEK 28C-20HZ, (FINAL REPORT) NO INCIDENTS
12/10/2019	7:00 - 8:00	1.00	ABANDZ	53	B	P		DUG UP SURFACE CASING
	8:00 - 9:00	1.00	ABANDZ	53	C	P		CUT CASING 6' BELOW GL, CEMENT AT SURFACE
	9:00 - 10:00	1.00	ABANDZ	53	A	P		CAPPED CASING WITH A METAL PLATE CONTAINING WELL INFO
	10:00 - 11:00	1.00	ABANDZ	53	B	P		BACKFILLED
	11:00 - 11:00	0.00	ABANDZ	53	F	P		PLACED MARKER BALL
	10:00 - 10:00	0.00	ABANDP	50				P&A'd OFFLINE. NB-CD.