




COLORADO OIL AND GAS CONSERVATION COMMISSION SUNDRY NOTICES AND REPORTS OF WELLS



(Indicate nature of data by checking below)

121-05358

Notice of intention to drill (attach plat) _____
 Notice of intention to change plans _____
 Notice of date for test of water shut-off _____
 Report on result of test of water shut-off _____
 Notice of intention to re-drill or repair well _____
 Notice of intention to clean out well _____
 Statement of shooting _____
 Statement of perforating _____
 Notice to pull or otherwise alter casing _____
 Notice of intention to abandon well ☒
 Report of work done on well since previous report _____

Locate Well Correctly

		26	
		X	

Notice to do work ☐
 Report of work done ☒

Land: Fee and Patented ☒
 State ☐

Lease No. _____

Colorado
 State

Washington
 County

Exploratory
 Field

1 Joseph E. Kejr "B" 0 NW SE 26 3S 56W 6th
 (Well No.) (Lease) (1/4 Sec.) (Sec.) (Twp.) (Range) (Meridian)

The Well is located 2017 Ft. (N) of Section Line and 1989 Ft. (E) of East
 Section Line. (S) (W)

The elevation above sea level is 4837 Ft. (KB)

Details of Plan of Work: (State names of and expected depths to objective sands.
 Show sizes, weights, and length of proposed casings; indicate mudding jobs, cementing
 points, and all other important proposed work.)

Stanolind drilled subject well to a total depth of 5260 feet with no commercial shows of oil and gas. Well spudded 5-31-55. Well plugged and abandoned 6-10-55.

195' - 8-5/8" 29.35# 8VT Line Pipe run and cemented with 165 sacks cement. Pipe abandoned in hole.

Well plugged as follows:

65 sack cement plug 5180' to 4970'.
 25 sack cement plug 252' to 138'.
 10 sack cement plug surface plug

(over)

Confirming verbal approval
 Jersin to Woodhall 6-10-55

Approved: JUN 30 1955

Director

Date June 27, 1955

Company Stanolind Oil and Gas Company
 Box 458

Address Brush, Colorado

By
 G. A. Wilson,
 Title Field Superintendent

AJJ	
DVR	
FJK	
OPS	
HHM	
AH	
JJD	
FILE	

Submit reports of proposed work, for approval, on this form in Duplicate for patented
 lands and in Triplicate for school and state lands.



Electric Log Tops:

Niobrara	4044'
Ft. Hays	4518'
Carlisle	4552'
Greenhorn	4646'
Graneros	4727'
Upper Muddy	4988'
Upper Muddy Shale	5002'
Muddy Sand	5032'
Skull Creek	5210'
Total Depth	5260'

Cored:

Core No. 1	--	4987	--	5002	Recovered	15'
Core No. 2	--	5002	--	5042	Recovered	40'
Core No. 3	--	5042	--	5090	Recovered	48'
Core No. 4	--	5092	--	5140	Recovered	48'

DST's:

No. 1 -- 5034 to 5040 -- Open 1 hour, shut-in 15 minutes,
Recovered 2430' water,
Final Flow Pressure 340-920,
Shut-in Pressure 995.

Details of Plan of Work: (State names of and expected depths to objective sands.
Show sizes, weights, and length of proposed casing; indicate mudding jobs, cementing
points, and all other important proposed work.)

Standard drilled and tested well to a total depth of 5260 feet with no commercial shows
of oil and gas. Well plugged and abandoned 6-10-55.

1951 - 6 5/8" 29.35 SPT line run and cemented with 165 sacks cement. Line aban-
doned in hole.

Well plugged as follows:

10 sack cement thru surface plug
25 sack cement plug
250' to 490'

(over)

Continuing verbal approval
Jensen to Woodhall 6-10-55

Date June 27, 1955

Company Standard Oil and Gas Company

Address Avon, Colorado

Title Field Superintendent

Submit reports of proposed work, for approval, on this form in Duplicate for patented
lands and in Triplicate for school and state lands.