

State of Colorado  
Oil and Gas Conservation Commission  
DEPARTMENT OF NATURAL RESOURCES

FOR OGCC USE ONLY

RECEIVED

SEP 15 1999

COLO. OIL &amp; GAS CONS. COM.

## WELL ABANDONMENT REPORT

This form is to be submitted as an intent whenever a plugging is planned on a borehole. The approved intent shall be valid for one year after the approval date; after that period a new intent will be required. After the plugging is complete, this form shall again be submitted as a subsequent report of the work as actually completed.

OGCC Operator Number: 709

Name of Operator: Advantage Resources, Inc.

Contact Name &amp; Phone

Address: 1775 Sherman St., Ste. 1900

Edward Ackman

City: Denver

State: CO

Zip: 80203

No: 303 831-1912

API Number: 05- 123-1979700

Fax: 303 832-6048

Well Name: Sheffler

Number: 4-27

Location (QtrQtr, Sec, Twp, Rng, Meridian): NW NW Sec. 27 T12N - R56W

County: Weld

Federal, Indian or State lease number:

Field Name: Sleeper

Field Number:

ET OE PR ES

24 hour notice required, contact

@

Complete the  
Attachment Checklist

	Oper	OGCC
Wellbore Diagram	X	
Cement Job Summary	X	
Wireline Job Summary	X	

☐ Notice of Intent to Abandon☒

Subsequent Report of Abandonment

## Background for Intent Only

Reason for abandonment: ☐ Dry ☐ Production Sub-economic ☐ Mechanical Problems ☐ OtherCasing to be pulled: ☐ No ☐ Yes Top of casing cement:Fish in hole: ☐ No ☐ Yes If yes, explain details below:Wellbore has uncemented casing leaks: ☐ No ☐ Yes If yes, explain details below:

Details:

## Current and Previously Abandoned Zones

Formation	Perforations	Date	Method of Isolation (None, Squeezed, BP, Cement, etc.)	Plug Depth

## Casing History

Casing String	Size	Cement Top	Stage Cement Top

## Plugging Procedure for Intent and Subsequent Report

1. CIBP #1 Depth 40 CIBP #2 Depth 6280 CIBP #3 Depth 6150 NOTE: Two (2) sacks cement required on all CIBPs

2. Set 40 sks cmt from 6280 ft. to 6150 ft. in ☐ Casing ☒ Open Hole ☐ Annulus

3. Set 40 sks cmt from 6280 ft. to 500 ft. in ☐ Casing ☒ Open Hole ☐ Annulus

4. Set 10 sks cmt from 30 ft. to 0 ft. in ☒ Casing ☐ Open Hole ☐ Annulus

5. Set 40 sks cmt from 600 ft. to 500 ft. in ☐ Casing ☐ Open Hole ☐ Annulus

6. Set 10 sks cmt from 600 ft. to 500 ft. in ☐ Casing ☐ Open Hole ☐ Annulus

7. Perforate and squeeze @ 40 ft. with SKS Leave at least 100 ft. in casing

8. Perforate and squeeze @ 40 ft. with SKS Leave at least 100 ft. in casing

9. Perforate and squeeze @ 40 ft. with SKS Leave at least 100 ft. in casing

10. Set 40 SKS 1/2 in 1/2 out surface casing from 600 ft. to 500 ft.

11. Set 10 SKS @ surface

Cut 4 feet below ground level, weld on plate

Set 5 SKS in rate hole

Dry-Hole Marker ☒ No ☐ Yes

Set 5 SKS in mouse hole

S

## Additional Plugging Information for Subsequent Report Only

Casing recovered: 0 ft. of 8-5/8 in. casing

\*Wireline contractor: Phoenix Survey, Inc. Plugging date: 8/30/99

\*Cementing contractor: Cementers Well Service Inc.

Type of cement and additives used: 95 sacks of Neat Cement

\*Attach job summaries.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name Edward J. Ackman

Signed [Signature] Title: President Date: 9/14/99

OGCC Approved [Signature] Title:  Date:


CONDITIONS OF APPROVAL, IF ANY:



RECEIVED

SEP 15 1999

PAGE 01



CEMENTER'S WELL SERVICE INC.

P.O. Box 336220

Greeley, CO 80633

(970) 396-3273 FAX (970) 506-1234

OUR INVOICE

NO. OIL & GAS CONS. COM

180344

Date <b>8-30-99</b>	Well Owner <b>Advantage Res</b>	Well No. <b>4-27</b>	Lense <b>Sheffler</b>
County <b>Kimball</b>	State <b>Ne</b>		Field
Charge To <b>Ashby Drilling Corp</b>			Charge Code
Address <b>518 17th st Suite 1030</b>			For Office Use Only
City, State <b>Denver Co 80202</b>			
Pump Truck No. <b>1206</b>	Code	Bulk Truck No. <b>1214</b>	Code
Type of Job		Depth	Pl.
Surface		Bottom of Surface	Pl.
Plug <b>4 1/2</b>		Plug Landed @	Pl. Time On <b>1230</b>
Production		Pipe Landed @	Pl. Time Off <b>1800</b>

Reference No.	Description	Qty.	Meas.	Unit Price	Amount
	Pump Truck Charge				
	Cement/Neat ✓	95	SX		3100.00
	Poz. Mix				
	Calcium Chloride				
	Gel % Flo-Calc #Per Sack				
	Handling Charge				
	Hauling Charge				
	Additional Cement				

40 sx plug @ 6280' plug down @ 1345  
 40 sx plug @ 500' 1/2 in 1/2 out of Surface plug down 1730  
 10 sx plug Top Cut + Cap  
 5 sx plug Rat + Mouse Hole.

Slurry Vol 1.18 Cuft.  
 15.2 ppq 6 sx cement per bbls.

Remarks:	Tax Reference Code	Sub Total	3100.00
	State <b>Ne 5% Co 3%</b>	Tax	155.00
	Disc:	Total	3255.00

Truck No.	Code	State Mileage	Nebraska	Colorado	Wyoming	Other	Total Mileage
1206		Pump Truck		100			
1214		Bulk Truck		120			

We do not assume any responsibility for any damage or conditions resulting from our services. All pricing is subject to review and revision.

Delivered By **Barry Doug**

Received By **Michael Smith**  
 Customer of His Agent

93  
3193



Advantage Resources, Inc.

SHEFFLER #4-27

NW NW Sec. 27 T12N - R56W

Weld County, Colorado



### Wellbore Diagram

