


1956 Discovery

COLORADO OIL AND GAS CONSERVATION COMMISSION  
SUNDRY NOTICES AND REPORTS OF WELLS



(Indicate nature of data by checking below)



- Notice of intention to drill (attach plat) \_\_\_\_\_
- Notice of intention to change plans \_\_\_\_\_
- Notice of date for test of water shut-off \_\_\_\_\_
- Report on result of test of water shut-off \_\_\_\_\_
- Notice of intention to re-drill or repair well \_\_\_\_\_
- Notice of intention to clean out well \_\_\_\_\_
- Statement of shooting \_\_\_\_\_
- Statement of perforating \_\_\_\_\_
- Notice to pull or otherwise alter casing \_\_\_\_\_
- Notice of intention to abandon well \_\_\_\_\_
- Report of work done on well since previous report \_\_\_\_\_

Local \_\_\_\_\_

		31	

Notice to do work  Land: Fee and Patented   
 Report of work done  State  Lease No. \_\_\_\_\_  
 \_\_\_\_\_ Colorado \_\_\_\_\_ Weld \_\_\_\_\_ May Field  
 State County ~~wildcat~~ Field

#2 (Well No.) McEndaffer (Lease) NE/NE/NE (1/4 Sec.) 31 (Sec.) 12N (Twp.) 56W (Range) 6th P.M. (Meridian)

The Well is located 330 Ft. (N) of Section Line and 330 Ft. (E) of Section Line. (S) (W)

The elevation above sea level is 4907 Ft.

Details of Plan of Work: (State names of and expected depths to objective sands. Show sizes, weights, and length of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work.)

Ran 220 joints of 5 1/2  
 Pipe set at 6390  
 Cemented 150 sx

Perforated 6356 to 62 with 4 holes to the foot (24holes)  
 Loaded tubing with 1,000' fluid.

Now flowing 25 to 28 barrels of oil per hour, no water, open tubing.

AJJ	
DVR	
FJK	
WRS	
HHM	
AH	
JJD	<input checked="" type="checkbox"/>
FILE	

Approved: JAN 25 1956

Date January 23, 1956

A. J. Quinn  
 Director

Company H. C. Arnold & Utah Southern Oil Co.

Address 1415 Mile High Center

By Delores Odell

Title Secretary

Submit reports of proposed work, for approval, on this form in Duplicate for patented lands and in Triplicate for school and state lands.

*Potential Producer* ✓