





KLX Energy Services

REPEAT PASS

Database File	postle ic 09-299hnx.db
Dataset Pathname	pass7
Presentation Format	scbl_dr
Dataset Creation	Thu Apr 05 15:41:10 2018 by Log Std Casedhole 10081
Charted by	Depth in Feet scaled 1:240



Calibration Report

Database File	postle ic 09-299hnx.db
Dataset Pathname	pass10
Dataset Creation	Fri Apr 06 14:22:41 2018

Gamma Ray Calibration Report

Serial Number:	FWT703-011	
Tool Model:	SDS	
Performed:	Tue Jul 11 16:35:19 2017	
Calibrator Value:	1.0	
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	1.0000	/cps

Segmented Cement Bond Log Calibration Report

Serial Number:	FWT705-069	
Tool Model:	PTS170	
Calibration Casing Diameter:	5.500	in
Calibration Depth:	246.961	ft

Master Calibration, performed Thu Apr 05 13:17:26 2018:

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	-0.025	1.037	0.700	71.921	67.067	2.359
CAL	0.036	1.657				
5'	0.024	1.531	0.700	71.921	47.255	-0.442
SUM						
S1	0.066	1.113	0.000	71.190	68.010	-4.522
S2	0.013	0.973	0.000	71.190	74.227	-0.997
S3	0.023	0.956	0.000	71.190	76.254	-1.723
S4	0.021	0.981	0.000	71.190	75.757	-1.592
S5	0.021	1.000	0.000	71.190	72.725	-1.526
S6	0.012	1.024	0.000	71.190	70.323	-0.836
S7	0.022	1.046	0.000	71.190	69.527	-1.546
S8	0.030	1.151	0.000	71.190	63.507	-1.909

Internal Reference Calibration, performed Wed Dec 31 17:00:00 1969:

	Raw (v)		Calibrated (v)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
CAL	0.000	0.000	0.036	1.657	1.000	0.000

Air Zero Calibration, performed Wed Dec 31 17:00:00 1969:

	Raw (v)	Calibrated (v)	Results
	Zero	Zero	Offset
3'	0.000	0.000	0.000
5'	0.000	0.000	0.000
SUM			
S1	0.000	0.000	0.000
S2	0.000	0.000	0.000
S3	0.000	0.000	0.000
S4	0.000	0.000	0.000
S5	0.000	0.000	0.000
S6	0.000	0.000	0.000
S7	0.000	0.000	0.000
S8	0.000	0.000	0.000