

Project: Mewbourn

Project Location:

Project Number:

Log of Boring BL

Sheet 1 of 1

| | | |
|--|-----------------------------------|--------------------------------------|
| Date(s) Drilled <u>5/13/20</u> | Logged By <u>CC</u> | Checked By |
| Drilling Method <u>HA</u> | Drill Bit Size/Type | Total Depth of Borehole <u>5'</u> |
| Drill Rig Type | Drilling Contractor | Approximate Surface Elevation |
| Groundwater Level and Date Measured <u>NA</u> | Sampling Method(s) <u>Grab</u> | Hammer Data |
| Borehole Backfill <u>y</u> | Location | |

| Elevation (feet) | Depth (feet) | Sample Type | Sample Number | Sampling Resistance, blows/ft | USCS Symbol | Graphic Log | MATERIAL DESCRIPTION | REMARKS AND OTHER TESTS |
|------------------|--------------|-------------|---------------|----------------------------------|-------------|-------------|---|-------------------------|
| | 0 | | | | | | Pea gravel, fill material, gray, odors | PID 1531 ppm |
| | | | | | | | Silty sands, fine grain, gray, odors | 1954 ppm |
| | | | | | | | Silty sands, fine grain, gray, slight odors | 298 ppm |
| | | | | | | | ↓ | 205 ppm |
| | 5 | | | | | TD | | 250 ppm |
| | 10 | | | | | | | |
| | 15 | | | | | | | |
| | 20 | | | | | | | |
| | 25 | | | | | | | |
| | 30 | | | | | | | |

Project: Mewbourn

Project Location:

Project Number:

Log of Boring B2

Sheet 1 of 1

| | | |
|--|-----------------------------------|---------------------------------------|
| Date(s) Drilled <u>5/13/20</u> | Logged By <u>CC</u> | Checked By |
| Drilling Method <u>HA</u> | Drill Bit Size/Type | Total Depth of Borehole <u>1</u> / |
| Drill Rig Type | Drilling Contractor | Approximate Surface Elevation |
| Groundwater Level and Date Measured <u>NA</u> | Sampling Method(s) <u>Grab</u> | Hammer Data |
| Borehole Backfill <u>Y</u> | Location | |

| Elevation (feet) | Depth (feet) | Sample Type | Sample Number | Sampling Resistance, blows/ft | USCS Symbol | Graphic Log | MATERIAL DESCRIPTION | PID REMARKS AND OTHER TESTS |
|------------------|--------------|-------------|---------------|----------------------------------|-------------|-------------|---|--------------------------------|
| | 0 | | | | | | Pea gravel, silty sands, fine grained, brown, no odors | 0.8 ppm |
| | 5 | | | | | | | |
| | 10 | | | | | | | |
| | 15 | | | | | | | |
| | 20 | | | | | | | |
| | 25 | | | | | | | |
| | 30 | | | | | | | |

| | |
|--|---|
| Project: Mewbourn Project Location: Project Number: | Log of Boring <u>B3</u> Sheet 1 of 1 |
|--|---|

| | | |
|---|--------------------------------|-----------------------------------|
| Date(s) Drilled <u>5/13/20</u> | Logged By <u>CC</u> | Checked By |
| Drilling Method <u>HA</u> | Drill Bit Size/Type | Total Depth of Borehole <u>3'</u> |
| Drill Rig Type | Drilling Contractor | Approximate Surface Elevation |
| Groundwater Level and Date Measured <u>NA</u> | Sampling Method(s) <u>Grab</u> | Hammer Data |
| Borehole Backfill <u>Y</u> | Location | |

| Elevation (feet) | Depth (feet) | Sample Type | Sample Number | Sampling Resistance, blows/ft | USCS Symbol | Graphic Log | MATERIAL DESCRIPTION | REMARKS AND OTHER TESTS |
|------------------|--------------|-------------|---------------|-------------------------------|-------------|-------------|--|-------------------------|
| | 0 | | | | | | Pea gravel, fill material, gray, slight odor | PID 187.6 |
| | | | | | | | Silty sands, fine grain, gray, slight odor | 239.1 |
| | | | | | | | ↓ TD | 373.4 |
| | 5 | | | | | | | |
| | 10 | | | | | | | |
| | 15 | | | | | | | |
| | 20 | | | | | | | |
| | 25 | | | | | | | |
| | 30 | | | | | | | |

Project: Mewbourn

Project Location:

Project Number:

Log of Boring B4

Sheet 1 of 1

| | | |
|--|-----------------------------------|--------------------------------------|
| Date(s) Drilled <u>5/13/20</u> | Logged By <u>CC</u> | Checked By |
| Drilling Method <u>HA</u> | Drill Bit Size/Type | Total Depth of Borehole <u>4'</u> |
| Drill Rig Type | Drilling Contractor | Approximate Surface Elevation |
| Groundwater Level and Date Measured <u>NA</u> | Sampling Method(s) <u>Grab</u> | Hammer Data |
| Borehole Backfill <u>Y</u> | Location | |

| Elevation (feet) | Depth (feet) | Sample Type | Sample Number | Sampling Resistance, blows/ft | USCS Symbol | Graphic Log | MATERIAL DESCRIPTION | PID REMARKS AND OTHER TESTS |
|------------------|--------------|-------------|---------------|----------------------------------|-------------|-------------|--|--------------------------------|
| 0 | | | | | | | Pea gravel, fill material, gray, odors | 1849 ppm |
| | | | | | | | Silty sands, fine grained, gray, odors | 1462 ppm |
| | | | | | | ↓ | | 1181 ppm |
| | | | | | | TD | | 362 ppm |
| 5 | | | | | | | | |
| 10 | | | | | | | | |
| 15 | | | | | | | | |
| 20 | | | | | | | | |
| 25 | | | | | | | | |
| 30 | | | | | | | | |

Project: Mewbourn

Project Location:

Project Number:

Log of Boring B6

Sheet 1 of 1

| | | |
|--|-----------------------------------|--------------------------------------|
| Date(s) Drilled <u>5/13/20</u> | Logged By <u>CC</u> | Checked By |
| Drilling Method <u>HA</u> | Drill Bit Size/Type | Total Depth of Borehole <u>1'</u> |
| Drill Rig Type | Drilling Contractor | Approximate Surface Elevation |
| Groundwater Level and Date Measured <u>NA</u> | Sampling Method(s) <u>Grab</u> | Hammer Data |
| Borehole Backfill <u>Y</u> | Location | |

| Elevation (feet) | Depth (feet) | Sample Type | Sample Number | Sampling Resistance, blows/ft | USCS Symbol | Graphic Log | MATERIAL DESCRIPTION | PID REMARKS AND OTHER TESTS |
|------------------|--------------|-------------|---------------|----------------------------------|-------------|-------------|---|--------------------------------|
| | 0 | | | | | | Pea gravel, fill material, gray, slight odor | 302 ppm |
| | 5 | | | | | | | |
| | 10 | | | | | | | |
| | 15 | | | | | | | |
| | 20 | | | | | | | |
| | 25 | | | | | | | |
| | 30 | | | | | | | |

Project: Mewbourn

Project Location:

Project Number:

Log of Boring B7

Sheet 1 of 1

| | | |
|---|--------------------------------|-----------------------------------|
| Date(s) Drilled <u>5/13/20</u> | Logged By <u>CC</u> | Checked By |
| Drilling Method <u>HA</u> | Drill Bit Size/Type | Total Depth of Borehole <u>1'</u> |
| Drill Rig Type | Drilling Contractor | Approximate Surface Elevation |
| Groundwater Level and Date Measured <u>NA</u> | Sampling Method(s) <u>Grab</u> | Hammer Data |
| Borehole Backfill <u>Y</u> | Location | |

| Elevation (feet) | Depth (feet) | Sample Type | Sample Number | Sampling Resistance, blows/ft | USCS Symbol | Graphic Log | MATERIAL DESCRIPTION | PID REMARKS AND OTHER TESTS |
|------------------|--------------|-------------|---------------|-------------------------------|-------------|-------------|---|--------------------------------|
| | 0 | | | | | | Pea gravel, silty sands, brown, slight odor | 79 ppm |
| | 5 | | | | | | | |
| | 10 | | | | | | | |
| | 15 | | | | | | | |
| | 20 | | | | | | | |
| | 25 | | | | | | | |
| | 30 | | | | | | | |

Project: Mewbourn

Project Location:

Project Number:

Log of Boring B8

Sheet 1 of 1

| | | |
|---|--------------------------------|----------------------------------|
| Date(s) Drilled <u>5/13/20</u> | Logged By <u>CC</u> | Checked By |
| Drilling Method <u>HA</u> | Drill Bit Size/Type | Total Depth of Borehole <u>1</u> |
| Drill Rig Type | Drilling Contractor | Approximate Surface Elevation |
| Groundwater Level and Date Measured <u>NA</u> | Sampling Method(s) <u>Grab</u> | Hammer Data |
| Borehole Backfill <u>Y</u> | Location | |

| Elevation (feet) | Depth (feet) | Sample Type | Sample Number | Sampling Resistance, blows/ft | USCS Symbol | Graphic Log | MATERIAL DESCRIPTION | REMARKS AND OTHER TESTS |
|------------------|--------------|-------------|---------------|-------------------------------|-------------|-------------|--|------------------------------|
| | 0 | | | | | | <u>Per gravel, silty sands, brown, no odor</u> | <u>PID</u> <u>7.6 ppm</u> |
| | 5 | | | | | | | |
| | 10 | | | | | | | |
| | 15 | | | | | | | |
| | 20 | | | | | | | |
| | 25 | | | | | | | |
| | 30 | | | | | | | |

Project: Mewbourn

Project Location:

Project Number:

Log of Boring B9

Sheet 1 of 1

| | | |
|--|-----------------------------------|--------------------------------------|
| Date(s) Drilled <u>5/13/20</u> | Logged By <u>CC</u> | Checked By |
| Drilling Method <u>HA</u> | Drill Bit Size/Type | Total Depth of Borehole <u>1'</u> |
| Drill Rig Type | Drilling Contractor | Approximate Surface Elevation |
| Groundwater Level and Date Measured <u>NA</u> | Sampling Method(s) <u>Grab</u> | Hammer Data |
| Borehole Backfill <u>Y</u> | Location | |

| Elevation (feet) | Depth (feet) | Sample Type | Sample Number | Sampling Resistance, blows/ft | USCS Symbol | Graphic Log | MATERIAL DESCRIPTION | REMARKS AND OTHER TESTS |
|------------------|--------------|-------------|---------------|-------------------------------|-------------|-------------|--|-------------------------|
| | 0 | | | | | | <u>Pec gravel, silty sands, brown, no odor</u> | <u>PID 12.1 ppm</u> |
| | 5 | | | | | | | |
| | 10 | | | | | | | |
| | 15 | | | | | | | |
| | 20 | | | | | | | |
| | 25 | | | | | | | |
| | 30 | | | | | | | |

Project: Mewbourn

Project Location:

Project Number:

Log of Boring B10

Sheet 1 of 1

| | | | | | |
|-------------------------------------|----------------|---------------------|-------------|-------------------------------|-----------|
| Date(s) Drilled | <u>5/13/20</u> | Logged By | <u>CC</u> | Checked By | |
| Drilling Method | <u>HA</u> | Drill Bit Size/Type | | Total Depth of Borehole | <u>1'</u> |
| Drill Rig Type | | Drilling Contractor | | Approximate Surface Elevation | |
| Groundwater Level and Date Measured | <u>NA</u> | Sampling Method(s) | <u>Grab</u> | Hammer Data | |
| Borehole Backfill | <u>Y</u> | Location | | | |

| Elevation (feet) | Depth (feet) | Sample Type | Sample Number | Sampling Resistance, blows/ft | USCS Symbol | Graphic Log | MATERIAL DESCRIPTION | REMARKS AND OTHER TESTS |
|------------------|--------------|-------------|---------------|-------------------------------|-------------|-------------|---|-------------------------|
| | 0 | | | | | | <u>Pea gravel, silty sands, brown, no TD odor</u> | <u>PID 10.8 ppm</u> |
| | 5 | | | | | | | |
| | 10 | | | | | | | |
| | 15 | | | | | | | |
| | 20 | | | | | | | |
| | 25 | | | | | | | |
| | 30 | | | | | | | |

Project: Mewbourn

Project Location:

Project Number:

Log of Boring B11

Sheet 1 of 1

| | | |
|--|-----------------------------------|--------------------------------------|
| Date(s) Drilled <u>5/13/20</u> | Logged By <u>CC</u> | Checked By |
| Drilling Method <u>HA</u> | Drill Bit Size/Type | Total Depth of Borehole <u>1'</u> |
| Drill Rig Type | Drilling Contractor | Approximate Surface Elevation |
| Groundwater Level and Date Measured <u>NA</u> | Sampling Method(s) <u>Grab</u> | Hammer Data |
| Borehole Backfill <u>Y</u> | Location | |

| Elevation (feet) | Depth (feet) | Sample Type | Sample Number | Sampling Resistance, blows/ft | USCS Symbol | Graphic Log | MATERIAL DESCRIPTION | PID REMARKS AND OTHER TESTS |
|------------------|--------------|-------------|---------------|-------------------------------|-------------|-------------|---|--------------------------------|
| | 0 | | | | | | Pea gravel, silty sands, brown, slight odor | 92.6 ppm |
| | 5 | | | | | | | |
| | 10 | | | | | | | |
| | 15 | | | | | | | |
| | 20 | | | | | | | |
| | 25 | | | | | | | |
| | 30 | | | | | | | |

Project: Mewbourn

Project Location:

Project Number:

Log of Boring B12

Sheet 1 of 1

| | | |
|---|--------------------------------|-----------------------------------|
| Date(s) Drilled <u>5/13/20</u> | Logged By <u>CC</u> | Checked By |
| Drilling Method <u>HA</u> | Drill Bit Size/Type | Total Depth of Borehole <u>1'</u> |
| Drill Rig Type | Drilling Contractor | Approximate Surface Elevation |
| Groundwater Level and Date Measured <u>NA</u> | Sampling Method(s) <u>Grab</u> | Hammer Data |
| Borehole Backfill <u>Y</u> | Location | |

| Elevation (feet) | Depth (feet) | Sample Type | Sample Number | Sampling Resistance, blows/ft | USCS Symbol | Graphic Log | MATERIAL DESCRIPTION | PID REMARKS AND OTHER TESTS |
|------------------|--------------|-------------|---------------|-------------------------------|-------------|-------------|---|--------------------------------|
| | 0 | | | | | | Pea gravel, silty sands, brown, no odor TD | 0.7 ppm |
| | 5 | | | | | | | |
| | 10 | | | | | | | |
| | 15 | | | | | | | |
| | 20 | | | | | | | |
| | 25 | | | | | | | |
| | 30 | | | | | | | |

Project: Mewbourn

Project Location:

Project Number:

Log of Boring B13

Sheet 1 of 1

| | | |
|--|-----------------------------------|--------------------------------------|
| Date(s) Drilled <u>5/13/20</u> | Logged By <u>CC</u> | Checked By |
| Drilling Method <u>HA</u> | Drill Bit Size/Type | Total Depth of Borehole <u>1'</u> |
| Drill Rig Type | Drilling Contractor | Approximate Surface Elevation |
| Groundwater Level and Date Measured <u>NA</u> | Sampling Method(s) <u>Grab</u> | Hammer Data |
| Borehole Backfill <u>Y</u> | Location | |

| Elevation (feet) | Depth (feet) | Sample Type | Sample Number | Sampling Resistance, blows/ft | USCS Symbol | Graphic Log | MATERIAL DESCRIPTION | REMARKS AND OTHER TESTS |
|------------------|--------------|-------------|---------------|----------------------------------|-------------|-------------|---|-------------------------|
| | 0 | | | | | | Pea gravel, silty sands, brown, slight odor | P10 76.4 ppm |
| | 5 | | | | | | | |
| | 10 | | | | | | | |
| | 15 | | | | | | | |
| | 20 | | | | | | | |
| | 25 | | | | | | | |
| | 30 | | | | | | | |

Project: Newbourn

Project Location:

Project Number:

Log of Boring B14

Sheet 1 of 1

| | | |
|---|--------------------------------|-----------------------------------|
| Date(s) Drilled <u>5/13/20</u> | Logged By <u>CC</u> | Checked By |
| Drilling Method <u>HA</u> | Drill Bit Size/Type | Total Depth of Borehole <u>1'</u> |
| Drill Rig Type | Drilling Contractor | Approximate Surface Elevation |
| Groundwater Level and Date Measured <u>NA</u> | Sampling Method(s) <u>Grab</u> | Hammer Data |
| Borehole Backfill <u>Y</u> | Location | |

| Elevation (feet) | Depth (feet) | Sample Type | Sample Number | Sampling Resistance, blows/ft | USCS Symbol | Graphic Log | MATERIAL DESCRIPTION | PID REMARKS AND OTHER TESTS |
|------------------|--------------|-------------|---------------|-------------------------------|-------------|-------------|---|--------------------------------|
| | 0 | | | | | | Pea gravel, silty sands, brown, no odor TD | 0.7 ppm |
| | 5 | | | | | | | |
| | 10 | | | | | | | |
| | 15 | | | | | | | |
| | 20 | | | | | | | |
| | 25 | | | | | | | |
| | 30 | | | | | | | |

Project: Mew bourn

Project Location:

Project Number:

Log of Boring B15

Sheet 1 of 1

| | | |
|---|--------------------------------|-----------------------------------|
| Date(s) Drilled <u>5/13/20</u> | Logged By <u>CC</u> | Checked By |
| Drilling Method <u>HA</u> | Drill Bit Size/Type | Total Depth of Borehole <u>6'</u> |
| Drill Rig Type | Drilling Contractor | Approximate Surface Elevation |
| Groundwater Level and Date Measured <u>NA</u> | Sampling Method(s) <u>Grab</u> | Hammer Data |
| Borehole Backfill <u>Y</u> | Location | |

| Elevation (feet) | Depth (feet) | Sample Type | Sample Number | Sampling Resistance, blows/ft | USCS Symbol | Graphic Log | MATERIAL DESCRIPTION | PID REMARKS AND OTHER TESTS |
|------------------|--------------|-------------|---------------|-------------------------------|-------------|-------------|---|--|
| | 0 | | | | | | Silty sands, fine grained, brown, no odors | 0.9 ppm 0.7 ppm 1.0 ppm 1.2 ppm |
| | 5 | | | | | | Clayey sands, fine grained, brown, slight odors | 56.8 ppm 91.6 ppm |
| | 10 | | | | | | TD | |
| | 15 | | | | | | | |
| | 20 | | | | | | | |
| | 25 | | | | | | | |
| | 30 | | | | | | | |

| | |
|--------------------------|--|
| Project: Mewbourn | Log of Boring <u>B16</u> Sheet 1 of 1 |
| Project Location: | |
| Project Number: | |

| | | |
|---|--------------------------------|-----------------------------------|
| Date(s) Drilled <u>5/13/20</u> | Logged By <u>CC</u> | Checked By |
| Drilling Method <u>HA</u> | Drill Bit Size/Type | Total Depth of Borehole <u>6'</u> |
| Drill Rig Type | Drilling Contractor | Approximate Surface Elevation |
| Groundwater Level and Date Measured <u>NA</u> | Sampling Method(s) <u>Grab</u> | Hammer Data |
| Borehole Backfill <u>Y</u> | Location | |

| Elevation (feet) | Depth (feet) | Sample Type | Sample Number | Sampling Resistance, blows/ft | USCS Symbol | Graphic Log | MATERIAL DESCRIPTION | PID REMARKS AND OTHER TESTS |
|------------------|--------------|-------------|---------------|-------------------------------|-------------|-------------|--|--------------------------------|
| | 0 | | | | | | Silty sands, fine grained, brown, no odors | 0.0 ppm |
| | | | | | | | | 0.0 ppm |
| | | | | | | | | 0.0 ppm |
| | | | | | | | | 0.0 ppm |
| | 5 | | | | | | | 0.0 ppm |
| | | | | | | | | 0.0 ppm |
| | | | | | | | | 0.0 ppm |
| | 10 | | | | | | | |
| | | | | | | | | |
| | 15 | | | | | | | |
| | | | | | | | | |
| | 20 | | | | | | | |
| | | | | | | | | |
| | 25 | | | | | | | |
| | | | | | | | | |
| | 30 | | | | | | | |

Project: Mewbourn

Project Location:

Project Number:

Log of Boring B17

Sheet 1 of 1

| | | |
|---|--------------------------------|-----------------------------------|
| Date(s) Drilled <u>5/13/20</u> | Logged By <u>CC</u> | Checked By |
| Drilling Method <u>HA</u> | Drill Bit Size/Type | Total Depth of Borehole <u>6'</u> |
| Drill Rig Type | Drilling Contractor | Approximate Surface Elevation |
| Groundwater Level and Date Measured <u>NA</u> | Sampling Method(s) <u>Grab</u> | Hammer Data |
| Borehole Backfill <u>Y</u> | Location | |

| Elevation (feet) | Depth (feet) | Sample Type | Sample Number | Sampling Resistance, blows/ft | USCS Symbol | Graphic Log | MATERIAL DESCRIPTION | PID REMARKS AND OTHER TESTS |
|------------------|--------------|-------------|---------------|-------------------------------|-------------|-------------|--|--------------------------------|
| | 0 | | | | | | Silty sands, fine grained, brown, no odors | 0.3 ppm |
| | | | | | | | | 1.6 ppm |
| | | | | | | | | 1.7 ppm |
| | | | | | | | | 6.8 ppm |
| | 5 | | | | | | | 14.1 ppm |
| | | | | | | | | 19.3 ppm |
| | 10 | | | | | | | |
| | | | | | | | | |
| | 15 | | | | | | | |
| | | | | | | | | |
| | 20 | | | | | | | |
| | | | | | | | | |
| | 25 | | | | | | | |
| | | | | | | | | |
| | 30 | | | | | | | |

Project: Mewbourn

Project Location:

Project Number:

Log of Boring B18

Sheet 1 of 1

| | | |
|--|-----------------------------------|--------------------------------------|
| Date(s) Drilled <u>5/13/20</u> | Logged By <u>CC</u> | Checked By |
| Drilling Method <u>HA</u> | Drill Bit Size/Type | Total Depth of Borehole <u>7'</u> |
| Drill Rig Type | Drilling Contractor | Approximate Surface Elevation |
| Groundwater Level and Date Measured <u>NA</u> | Sampling Method(s) <u>Grab</u> | Hammer Data |
| Borehole Backfill <u>Y</u> | Location | |

| Elevation (feet) | Depth (feet) | Sample Type | Sample Number | Sampling Resistance, blows/ft | USCS Symbol | Graphic Log | MATERIAL DESCRIPTION | REMARKS AND OTHER TESTS |
|------------------|--------------|-------------|---------------|-------------------------------|-------------|-------------|---|--|
| | 0 | | | | | | Silty sands, fine grained, brown, no odors | PID 0.0 ppm 0.0 ppm 1.4 ppm 19.1 ppm 31.9 ppm 67.2 ppm 86.7 ppm |
| | 5 | | | | | | Silty sands, fine grained, gray, slight odors | |
| | 10 | | | | | | TD | |
| | 15 | | | | | | | |
| | 20 | | | | | | | |
| | 25 | | | | | | | |
| | 30 | | | | | | | |

Project: Mewbourn

Project Location:

Project Number:

Log of Boring B19

Sheet 1 of 1

| | | |
|---|--------------------------------|------------------------------------|
| Date(s) Drilled <u>5/13/20</u> | Logged By <u>CC</u> | Checked By |
| Drilling Method <u>HA</u> | Drill Bit Size/Type | Total Depth of Borehole <u>16'</u> |
| Drill Rig Type | Drilling Contractor | Approximate Surface Elevation |
| Groundwater Level and Date Measured <u>NA</u> | Sampling Method(s) <u>Grab</u> | Hammer Data |
| Borehole Backfill <u>Y</u> | Location | |

| Elevation (feet) | Depth (feet) | Sample Type | Sample Number | Sampling Resistance, blows/ft | USCS Symbol | Graphic Log | MATERIAL DESCRIPTION | PID REMARKS AND OTHER TESTS |
|------------------|--------------|-------------|---------------|-------------------------------|-------------|-------------|--|---|
| | 0 | | | | | | Silty sands, fine grained, brown, no odor | 0.0 ppm 0.0 ppm 0.0 ppm |
| | 5 | | | | | | Silty sands, fine grained, gray, odors | 2.7 ppm 256 ppm 277 ppm 1510 ppm 1790 ppm 1560 ppm 1713 ppm 312 ppm 790 ppm 1656 ppm 1821 ppm 1123 ppm 1248 ppm |
| | 10 | | | | | | | |
| | 15 | | | | | | | |
| | 20 | | | | | | TD - * Reason for stopping - no more extensions for HA | |
| | 25 | | | | | | | |
| | 30 | | | | | | | |

Project: Mewbourn

Project Location:

Project Number:

Log of Boring B20

Sheet 1 of 1

| | | |
|---|--------------------------------|-----------------------------------|
| Date(s) Drilled <u>5/13/20</u> | Logged By <u>CC</u> | Checked By |
| Drilling Method <u>HA</u> | Drill Bit Size/Type | Total Depth of Borehole <u>6'</u> |
| Drill Rig Type | Drilling Contractor | Approximate Surface Elevation |
| Groundwater Level and Date Measured <u>NA</u> | Sampling Method(s) <u>Grab</u> | Hammer Data |
| Borehole Backfill <u>Y</u> | Location | |

| Elevation (feet) | Depth (feet) | Sample Type | Sample Number | Sampling Resistance, blows/ft | USCS Symbol | Graphic Log | MATERIAL DESCRIPTION | REMARKS AND OTHER TESTS |
|------------------|--------------|-------------|---------------|-------------------------------|-------------|-------------|--|--|
| | 0 | | | | | | Silty sands, fine grained, gray, odors | PID 1366 ppm 1260 ppm 890 ppm 180.1 ppm 123.7 ppm 90.2 ppm |
| | 5 | | | | | TD | | |
| | 10 | | | | | | | |
| | 15 | | | | | | | |
| | 20 | | | | | | | |
| | 25 | | | | | | | |
| | 30 | | | | | | | |

[fieldlog.tpl]