



**Location**

Overall Good:

**Signs/Marker:**

Type	WELLHEAD		
Comment:	Adequate		
Corrective Action:		Date:	

**Emergency Contact Number:**

Comment:	<input type="text"/>		
Corrective Action:	<input type="text"/>	Date:	<input type="text"/>

**Good Housekeeping:**

Type	WEEDS		
Comment:	Weeds inside wellhead fencing. See attached photo.		
Corrective Action:	Comply with Rule 603.f.	Date:	08/06/2020

Overall Good:

**Spills:**

Type	Area	Volume			

In Containment: No

Comment:

Multiple Spills and Releases?

**Fencing/:**

Type	WELLHEAD		
Comment:	Panel		
Corrective Action:		Date:	

**Equipment:**

				corrective date
Type: Plunger Lift	# 1			
Comment:				
Corrective Action:		Date:		

**Venting:**

Yes/No	NO		
Comment:			
Corrective Action:		Date:	

**Flaring:**

Type			
Comment:			
Corrective Action:		Date:	

**Inspected Facilities**

Facility ID: 285142 Type: WELL API Number: 123-29973 Status: PR Insp. Status: SI

**Idle Well**

Purpose:  Shut In  Temporarily Abandoned Reminder: PRODUCTION RECORDS

Comment: SI

Corrective Action:  Date:

Facility ID: 287022 Type: WELL API Number: 123-27363 Status: SI Insp. Status: PA

**Idle Well**

Purpose:  Shut In  Temporarily Abandoned Reminder:

Comment: PA  
Form 6(S) DOC#: 402385697 in well file.

Corrective Action:  Date:

**COGCC Comments**

Comment	User	Date
<p><b>COGCC Inspection Report Summary</b>                      **Weather Conditions: sunny, dry ground                      On Monday, July 6, 2020 at approximately 13:30, I, Inspector Brittani Santistevan, conducted an on-site inspection at CROISSANT 19-20 (Kerr McGee), at location #: 332602 in WELD COUNTY Colorado.                      While there, I observed a shut in wellhead.                      During this inspection the following possible compliance issues were observed:                      1. Overgrown weeds inside wellhead fencing. Remove to comply with Rule 603.f.                      (Corrective Action Date: August 6, 2020) See attached photo #2.</p> <p>A follow up on this site inspection needs to be conducted to ensure the compliance issues have been corrected to comply with COGCC rules.                      This is a summary of inspection report.</p>	santistb	07/06/2020

**Attached Documents**

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
402438040	INSPECTION SUBMITTED	<a href="http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5190802">http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5190802</a>
679602997	Photos	<a href="http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5190799">http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5190799</a>