

Area:	Hereford
Route:	5
Well Name/#:	Critter Creek 15-6203D
API #:	05-123-47304

Failure Criteria:	Initial Pressure > 50 PSI
Gas Composition:	HCS - Production Gas
Flowrate:	99.7 MCF/d


Blowdown	
Date	Starting Pressure (PSI)
1/24/2020	62
1/25/2020	62
1/26/2020	61
1/27/2020	62
1/28/2020	60
1/29/2020	59
1/30/2020	57
1/31/2020	57
2/1/2020	54
2/2/2020	59
2/3/2020	58
2/4/2020	59
2/5/2020	60
2/6/2020	61
2/7/2020	62
2/8/2020	61
2/9/2020	60
2/10/2020	60
2/11/2020	60
2/12/2020	58
2/13/2020	56
2/14/2020	58
2/15/2020	58
2/16/2020	59
2/17/2020	58
2/18/2020	59
2/19/2020	56
2/20/2020	59
2/21/2020	59
2/22/2020	57
2/23/2020	57
2/24/2020	55
2/25/2020	54
2/26/2020	53
2/27/2020	53
2/28/2020	53
2/29/2020	54
3/1/2020	53
3/2/2020	52
3/3/2020	52
3/4/2020	51
3/5/2020	51
3/6/2020	51

3/7/2020	52
3/8/2020	51
3/9/2020	51
3/10/2020	51
3/11/2020	51
3/12/2020	50
3/13/2020	50
3/14/2020	50
3/15/2020	50
3/16/2020	50
3/17/2020	51
3/18/2020	50
3/19/2020	50
3/20/2020	50
3/21/2020	50
3/22/2020	49
3/23/2020	49
3/24/2020	49
3/25/2020	49
3/26/2020	49
3/27/2020	48
3/28/2020	49
3/29/2020	49
3/30/2020	48
3/31/2020	47
4/1/2020	48
4/2/2020	47
4/3/2020	48
4/4/2020	47
4/5/2020	47
4/6/2020	47
4/7/2020	46
4/8/2020	46
4/9/2020	46
4/10/2020	46
4/11/2020	46
4/12/2020	46
4/13/2020	46
4/14/2020	46
4/15/2020	46
4/16/2020	47
4/17/2020	47
4/18/2020	46
4/19/2020	46
4/20/2020	47
4/21/2020	46
4/22/2020	46

4/23/2020	47
4/24/2020	46
4/25/2020	46
4/26/2020	47
4/27/2020	46
4/28/2020	47
4/29/2020	46
4/30/2020	47
5/1/2020	47
5/2/2020	46
5/3/2020	47
5/4/2020	47
5/5/2020	47
5/6/2020	47
5/7/2020	47
5/8/2020	47
5/9/2020	47
5/10/2020	47
5/11/2020	47
5/12/2020	47
5/13/2020	41
5/14/2020	46
5/15/2020	46
5/16/2020	48
5/17/2020	48
5/18/2020	48
5/19/2020	48
5/20/2020	49
5/21/2020	49
5/22/2020	49
5/23/2020	49
5/24/2020	49
5/25/2020	46
5/26/2020	48
5/27/2020	46
5/28/2020	48
5/29/2020	48
5/30/2020	47
5/31/2020	48
6/1/2020	47
6/2/2020	48
6/3/2020	48
6/4/2020	48
6/5/2020	47
6/6/2020	47
6/7/2020	48
6/8/2020	48

6/9/2020	47
6/10/2020	47
6/11/2020	46
6/12/2020	47
6/13/2020	47
6/14/2020	46
6/15/2020	47
6/16/2020	47
6/17/2020	47
6/18/2020	47
6/19/2020	46
6/20/2020	47
6/21/2020	46
6/22/2020	46
6/23/2020	42
6/24/2020	45
6/25/2020	44
6/26/2020	44
6/27/2020	44
6/28/2020	45
6/29/2020	43
6/30/2020	43
7/1/2020	44
7/2/2020	46
7/3/2020	45
7/4/2020	44
7/5/2020	45
7/6/2020	44
7/7/2020	43
7/8/2020	44
7/9/2020	44
7/10/2020	43
7/11/2020	44
7/12/2020	43
7/13/2020	44
7/14/2020	42
7/15/2020	43
7/16/2020	44
7/17/2020	41
7/18/2020	43
7/19/2020	44
7/20/2020	43
7/21/2020	43
7/22/2020	44
7/23/2020	42
7/24/2020	41

Blowdown Mitigation Data	
Ending Pressure (PSI)	Comments
11	Continuous Flow 30 Minutes
11	Continuous Flow 30 Minutes
10	Continuous Flow 30 Minutes
8	Continuous Flow 30 Minutes
10	Continuous Flow 30 Minutes
17	Continuous Flow 30 Minutes
9	Continuous Flow 30 Minutes
5	Continuous Flow 30 Minutes
4	Continuous Flow 30 Minutes
6	Continuous Flow 30 Minutes
6	Continuous Flow 30 Minutes
4	Continuous Flow 30 Minutes
5	Continuous Flow 30 Minutes
7	Continuous Flow 30 Minutes
8	Continuous Flow 30 Minutes
6	Continuous Flow 30 Minutes
6	Continuous Flow 30 Minutes
6	Continuous Flow 30 Minutes
8	Continuous Flow 30 Minutes
5	Continuous Flow 30 Minutes
4	Continuous Flow 30 Minutes
4	Continuous Flow 30 Minutes
5	Continuous Flow 30 Minutes
4	Continuous Flow 30 Minutes
4	Continuous Flow 30 Minutes
2	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
4	Continuous Flow 30 Minutes
4	Continuous Flow 30 Minutes
4	Continuous Flow 30 Minutes
4	Continuous Flow 30 Minutes
5	Continuous Flow 30 Minutes
5	Continuous Flow 30 Minutes
4	Continuous Flow 30 Minutes
4	Continuous Flow 30 Minutes
5	Continuous Flow 30 Minutes
4	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
4	Continuous Flow 30 Minutes
4	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
4	Continuous Flow 30 Minutes
2	Continuous Flow 30 Minutes



3	Continuous Flow 30 Minutes
2	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
4	Continuous Flow 30 Minutes
5	Continuous Flow 30 Minutes
2	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
2	Continuous Flow 30 Minutes
2	Continuous Flow 30 Minutes
1	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
4	Continuous Flow 30 Minutes
5	Continuous Flow 30 Minutes
2	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
5	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
1	Continuous Flow 30 Minutes
1	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
4	Continuous Flow 30 Minutes
4	Continuous Flow 30 Minutes
1	Continuous Flow 30 Minutes
5	Continuous Flow 30 Minutes
4	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
2	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
9	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
2	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
4	Continuous Flow 30 Minutes
2	Continuous Flow 30 Minutes
2	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
8	Continuous Flow 30 Minutes
0	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
4	Continuous Flow 30 Minutes

4	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
4	Continuous Flow 30 Minutes
5	Continuous Flow 30 Minutes
5	Continuous Flow 30 Minutes
0	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
1	Continuous Flow 30 Minutes
2	Continuous Flow 30 Minutes
5	Continuous Flow 30 Minutes
0	Continuous Flow 30 Minutes
5	Continuous Flow 30 Minutes
5	Continuous Flow 30 Minutes
4	Continuous Flow 30 Minutes
5	Continuous Flow 30 Minutes
5	Continuous Flow 30 Minutes
4	Continuous Flow 30 Minutes
5	Continuous Flow 30 Minutes
5	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
2	Continuous Flow 30 Minutes
6	Continuous Flow 30 Minutes
6	Continuous Flow 30 Minutes
5	Continuous Flow 30 Minutes
2	Continuous Flow 30 Minutes
2	Continuous Flow 30 Minutes
5	Continuous Flow 30 Minutes
0	Continuous Flow 30 Minutes
7	Continuous Flow 30 Minutes
6	Continuous Flow 30 Minutes
5	Continuous Flow 30 Minutes
7	Continuous Flow 30 Minutes
5	Continuous Flow 30 Minutes
5	Continuous Flow 30 Minutes
6	Continuous Flow 30 Minutes
7	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
4	Continuous Flow 30 Minutes
4	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
5	Continuous Flow 30 Minutes
6	Continuous Flow 30 Minutes
5	Continuous Flow 30 Minutes
5	Continuous Flow 30 Minutes
7	Continuous Flow 30 Minutes
6	Continuous Flow 30 Minutes

5	Continuous Flow 30 Minutes
7	Continuous Flow 30 Minutes
2	Continuous Flow 30 Minutes
2	Continuous Flow 30 Minutes
1	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
1	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
4	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
2	Continuous Flow 30 Minutes
2	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
4	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
4	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
2	Continuous Flow 30 Minutes
4	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
2	Continuous Flow 30 Minutes
2	Continuous Flow 30 Minutes
2	Continuous Flow 30 Minutes
4	Continuous Flow 30 Minutes
2	Continuous Flow 30 Minutes
2	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
2	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
2	Continuous Flow 30 Minutes
2	Continuous Flow 30 Minutes
2	Continuous Flow 30 Minutes
2	Continuous Flow 30 Minutes
2	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
2	Continuous Flow 30 Minutes
2	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
1	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
1	Continuous Flow 30 Minutes
2	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes
3	Continuous Flow 30 Minutes

Mitigation

