

STATE OF COLORADO
OIL AND GAS CONSERVATION COMMISSION
DEPARTMENT OF NATURAL RESOURCES

FOR OFFICE USE			
ET	FE	UC	SE



in duplicate for Patented and Federal lands.
in triplicate for State lands.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION & SERIAL NO.	
2. NAME OF OPERATOR C G T INC		6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
3. ADDRESS OF OPERATOR 4385 E Eastman Ave, Denver, CO 80222 303 758-7771		7. UNIT AGREEMENT NAME	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 660' FNL 660' FWL At proposed prod. zone		8. FARM OR LEASE NAME WILKINSON 57445	
14. PERMIT NO. 81-1094		9. WELL NO. 11-03	
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 5165' KB		10. FIELD AND POOL, OR WILDCAT Nunn	
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 03 T8N R66W	
		12. COUNTY WELD	13. STATE CO

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT*

(Other)

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

18. Date of work 8/18/86 & 10-02-87

* Must be accompanied by a cement verification report.

8-18-86 cemented perforations from plugbak 7900' to approx 7680' with 20 sx cement.

15 sx plug on top of 4 1/2" stub


20 sx plug 1/2 in, 1/2 out of surface.

5 sx plug top of surface.

10-02-87 Cut surface off below plow depth, weld a plate top of surface.

Fill pit at tank battery, push gravel from well area into pit;

Push location back to grade and rip entire area.



EXHAUSTED
OIL WELL

19. I hereby certify that the foregoing is true and correct

PRINT JAMES J. HOWERZYL, President

SIGNED [Signature] TITLE President DATE 10-23-87

(This space for Federal or State office use)

SUPR. PETROLEUM ENGINEER
Oil & Gas Cons. Comm.

OCT 30 1987

APPROVED BY [Signature]
CONDITIONS OF APPROVAL, IF ANY:

TITLE DATE