Radial Cement Bond
Gamma Ray
Casing Collar Log

RELIANCE OILFIELD SERVICES

Company TEP Rocky Mountain LLC
Well Federal PA 324-13
Field Parachute
County Garfield
State Colorado

Company TEP Rocky Mountain LLC
Well Federal PA 324-13
Field Parachute
County Garfield State Colorado
Location: API # : 05-045-24200
SEC 13 TWP 6S RGE 95W
Other Services
--

Permanent Datum	Ground Level	Elevation 6571.1'	Elevation
Log Measured From	Kelly Bushing	24 FT	K.B. 6595.1'
Drilling Measured From	Kelly Bushing		D.F. 6594.1'
			G.L. 6571.1'

Date	21-JUL-2020
Run Number	One
Depth Driller	9828 FT
Depth Logger	9726 FT
Bottom Logged Interval	9714 FT
Top Log Interval	Surface
Open Hole Size	8.750"
Type Fluid	Water
Density / Viscosity	8.34 lb/gal
Max. Recorded Temp.	242°F
Estimated Cement Top	See Log
Time Well Ready	ROA
Time Logger on Bottom	16:08
Equipment Number	HD-0359
Location	Grand Junction, CO
Recorded By	A. Ellsworth
Witnessed By	--

Borehole Record				Tubing Record			
Run Number	Bit	From	To	Size	Weight	From	To

Casing Record	Size (in)	Wgt (lbs/Ft)	Grade	Top	Bottom
Surface Casing	9 5/8	36	J-55	Surface	1126 FT
Intermediate #1	4 1/2	11.6	P-110	Surface	9787 FT
Intermediate #2					
Liner					

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Log ran as per customer request
Depth referenced to Kelly Bushing at 24 FT
Marker Joint logged from 6011 - 6033 FT
Recorded with 0 PSI Surface Induced Pressure

Thank you for choosing Reliance Oilfield Services, LLC!

RELIANCE OILFIELD SERVICES

Main Pass

Recorded With 0 PSI Surface Induced Pressure

Database File	tep\tep_federal pa 324-13_rbl_07-21-20\processed_tep_federal pa 324-13_rbl_07-21-20.db
Dataset Pathname	main.1
Presentation Format	ros_radii_tep
Dataset Creation	Wed Jul 22 14:09:06 2020
Charted by	Depth in Feet scaled 1:240

Track 1	Track 2	Track 3	Track 4	Track 5
Gamma Ray 0 (GAPI) 200	3' Amplitude 0 (mV) 100	5' Variable Density Log 200 (usec) 1200	Sector Map	Average Amplitude 0 150
Line Speed -150 (ft/min) 150	3' Amplitude x 5 0 (mV) 20			Mimimum Amplitude 0 150
Line Tension 0 (lb) 2000	3' Travel Time 300 (usec) 200			Maximum Amplitude 0 150
Differential Temperature -2 (degF) 2				
Temperature 0 (degF) 20				
Casing Collar Locator				


118.4
3800
120.4
3900


122.2
4000
123.9
4100


125.8
4200
127.7
4300


129.7
4400
131.5
4500


133.4
4600
135.2
4700


137.3
4800
139.3
4900


141.1
5000
143.0
5100


144.9
5200
146.6
5300


148.4
5400
150.4
5500


151.9
5600
154.0
5700


156.1
5800
158.0
5900


160.2
6000
Marker Joint
162.6
6100


164.7
6200
166.3
6300


168.0
6400
169.6
6500


171.4
6600
173.1
6700


175.0
6800
176.8
6900


179.1
7000
181.3
7100


183.3
7200
185.1
7300


187.0
7400
189.0
7500


190.7
7600
192.5
7700





















Repeat Pass

Recorded With 0 PSI Surface Induced Pressure

Database File	tep\tep_federal pa 324-13_rbl_07-21-20\processed_tep_federal pa 324-13_rbl_07-21-20.db
Dataset Pathname	repeat.2
Presentation Format	ros_radii_tep
Dataset Creation	Wed Jul 22 14:52:39 2020
Charted by	Depth in Feet scaled 1:240

Gamma Ray
0 (GAPI) 200
Line Speed
-150 (ft/min) 150
Line Tension
0 (lb) 2000
Differential Temperature
-2 (degF) 2
Temperature
0 (degF) 20

3' Amplitude
0 (mV) 100
3' Amplitude x 5
0 (mV) 20
3' Travel Time
300 (usec) 200

5' Variable Density Log
200 (usec) 1200

Sector Map

Average Amplitude
0 150
MimimumAmplitude
0 150
MaximumAmplitude
0 150





Gamma Ray 0 (GAPI) 200 Line Speed -150 (ft/min) 150 Line Tension 0 (lb) 2000 Differential Temperature -2 (degF) 2 Temperature 0 (degF) 20		3' Amplitude 0 (mV) 100 3' Amplitude x 5 0 (mV) 20 3' Travel Time 300 (usec) 200	5' Variable Density Log 200 (usec) 1200	Sector Map	Average Amplitude 0 150 Mimimum Amplitude 0 150 Maximum Amplitude 0 150



Sensor	Offset (ft)
TEMP	14.16
WVFS8	11.93
WVFS7	11.93
WVFS6	11.93
WVFS5	11.93
WVFS4	11.93
WVFS3	11.93
WVFS2	11.93
WVFS1	11.93
WVFCAL	11.93
WVF3FT	11.93
WVF5FT	10.93
CCL$2	3.88
CCL$1	3.88
GR	2.63
LOCTIM	0.00
UTCTIM	0.00

Description	Length (ft)	O.D. (in)	Weight (lb
Titan CHD-14375 GO Titan 1-7/16" Assembled Electric Cable Head with 1" Fishing Neck	1.03	1.44	3.60
BTA-MUD BTA 2-3/4" Roller 6 Arm Centralizer with Reversible Ends	2.92	2.72	25.00
Probe Radii-2750 RBT (FW1305-098) Probe 2-3/4" Radial Cement Bond Tool with Integral Temperature Sub	9.39	2.75	105.00
BTA-MUD BTA 2-3/4" Roller 6 Arm Centralizer with Reversible Ends	2.92	2.72	25.00
Probe GR-CCL-2750 GOB (070319) Probe 2-3/4" rev.2 Digital Scintillation Gamma Ray/CCL Combined with GO Bottom	4.51	2.75	55.00
GO BN-14375 GO 1-7/16" Bull Nose with Go Box Top	0.25	1.44	1.00

Dataset: processed_tep_federal pa 324-13_rbl_07-21-20.db: field/well/run1/main.1
Total length: 21.02 ft
Total weight: 214.60 lb
O.D.: 2.75 in

Calibration Report

Database File	c:\programdata\warrior\data\tep\tep_federal pa 324-13_rbl_07-21-20\processed_tep_federal pa 324-13_rbl_
Dataset Pathname	main.1
Dataset Creation	Wed Jul 22 14:09:06 2020

Gamma Ray Calibration Report

Serial Number:	070319	
Tool Model:	2750 GOB	
Performed:	(Not Performed)	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	1.0000	GAPI/cps

Segmented Cement Bond Log Calibration Report

Serial Number:	FW1305-098	
Tool Model:	2750 RBT	
Calibration Casing Diameter:	4.500	in
Calibration Depth:	303.961	ft

Master Calibration, performed (Derived):

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	-0.002	0.900	0.800	81.196	89.108	0.958
CAL	-0.006	0.791				
5'	0.001	0.692	0.800	81.196	116.299	0.736
SUM						
S1	0.001	0.774	0.000	100.000	129.374	-0.129
S2	-0.001	0.830	0.000	100.000	120.333	0.075
S3	0.001	0.955	0.000	100.000	104.738	-0.063
S4	0.005	1.029	0.000	100.000	97.702	-0.506
S5	0.010	1.023	0.000	100.000	98.655	-0.961
S6	0.009	0.964	0.000	100.000	104.708	-0.900
S7	0.005	0.865	0.000	100.000	116.256	-0.602
S8	0.000	0.794	0.000	100.000	125.936	-0.050

Air Zero Calibration, performed Tue Jul 21 07:07:48 2020:

	Raw (v)	Calibrated (v)	Results
	Zero	Zero	Offset
3'	0.000	0.000	0.000
5'	0.000	0.000	0.000
SUM			
S1	0.000	0.000	0.000
S2	0.000	0.000	0.000
S3	0.000	0.000	0.000
S4	0.000	0.000	0.000
S5	0.000	0.000	0.000
S6	0.000	0.000	0.000
S7	0.000	0.000	0.000
S8	0.000	0.000	0.000

Temperature Calibration Report

Serial Number: FW1305-098
Tool Model: 2750 RBT
Performed: Mon Oct 01 11:32:17 2018

	Reference	Reading
Low Reference:	100.00 degF	109.43 degF
High Reference:	350.00 degF	405.87 degF

Gain: 0.84
Offset: 7.72
Delta Spacing 1

RELIANCE
OILFIELD SERVICES

Company	TEP Rocky Mountain LLC
Well	Federal PA 324-13
Field	Parachute
County	Garfield
State	Colorado