

FORM

42

Rev
01/20

State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



OGCC RECEPTION

Receive Date:

11/01/2020

Document Number:

402523167

FIELD OPERATIONS NOTICE

The Form 42 shall be submitted as required by Rule, Notice to Operators, Policy, or Condition of Approval.

A Form 42 Update shall be submitted to revise the scheduled date or time on a previous Form 42 - Advance Notice of Field Operations.

A Form 42 Update must be for the same well, location, or facility and for the same Field Operation as a previous Form 42.

NOTE: Operator's Contact for Advance Notices of Field Operations should be available 24 hours a day, 7 days a week and should have the most current scheduling information for the operation. Operator's Contact for other notices should be able to respond to questions regarding the reported information.

Update of a previous Form 42 Notice NO

Entity Information

OGCC Operator Number: 47120

Contact Person: KRISTINA GENO

Company Name: KERR MCGEE OIL & GAS ONSHORE LP

Phone: (720) 929-6824

Address: P O BOX 173779

Fax: ()

City: DENVER State: CO Zip: 80217-3779

Email: kristina_geno@oxy.com

API #: 05 - 123 - 49760 - 00

Facility ID: _____

Location ID: _____

Facility Name: MC 3-3HZ

☐ Submit By Other Operator

Sec: 3 Twp: 1N Range: 68W QtrQtr: NWSW

Lat: 40.076948 Long: -104.997825

NOTICE OF HIGH BRADENHEAD PRESSURE DURING STIMULATION – Notify within 24 hours when bradenhead pressure increases more than 200 psig during stimulation. This satisfies Rule 341 verbal notification requirements. Submit a follow-up Form 4 within 15 days.

Date of High Bradenhead Pressure: 11/01/2020

Time: 07:15 (HH:MM)

Starting BrHd pressure: 0 psig Highest BrHd pressure: 225 psig Was this well being stimulated? ☒

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct and complete.

Print Name: KRISTINA GENO

Email: kristina_geno@oxy.com

Signature: _____

Title: REGULATORY ANALYST

Date: 11/01/2020