

March 27, 2018

HRL Compliance Solutions- CO

Sample Delivery Group: L979488
Samples Received: 03/22/2018
Project Number: WF D-17 LIFT 1 MONIT
Description: Laramie-Whittaker Flats D-17 Cuttings Remediation
Site: WHITTAKER FLATS D-17
Report To: Kris Rowe
2385 F ½ Road
Grand Junction, CO 81505

Entire Report Reviewed By:



Shane Gambill

Technical Service Representative

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



Cp: Cover Page	1
Tc: Table of Contents	2
Ss: Sample Summary	3
Cn: Case Narrative	4
Sr: Sample Results	5
LIFT 1 MONITORING L979488-01	5
Qc: Quality Control Summary	6
Wet Chemistry by Method 9050AMod	6
Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM	7
Gl: Glossary of Terms	8
Al: Accreditations & Locations	9
Sc: Sample Chain of Custody	10



SAMPLE SUMMARY

ONE LAB. NATIONWIDE.



LIFT 1 MONITORING L979488-01 Solid

Collected by
Casey Richardson

Collected date/time
03/21/18 11:40

Received date/time
03/22/18 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Calculated Results	WG1088281	1	03/25/18 17:37	03/26/18 13:14	ST
Wet Chemistry by Method 9050AMod	WG1089660	1	03/27/18 10:08	03/27/18 10:33	KK
Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM	WG1088201	1	03/22/18 17:09	03/23/18 04:39	DMG

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

ACCOUNT:

HRL Compliance Solutions- CO

PROJECT:

WF D-17 LIFT 1 MONIT

SDG:

L979488

DATE/TIME:

03/27/18 12:32


PAGE:

3 of 11



All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All radiochemical sample results for solids are reported on a dry weight basis with the exception of tritium, carbon-14 and radon, unless wet weight was requested by the client. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.

Shane Gambill
Technical Service Representative





Calculated Results

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Sodium Adsorption Ratio	30.4		1	03/26/2018 13:14	WG1088281

Wet Chemistry by Method 9050AMod

Analyte	Result umhos/cm	Qualifier	RDL umhos/cm	Dilution	Analysis date / time	Batch
Specific Conductance	4650		10.0	1	03/27/2018 10:33	WG1089660

Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM

Analyte	Result mg/kg	Qualifier	RDL mg/kg	Dilution	Analysis date / time	Batch
Benzo(a)anthracene	0.131		0.00600	1	03/23/2018 04:39	WG1088201
Benzo(a)pyrene	0.0565		0.00600	1	03/23/2018 04:39	WG1088201
Benzo(b)fluoranthene	0.236		0.00600	1	03/23/2018 04:39	WG1088201
Dibenz(a,h)anthracene	0.0409		0.00600	1	03/23/2018 04:39	WG1088201
(S) p-Terphenyl-d14	70.5		23.0-120		03/23/2018 04:39	WG1088201
(S) Nitrobenzene-d5	180	J1	14.0-149		03/23/2018 04:39	WG1088201
(S) 2-Fluorobiphenyl	75.8		34.0-125		03/23/2018 04:39	WG1088201

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ Gl⁸ Al⁹ Sc



Method Blank (MB)

(MB) WG1089660-1 03/27/18 10:33

Analyte	MB Result umhos/cm	MB Qualifier	MB MDL umhos/cm	MB RDL umhos/cm
Specific Conductance	U		10.0	10.0

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

L979484-01 Original Sample (OS) • Duplicate (DUP)

(OS) L979484-01 03/27/18 10:33 • (DUP) WG1089660-4 03/27/18 10:33

Analyte	Original Result umhos/cm	DUP Result umhos/cm	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Specific Conductance	2750	2740	1	0.364		20

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) WG1089660-2 03/27/18 10:33 • (LCSD) WG1089660-3 03/27/18 10:33

Analyte	Spike Amount umhos/cm	LCS Result umhos/cm	LCSD Result umhos/cm	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Specific Conductance	559	545	527	97.5	94.3	85.0-115			3.36	20

Method Blank (MB)

(MB) R3295641-3 03/22/18 21:56

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Benzo(a)anthracene	U		0.000600	0.00600
Benzo(a)pyrene	U		0.000600	0.00600
Benzo(b)fluoranthene	U		0.000600	0.00600
Dibenz(a,h)anthracene	U		0.000600	0.00600
(S) Nitrobenzene-d5	104			14.0-149
(S) 2-Fluorobiphenyl	89.8			34.0-125
(S) p-Terphenyl-d14	86.2			23.0-120

Cp

Tc

Ss

Cn

Sr

Qc

Gl

Al

Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3295641-1 03/22/18 21:14 • (LCSD) R3295641-2 03/22/18 21:35

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Benzo(a)anthracene	0.0800	0.0695	0.0640	86.9	80.0	46.0-121			8.30	20
Benzo(a)pyrene	0.0800	0.0733	0.0680	91.7	85.0	42.0-121			7.55	20
Benzo(b)fluoranthene	0.0800	0.0686	0.0638	85.7	79.7	42.0-123			7.27	20
Dibenz(a,h)anthracene	0.0800	0.0648	0.0618	81.0	77.2	43.0-132			4.79	20
(S) Nitrobenzene-d5				108	105	14.0-149				
(S) 2-Fluorobiphenyl				101	94.1	34.0-125				
(S) p-Terphenyl-d14				86.4	79.1	23.0-120				

L979484-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L979484-01 03/24/18 16:29 • (MS) R3296201-1 03/24/18 16:51 • (MSD) R3296201-2 03/24/18 17:12

Analyte	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MSD Result mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Benzo(a)anthracene	0.0800	0.0205	0.0847	0.107	80.3	108	1	13.0-132			23.5	27
Benzo(a)pyrene	0.0800	0.0142	0.0694	0.0838	69.1	87.0	1	14.0-138			18.7	27
Benzo(b)fluoranthene	0.0800	0.0307	0.104	0.131	92.0	125	1	10.0-129			22.8	31
Dibenz(a,h)anthracene	0.0800	0.00618	0.0428	0.0413	45.8	43.9	1	15.0-132			3.67	27
(S) Nitrobenzene-d5					116	156		14.0-149		J1		
(S) 2-Fluorobiphenyl					57.2	76.3		34.0-125				
(S) p-Terphenyl-d14					45.2	62.1		23.0-120				



Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Abbreviations and Definitions

MDL	Method Detection Limit.
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier	Description
J1	Surrogate recovery limits have been exceeded; values are outside upper control limits.

¹ Cp
² Tc
³ Ss
⁴ Cn
⁵ Sr
⁶ Qc
⁷ Gi
⁸ Ai
⁹ Sc



ESC Lab Sciences is the only environmental laboratory accredited/certified to support your work nationwide from one location. One phone call, one point of contact, one laboratory. No other lab is as accessible or prepared to handle your needs throughout the country. Our capacity and capability from our single location laboratory is comparable to the collective totals of the network laboratories in our industry. The most significant benefit to our one location design is the design of our laboratory campus. The model is conducive to accelerated productivity, decreasing turn-around time, and preventing cross contamination, thus protecting sample integrity. Our focus on premium quality and prompt service allows us to be YOUR LAB OF CHOICE.

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.

State Accreditations

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN-03-2002-34
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey–NELAP	TN002
California	2932	New Mexico ¹	n/a
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio–VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN2000002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1 6}	90010	South Carolina	84004
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1 4}	2006
Louisiana ¹	LA180010	Texas	T 104704245-17-14
Maine	TN0002	Texas ⁵	LAB0152
Maryland	324	Utah	TN00003
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	460132
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	9980939910
Montana	CERT0086	Wyoming	A2LA

Third Party Federal Accreditations

A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA–Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

Our Locations

ESC Lab Sciences has sixty-four client support centers that provide sample pickup and/or the delivery of sampling supplies. If you would like assistance from one of our support offices, please contact our main office. ESC Lab Sciences performs all testing at our central laboratory.



ESC LAB SCIENCES

Cooler Receipt Form

Client: <u>H2CSx</u>	SDG#	<u>979488</u>	
Cooler Received/Opened On: <u>3/22/18</u>	Temperature:	<u>1.9</u>	<u>0C</u>
Received By: Jeff Mann			
Signature: <u>Jm</u>			
Receipt Check List	NP	Yes	No
COC Seal Present / Intact?	<u>/</u>		
COC Signed / Accurate?		<u>/</u>	
Bottles arrive intact?		<u>/</u>	
Correct bottles used?		<u>/</u>	
Sufficient volume sent?			
If Applicable			
VOA Zero headspace?			
Preservation Correct / Checked?			