

## Cementing Job Summary

*The Road to Excellence Starts with Safety*

<b>Sold To #:</b> 384316		<b>Ship To #:</b> 2561475		<b>Quote #:</b>		<b>Sales Order #:</b> 0905845678				
<b>Customer:</b> PETROSTAR SERVICES				<b>Customer Rep:</b> Aaron Smith						
<b>Well Name:</b> NOBLE WILMOTH C 4-23,WELD				<b>Well #:</b> 2561475		<b>API/UWI #:</b>				
<b>Field:</b>		<b>City (SAP):</b> KERSEY		<b>County/Parish:</b> WELD		<b>State:</b> COLORADO				
<b>Legal Description:</b>										
<b>Contractor:</b> UNKNOWN				<b>Rig/Platform Name/Num:</b> WORKOVER RIG						
<b>Job BOM:</b> 7528 7528										
<b>Well Type:</b> GAS										
<b>Sales Person:</b> HALAMERICA\HB31357				<b>Srvc Supervisor:</b> Jamar Horton						
<b>Job</b>										
<b>Formation Name</b>										
<b>Formation Depth (MD)</b>		<b>Top</b>		<b>Bottom</b>						
<b>Form Type</b>				<b>BHST</b>						
<b>Job depth MD</b>		2500ft		<b>Job Depth TVD</b>						
<b>Water Depth</b>				<b>Wk Ht Above Floor</b>						
<b>Perforation Depth (MD)</b>		<b>From</b>		<b>To</b>						
<b>Well Data</b>										
<b>Description</b>	<b>New / Used</b>	<b>Size in</b>	<b>ID in</b>	<b>Weight lbm/ft</b>	<b>Thread</b>	<b>Grade</b>	<b>Top MD ft</b>	<b>Bottom MD ft</b>	<b>Top TVD ft</b>	<b>Bottom TVD ft</b>
Casing		8.625	8.097	24			0	693		
Tubing		1.5	1.25	2.9			0	2600		
Open Hole Section			9				693	2600		
Casing		4.5	4	11.6			2500	2600		
<b>Tools and Accessories</b>										
<b>Type</b>	<b>Size in</b>	<b>Qty</b>	<b>Make</b>	<b>Depth ft</b>		<b>Type</b>	<b>Size in</b>	<b>Qty</b>	<b>Make</b>	
Guide Shoe	1.5			2600		Top Plug	1.5		HES	
Float Shoe	1.5					Bottom Plug	1.5		HES	
Float Collar	1.5					SSR plug set	1.5		HES	
Insert Float	1.5					Plug Container	1.5		HES	
Stage Tool	1.5					Centralizers	1.5		HES	
<b>Fluid Summary</b>										
<b>Fluid #</b>	<b>Stage Type</b>	<b>Fluid Name</b>	<b>Qty</b>	<b>Qty UoM</b>	<b>Mixing Density lbm/gal</b>	<b>Yield ft3/sack</b>	<b>Mix Fluid Gal</b>	<b>Rate bbl/min</b>	<b>Total Mix Fluid Gal</b>	
1	HalCem w/ CC	HALCEM (TM) SYSTEM	67	sack	15.8	1.17			5.16	
5.16 Gal		FRESH WATER								
<b>Cement Left In Pipe</b>										
<b>Cement Left In Pipe</b>	<b>Amount</b>	<b>ft</b>	<b>Reason</b>				<b>Shoe Joint</b>			

## *Cementing Job Summary*

<b>Mix Water:</b> pH ##	<b>Mix Water Chloride:</b> ## ppm	<b>Mix Water Temperature:</b> ## °F °C
<b>Cement Temperature:</b> ## °F °C	<b>Plug Displaced by:</b> ## lb/gal kg/m3 XXXX	<b>Disp. Temperature:</b> ## °F °C
<b>Plug Bumped?</b> Yes/No	<b>Bump Pressure:</b> ##### psi MPa	<b>Floats Held?</b> Yes/No
<b>Cement Returns:</b> ## bbl m3	<b>Returns Density:</b> ## lb/gal kg/m3	<b>Returns Temperature:</b> ## °F °C
<b>Comment</b>		

## Summary Report

Crew: \_\_\_\_\_  
Job Start Date: 07/17/2019 07:00 AM

Sales Order #: 0905845678  
WO #: 0905845678  
PO #: NA  
AFE #: 19089

Customer: PETROSTAR SERVICES

Field:

Job Type: CMT PLUG TO  
ABANDON BOM  
Service Supervisor: Jamar Horton

UWI / API Number:

County/Parish: WELD

Well Name: NOBLE WILMOTH C 4-23,WELD

State: COLORADO

Well No: 2561475

Latitude:

Longitude:

Sect / Twn / Rng: //

Cust Rep Name: Aaron Smith

Cust Rep Phone #:

### Remarks:

*The Information Stated Herein Is Correct*

Customer Representative Signature

Date

Customer Representative Printed Name