

FORM  
6Rev  
11/20

## State of Colorado

## Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE ET OE ES

Document Number:

402552741

Date Received:

## WELL ABANDONMENT REPORT

This form is to be submitted as an Intent to Abandon whenever an abandonment is planned on a borehole. After the abandonment is complete, this form shall again be submitted as a Subsequent Report of the actual work completed. The approved intent shall be valid for six months after the approval date, after that period, a new intent will be required. Attachments required with the Intent to Abandon are wellbore diagrams of the current configuration and the proposed configuration with plugs set.

A Subsequent Report of Abandonment shall indicate the actual work completed. Attachments required with a Subsequent Report are a wellbore diagram showing plugs that were set and casing remaining in the hole, the job summaries from all plugging contractors used, including wireline and cementing (third party verification) and any logs that may have been run during abandonment.

OGCC Operator Number: 69175

Contact Name: Valerie Danson

Name of Operator: PDC ENERGY INC

Phone: (970) 506-9272

Address: 1775 SHERMAN STREET - STE 3000

Fax:

City: DENVER State: CO Zip: 80203

Email: valerie.danson@pdce.com

For "Intent" 24 hour notice required,

Name:

Tel:

COGCC contact:

Email:

Type of Well Abandonment Report:



Notice of Intent to Abandon



Subsequent Report of Abandonment

API Number 05-123-27309-00

Well Name: D DYER

Well Number: 41-34

Location: QtrQtr: NENE Section: 34 Township: 7N Range: 64W Meridian: 6

County: WELD

Federal, Indian or State Lease Number:

Field Name: WATTENBERG

Field Number: 90750

## Only Complete the Following Background Information for Intent to Abandon

Latitude: 40.534670

Longitude: -104.528440

GPS Data: GPS Quality Value: 2.9 Type of GPS Quality Value: Date of Measurement: 02/18/2007

Reason for Abandonment:



Dry



Production Sub-economic



Mechanical Problems

☐ Other

Casing to be pulled:



Yes



No

Estimated Depth:

Fish in Hole:



Yes



No

If yes, explain details below

Wellbore has Uncemented Casing leaks:



Yes



No

If yes, explain details below

Details:

## Current and Previously Abandoned Zones

Formation	Perf. Top	Perf. Btm	Abandoned Date	Method of Isolation	Plug Depth
CODELL	7092	7102	11/14/2020	B PLUG CEMENT TOP	7042

Total: 1 zone(s)

## Casing History

Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top	Status
SURF	12+1/4	8+5/8	J55	24	0	624	345	624	0	VISU
1ST	7+7/8	4+1/2	J55	10.5	0	7287	175	7287	6250	CBL
S.C. 1.1						6250	540	6250	310	CBL

Subsurface hazards include, but are not limited to, the following: overpressured zones, underpressured zones, major geologic faults, salt sections, H2S at concentrations greater than or equal to 100 ppm.

### Plugging Procedure for Intent and Subsequent Report

CIBP #1: Depth 7042 with 2 sacks cmt on top. CIBP #2: Depth 6740 with 2 sacks cmt on top.  
CIBP #3: Depth 2600 with 2 sacks cmt on top. CIBP #4: Depth \_\_\_\_\_ with \_\_\_\_\_ sacks cmt on top.  
CIBP #5: Depth \_\_\_\_\_ with \_\_\_\_\_ sacks cmt on top.

NOTE: Two(2) sacks cement required on all CIBPs.

Set \_\_\_\_\_ sks cmt from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Plug Type: \_\_\_\_\_ Plug Tagged: ☐  
Set \_\_\_\_\_ sks cmt from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Plug Type: \_\_\_\_\_ Plug Tagged: ☐  
Set \_\_\_\_\_ sks cmt from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Plug Type: \_\_\_\_\_ Plug Tagged: ☐  
Set \_\_\_\_\_ sks cmt from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Plug Type: \_\_\_\_\_ Plug Tagged: ☐  
Set \_\_\_\_\_ sks cmt from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Plug Type: \_\_\_\_\_ Plug Tagged: ☐

Perforate and squeeze at 310 ft. with 86 sacks. Leave at least 100 ft. in casing \_\_\_\_\_ CICR Depth

Perforate and squeeze at \_\_\_\_\_ ft. with \_\_\_\_\_ sacks. Leave at least 100 ft. in casing \_\_\_\_\_ CICR Depth

Perforate and squeeze at \_\_\_\_\_ ft. with \_\_\_\_\_ sacks. Leave at least 100 ft. in casing \_\_\_\_\_ CICR Depth

(Cast Iron Cement Retainer Depth)

Set 151 sacks half in. half out surface casing from 1882 ft. to 0 ft. Plug Tagged: ☒

Set \_\_\_\_\_ sacks at surface

Cut four feet below ground level, weld on plate Above Ground Dry-Hole Marker: ☐ Yes ☐ No

Set \_\_\_\_\_ sacks in rat hole Set \_\_\_\_\_ sacks in mouse hole

### Additional Plugging Information for Subsequent Report Only

Casing Recovered: \_\_\_\_\_ ft. of \_\_\_\_\_ inch casing

Surface Plug Setting Date: 11/14/2020 Cut and Cap Date: 11/14/2020 Number of Days from Setting Surface Plug to Capping or Sealing the Well: 0

\*Wireline Contractor: Rocky Mtn Wireline Services

\*Cementing Contractor: NexTier Cementing Services

Type of Cement and Additives Used: Class G 15.8 PPG Cement

Flowline/Pipeline has been abandoned per Rule 1105 ☐ Yes ☐ No

Technical Detail/Comments:

D Dyer 41-34 (05-123-27309)/Plugging Procedure  
Producing Formation: Codell: 7092'-7102'  
Upper Pierre Aquifer: 660'-1732'  
TD: 7294' PBTD: 7145' (3/27/2014)  
Surface Casing: 8 5/8" 24# @ 624' w/ 345 sxs cmt  
Production Casing: 4 1/2" 10.5# @ 7287' w/ 715 sxs cmt (TOC @ 310')

Procedure:

1. MIRU pulling unit. Pull 2 3/8" tubing.
2. RU wireline company.
3. TIH with CIBP. Set BP at 7042'. Top with 2 sxs 15.8#/gal CI G cement. (Top of Codell perms @ 7092')
4. TIH with CIBP. Set BP at 6740'. Top with 2 sxs 15.8#/gal CI G cement. (Top of Niobrara @ 6790')
5. TIH with CIBP. Set BP at 2600'. Top with 2 sxs 15.8#/gal CI G cement.
6. Run a Strip Log from 400' to Surface (for perf shot verification, log not kept).
7. TIH with perf gun. Shoot squeeze holes @ 310'.
8. TIH with tubing to 1882'. RU cementing company. Mix and pump 151 sxs 15.8#/gal CI G cement down tubing. Cement circulate to surface.
9. Close off casing returns. Hook up cement line to cement flange and pump 86 sxs 15.8#/gal CI G cement downhole and squeeze through perforations @ 310' into annular space. Cement circulate to surface.
10. Cut surface casing 6' below ground level and weld on cap.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Valerie Danson  
Title: Reg Tech Date: \_\_\_\_\_ Email: valerie.danson@pdce.com

Based on the information provided herein, this Well Abandonment Report (Form 6) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: \_\_\_\_\_ Date: \_\_\_\_\_

**CONDITIONS OF APPROVAL, IF ANY:**

**COA Type Description**

--	--

**Attachment Check List**

**Att Doc Num Name**

402552742	CEMENT BOND LOG
402552743	CEMENT JOB SUMMARY
402552744	OPERATIONS SUMMARY
402552745	WELLBORE DIAGRAM

Total Attach: 4 Files

**General Comments**

**User Group Comment Comment Date**

		Stamp Upon Approval
--	--	---------------------

Total: 0 comment(s)