



**Location**

Overall Good:

Emergency Contact Number:

Comment:

Corrective Action:  Date: \_\_\_\_\_

**Good Housekeeping:**

Type	WEEDS		
Comment:	Weeds growing around fencing see pic 1		
Corrective Action:	Comply with 603 f.	Date:	01/14/2021

Overall Good:

**Spills:**

Type	Area	Volume	

In Containment: No

Comment:

Multiple Spills and Releases?

**Fencing/:**

Type	PUMP JACK		
Comment:	4' barb wire		
Corrective Action:		Date:	

**Equipment:**

Type		#	corrective date
Type: Pump Jack		# 1	
Comment:			
Corrective Action:		Date:	
Type: Bradenhead		# 1	
Comment:			
Corrective Action:		Date:	
Type: Prime Mover		# 1	
Comment:	electric motor		
Corrective Action:		Date:	
Type: Ancillary equipment		# 1	
Comment:	Electric		
Corrective Action:		Date:	

**Venting:**

Yes/No	NO		
Comment:			
Corrective Action:		Date:	

**Flaring:**

Type			
Comment:			

Corrective Action:

Date:

**Inspected Facilities**

Facility ID: 239697 Type: WELL API Number: 123-07485 Status: PR Insp. Status: PR

**Producing Well**

Comment: PR

Corrective Action:

Date:

**BradenHead**

Date of Last Brhd Test: \_\_\_\_\_ Annual Brhd Completed? #Error

Last Brhd Test Results Initial Surf Csg Pressure: \_\_\_\_\_ Fluid Type: \_\_\_\_\_

End Surf Csg Pressure: \_\_\_\_\_

Comment: Annual bradenhead test not current. Contact COGCC engineering

12/24/2020

Corrective Action: Comply with 341 c.

Date:

**COGCC Comments**

Comment	User	Date
<p>COGCC Inspection Report Summary                      On 12/14/20 at approximately 1300 I, Inspector Justin Medina conducted an on-site inspection at:                      Well Name- Suckla Brown Unit Nav 7                      Company Name- KPK                      API- 05-123-07485                      In Weld County Colorado.                      While there, I observed producing well                      During this inspection the following possible compliance issues were observed:                      Annual Bradenhead test not current. Contact COGCC engineering                      Comply with 341 c. 12-24-20                      Weeds growing around fencing see pic 1                      Comply with 603 f. 1-14-21                      A follow up on this site inspection needs to be conducted to ensure the compliance issues have been corrected to comply with COGCC rules.                      At time of inspection weather conditions were cold, calm, recent snow.                      This is a summary of inspection report.</p>	medinaj	12/14/2020

**Attached Documents**

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
699502025	pics	<a href="http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5310440">http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5310440</a>