

FORM
5A

Rev
09/20

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

402644596

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 96850

2. Name of Operator: TEP ROCKY MOUNTAIN LLC

3. Address: PO BOX 370

City: PARACHUTE

State: CO

Zip: 81635

4. Contact Name: Jeff Kirtland

Phone: (970) 263-2736

Fax:

Email: jkirtland@terraep.com

5. API Number 05-045-24312-00

7. Well Name: FEDERAL

8. Location: QtrQtr: NESE

Section: 8

Township: 6S

Range: 94W

Meridian: 6

9. Field Name: RULISON

Field Code: 75400

6. County: GARFIELD

Well Number: NR 414-4

Completed Interval

FORMATION: WILLIAMS FORK - CAMEO Status: PRODUCING Treatment Type: HYDRAULIC FRACTURING
Treatment Date: 01/11/2021 End Date: 01/22/2021 Date this Formation was Completed: 03/03/2021
Perforations Top: 6964 Bottom: 10284 No. Holes: 360 Hole size: 0.35 Open Hole: ☐

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

235964 bbls of Slickwater; 2363005 bbls of 100/Mesh; 7647 gals of biocide

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 236170 Max pressure during treatment (psi): 8530
Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal): 8.43
Type of gas used in treatment: Min frac gradient (psi/ft): 0.73
Total acid used in treatment (bbl): 24 Number of staged intervals: 15
Recycled or Reused Fluids used in treatment (bbl): 235964 Flowback volume recovered (bbl): 62965
Fresh water used in treatment (bbl): 182 Disposition method for flowback: RECYCLE
Total proppant used (lbs): 2363005

Fracture stimulations must be reported on [FracFocus.org](https://www.fracfocus.org)

Test Information:

03/03/2021 Hours: 24 Bbl oil: 0 Mcf Gas: 4054 Bbl H2O: 0
Date Calculated 24 hour rate: Bbl oil: 0 Mcf Gas: 4054 Bbl H2O: 0 GOR:
Test Method: Flwoing Casing PSI: 2440 Tubing PSI: 2364 Choke Size: 0.375
Gas Disposition: SOLD Gas Type: DRY Btu Gas: 1170 API Gravity Oil: 0
Tubing Size: 2 + 3/8 Tubing Setting Depth: 9963 Tbg setting date: 01/28/2021 Packer Depth:
Reason for Non-Production:
Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt
** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Ashley Noonan
Title: Sr. Regulatory Analyst Date: Email: anoonan@terraep.com

Attachment List

Att Doc Num Name

402647758 WELLBORE DIAGRAM

Total Attach: 1 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)