

BRADENHEAD TEST REPORT

Step 1. Record all tubing and casing pressures as found.
Step 2. Sample now, if intermediate or surface casing pressure >25 psi. In sensitive areas, 1 psi.
Step 3. Conduct Bradenhead test.
Step 4. Conduct intermediate casing test.
Step 5. Send report to BLM within 30 days and to OGCC within 10 days. Include wellbore diagram if not previously submitted or if wellbore configuration has changed since prior program. Attach gas and liquid analyses if sampled.

1. OGCC Operator Number: 10312
2. Name of Operator: Prospect Energy LLC 3. BLM Lease No.:
4. API Number: 05-069-CAT114 5. Multiple completion? ☐ Yes ☒ No
6. Well Name: Mesa Mayor Number: 43
7. Location (Qtr, Sec, Twp, Rng, Meridian): SE 34 Sec 19 T9N R6E
8. County: LaPlata 9. Field Name: El Collado
10. Minerals: ☐ Fee ☒ State ☐ Federal ☐ Indian

STEP 1: EXISTING PRESSURES

Record all pressures as found	Tubing:	Fm:	Tubing:	Fm:	Prod. Casing:	Intermediate Csg:	Surface Casing:
	<u>0</u>				<u>0</u>		<u>0</u>

15.

STEP 2: See instructions above.

11. Date of Test: 5/9/2112. Well Status: ☐ Flowing ☒ Shut In
☐ Gas Lift ☐ Pumping ☐ Injection
☐ Clock/Intermittent
☐ Plunger Lift13. Number of Casing Strings:
☒ Two ☐ Three ☐ Liner?

STEP 3: BRADENHEAD TEST

16. Buried valve? ☐ Yes ☐ No Confirmed open? ☐ Yes ☐ No

With gauges monitoring production, intermediate casing and tubing pressures, open surface casing (bradenhead) valve (if no intermediate casing, monitor only the production casing and tubing pressures.) Record pressures at five minute intervals. Define characteristics of flow in "Bradenhead Flow" column using letter designations below:

O = No Flow; C = Continuous; D = Down to 0; V = Vapor
H = Water H2O; M = Mud; W = Whisper; S = Surge; G = Gas

BRADENHEAD SAMPLE TAKEN?

☐ Yes ☐ No ☐ Gas ☐ LiquidCharacter of Bradenhead fluid: ☐ Clear ☐ Fresh☐ Sulfur ☐ Salty ☐ Black☐ Other: (describe)

Sample cylinder number:

Elapsed Time (Min:Sec)	Fm: Tubing	Fm: Tubing	Production Casing PSIG	Intermediate Casing PSIG	Bradenhead Flow
00:		<u>0</u>			<u>0</u>
05:		<u>0</u>			<u>0</u>
10:		<u>0</u>			<u>0</u>
15:		<u>0</u>			<u>0</u>
20:		<u>0</u>			<u>0</u>
25:		<u>0</u>			<u>0</u>
30:		<u>0</u>			<u>0</u>

Note instantaneous Bradenhead PSIG at end of test: >

STEP 4: INTERMEDIATE CASING TEST

17. Buried valve? ☐ Yes ☐ No Confirmed open? ☐ Yes ☐ No

With gauges monitoring production casing and tubing pressures, open the intermediate casing valve. Record pressures at five minute intervals. Characterize flow in "Intermediate Flow" column using letter designations below:

O = No Flow; C = Continuous; D = Down to 0; V = Vapor
H = Water H2O; M = Mud; W = Whisper; S = Surge; G = Gas

INTERMEDIATE SAMPLE TAKEN?

☐ Yes ☐ No ☐ Gas ☐ LiquidCharacter of Intermediate fluid: ☐ Clear ☐ Fresh☐ Sulfur ☐ Salty ☐ Black☐ Other: (describe)

Sample cylinder number:

Elapsed Time (Min:Sec)	Fm: Tubing	Fm: Tubing	Production Casing PSIG	Intermediate Casing PSIG	Intermediate Flow
00:					
05:					
10:					
15:					
20:					
25:					
30:					

Note instantaneous Intermediate Casing PSIG at end of test: >

18. Comments:

STEP 5: See instructions above.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.
Test Performed by: Mike Stach Title: _____ Phone: _____

Signed: Michael W. Stach Title: _____
Date: _____