

State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: 402701312			
Date Received: 05/26/2021			

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: <u>10651</u>	Contact Name <u>Erin Bailey</u>
Name of Operator: <u>VERDAD RESOURCES LLC</u>	Phone: <u>(301) 3959638</u>
Address: <u>1125 17TH STREET SUITE 550</u>	Fax: <u>()</u>
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80202</u>	Email: <u>ebailey@quandaryconsultants.com</u>

Complete the Attachment
Checklist

OP OGCC

API Number : 05- <u>123</u> <u>50266</u> <u>00</u>	OGCC Facility ID Number: <u>465739</u>
Well/Facility Name: <u>LO_SCHNEIDER</u>	Well/Facility Number: <u>1414_11H</u>
Location QtrQtr: <u>NENW</u> Section: <u>14</u> Township: <u>8N</u> Range: <u>60W</u> Meridian: <u>6</u>	
County: <u>WELD</u> Field Name: <u>WILDCAT</u>	
Federal, Indian or State Lease Number: <u></u>	

Survey Plat		
Directional Survey		
Srvc Eqpmt Diagram		
Technical Info Page		
Other		

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d. (3).

NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- ☐ Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4): There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a 1/2-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- ☒ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.
- 0 Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- 4 Number of Water Source Exceptions requested per Rule 609.c.
- 0 Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**
- 0 Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling.
The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.
- ☐ Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 318A.f.(2)A. (for Initial Baseline (pre-drill) ONLY) or 609.d.(3).

Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

COMMENTS

An exception is requested because no suitable water wells are within 1/2 mile radius of Schneider 1414.

This exception request applies to the following wells:

05-123-50266 LO_SCHNEIDER #1414_11H

05-123-50268 LO_SCHNEIDER #1414_08H

05-123-50271 LO_SCHNEIDER #1414_05H

05-123-50272 LO_SCHNEIDER #1414_09H

Operator Comments:

An exception request is requested because no suitable water wells are within 1/2 mile of Schneider 1414.

This exception request applies to the following wells:

05-123-50266 LO_SCHNEIDER #1414_11H

05-123-50268 LO_SCHNEIDER #1414_08H

05-123-50271 LO_SCHNEIDER #1414_05H

05-123-50272 LO_SCHNEIDER #1414_09H

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Erin Bailey
Title: Environmental Specialist Email: ebailey@quandaryconsultants.com Date: 5/26/2021

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOEPSSELL, ARTHUR Date: 5/27/2021

CONDITIONS OF APPROVAL, IF ANY:**Condition of Approval****COA Type****Description**

0 COA

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Environmental	A review of information available on the COGIS Map System indicates that there are no water features within 1/2 mile of the oil and gas location that meet the 100 series rule definition of a water source.	05/27/2021

Total: 1 comment(s)

Attachment List

<u>Att Doc Num</u>	<u>Name</u>
402701312	SUNDRY NOTICE APPROVED-GW
402701376	OTHER
402702425	FORM 4 SUBMITTED

Total Attach: 3 Files