

Location			
Lease Road:			
Type	Access		
comment:	all weeds growing along access road		
Corrective Action:	Comply with Rule 606		Date: 06/24/2021
Overall Good: <input type="checkbox"/>			
Signs/Marker:			
Type	WELLHEAD		
Comment:	adequate		
Corrective Action:			Date:
Emergency Contact Number:			
Comment:	<input type="text"/>		
Corrective Action:	<input type="text"/>		Date: _____
Good Housekeeping:			
Type	WEEDS		
Comment:	tall weeds growing around location ROW		
Corrective Action:	Comply with Rule 606		Date: 06/24/2021
Overall Good: <input type="checkbox"/>			
Spills:			
Type	Area	Volume	
In Containment: No			
Comment:	<input type="text"/>		
<input type="checkbox"/> Multiple Spills and Releases?			
Fencing/:			
Type	PUMP JACK		
Comment:	hog fence		
Corrective Action:			Date:
Type	OTHER		
Comment:	ancillary equipment has fabricated steel pipe		
Corrective Action:			Date:
Equipment:			
Type: Bradenhead	# 1		corrective date
Comment:	appears to be plumbed to surface		
Corrective Action:			Date:
Type: Pump Jack	# 1		
Comment:			
Corrective Action:			Date:
Type: Ancillary equipment	# 1		
Comment:	Electric panel, meter box and transformers		

Corrective Action:		Date:	
Type: Prime Mover	# 1		
Comment:	electric motor		
Corrective Action:		Date:	

Venting:

Yes/No	NO		
Comment:			
Corrective Action:		Date:	

Flaring:

Type		
Comment:		
Corrective Action:		Date:

Inspected Facilities

Facility ID: 241204 Type: WELL API Number: 123-08992 Status: PR Insp. Status: PR

Producing Well

Comment: PR

Corrective Action:

Date:

BradenHead

Date of Last Brhd Test: 09/28/2020 Annual Brhd Completed? Yes

Last Brhd Test Results Initial Surf Csg Pressure: 25 Fluid Type: _____

End Surf Csg Pressure: 0

Comment:

Corrective Action:

Date:

COGCC Comments

Comment	User	Date
<p>COGCC Inspection Report Summary On Monday 7/12/2021 at approximately 1310 hrs. I, Inspector Robbie Revas, Conducted an on-site inspection at a KP Kauffman location: Follow up to inspection Doc # 699303978. Carl R Deepe C 2 at Location#318388 in Weld County Colorado. While there, I observed a wellsite, PR at the time of inspection. During this inspection the following possible compliance issues were observed and are now delinquent: 606 Housekeeping: Weeds growing tall down access rd. and around location ROW, CA date 6-24-2021. See attached photos. Location: dry, Weather: clear. A follow up on this site inspection needs to be conducted to ensure the Compliance issues have been corrected to comply with COGCC rules. This is a summary of inspection report.</p>	revasr	07/12/2021

Attached Documents

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
402745085	INSPECTION SUBMITTED	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5477034
699304089	location pics	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5477027