

State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:  
402812947

Date Received:  
09/15/2021

FIR RESOLUTION FORM

Overall Status: CAC

CA Summary:

2 of 2 CAs from the FIR responded to on this Form

2 CA Completed  
0 Factual Review Request

OPERATOR INFORMATION

OGCC Operator Number: 96850  
Name of Operator: TEP ROCKY MOUNTAIN LLC  
Address: PO BOX 370  
City: PARACHUTE State: CO Zip: 81635  
Contact Name and Telephone:  
Name: \_\_\_\_\_  
Phone: ( ) \_\_\_\_\_ Fax: ( ) \_\_\_\_\_  
Email: \_\_\_\_\_

Additional Operator Contact:

Contact Name	Phone	Email
<u>TEP</u>	<u>970-285-9377</u>	<u>COGCCInspectionReports@terraep.com</u>

COGCC INSPECTION SUMMARY:

FIR Document Number: 700703189  
Inspection Date: 08/24/2021 FIR Submit Date: 08/24/2021 FIR Status: \_\_\_\_\_

Inspected Operator Information:

Company Name: TEP ROCKY MOUNTAIN LLC Company Number: 96850  
Address: PO BOX 370  
City: PARACHUTE State: CO Zip: 81635

LOCATION - Location ID: 322417

Location Name: CLOUGH-66S94W Number: 21NWNE County: \_\_\_\_\_  
Qtrqr: NWNE Sec: 21 Twp: 6S Range: 94W Meridian: 6  
Latitude: 39.516279 Longitude: -107.890180

FACILITY - API Number: 05-045- -00 Facility ID: 322417

Facility Name: CLOUGH-66S94W Number: 21NWNE  
Qtrqr: NWNE Sec: 21 Twp: 6S Range: 94W Meridian: 6  
Latitude: 39.516279 Longitude: -107.890180

CORRECTIVE ACTIONS:

1 CA# 155143

Corrective Action: Comply with rule 603.i. Date: 10/01/2021

Response: CA COMPLETED Date of Completion: 09/10/2021

Operator Comment: Rule 603.i has been complied with.

COGCC Decision: \_\_\_\_\_

COGCC  
Representative: \_\_\_\_\_

**2** CA# 155144

Corrective Action: Install proper labeling

Date: 10/01/2021

Response: CA COMPLETED

Date of Completion: 09/15/2021

Operator Comment: A separator does not meet the definition of a "tank or container" per COGCC definitions in Section 100 where separators are specifically excluded from the definition of a "tank." Therefore, the labeling requirements at Rule 605.h do not apply. Further, the glycol used in our separators is not a DOT-regulated hazardous material; therefore, Rule 605.h.(3) does not apply.

COGCC Decision: \_\_\_\_\_

COGCC  
Representative: \_\_\_\_\_

**OPERATOR COMMENT AND SUBMITTAL**

Comment: All corrective actions have been addressed / completed. See attached correspondence and report pertaining to labeling requirements.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Michael Gardner

Signed: \_\_\_\_\_

Title: TEP ENV

Date: 9/15/2021 3:02:50 PM

**ATTACHMENT LIST**

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

**Document Number      Description**

402812965	Labeling correspondence
402812966	WSCOGA Separator Report

Total Attach: 2 Files