

FORM  
2

Rev  
12/20

## State of Colorado

### Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

402579530

Date Received:

09/01/2021

#### APPLICATION FOR PERMIT TO:

☒ Drill ☐ Deepen ☐ Re-enter ☐ Recomplete and Operate

Amend ☐

TYPE OF WELL OIL ☐ GAS ☒ COALBED ☐ OTHER: \_\_\_\_\_

Refill ☐

ZONE TYPE SINGLE ZONE ☒ MULTIPLE ZONES ☐ COMMINGLE ZONES ☐

Sidetrack ☐

Well Name: <u>FEDERAL</u>	Well Number: <u>WMC 432-20</u>
Name of Operator: <u>TEP ROCKY MOUNTAIN LLC</u>	COGCC Operator Number: <u>96850</u>
Address: <u>PO BOX 370</u>	
City: <u>PARACHUTE</u>	State: <u>CO</u> Zip: <u>81635</u>
Contact Name: <u>Vicki Schoeber</u>	Phone: <u>(970)263-2721</u> Fax: <u>( )</u>
Email: <u>vschoeber@terraep.com</u>	

#### RECLAMATION FINANCIAL ASSURANCE

Plugging and Abandonment Bond Surety ID: \_\_\_\_\_

#### WELL LOCATION INFORMATION

##### Surface Location

QtrQtr: SESW Sec: 17 Twp: 7S Rng: 93W Meridian: 6

Footage at Surface: 233 Feet FSL 1826 Feet FWL

Latitude: 39.439032 Longitude: -107.799462

GPS Data: GPS Quality Value: 2.6 Type of GPS Quality Value: PDOP Date of Measurement: 07/28/2020

Ground Elevation: 8869

Field Name: RULISON Field Number: 75400

Well Plan: is ☒ Directional ☐ Horizontal (highly deviated) ☐ Vertical

If Well plan is Directional or Horizontal attach Deviated Drilling Plan and Directional Data.

##### Subsurface Locations

###### Top of Productive Zone (TPZ)

Sec: 20 Twp: 7S Rng: 93W Footage at TPZ: 2360 FNL 1921 FEL

Measured Depth of TPZ: 7923 True Vertical Depth of TPZ: 7312 FNL/FSL FEL/FWL

###### Base of Productive Zone (BPZ)

Sec: 20 Twp: 7S Rng: 93W Footage at BPZ: 2360 FNL 1921 FEL

Measured Depth of BPZ: 11443 True Vertical Depth of BPZ: 10832 FNL/FSL FEL/FWL

###### Bottom Hole Location (BHL)

Sec: 20 Twp: 7S Rng: 93W Footage at BHL: 2360 FNL 1921 FEL

FNL/FSL FEL/FWL

#### LOCAL GOVERNMENT PERMITTING INFORMATION

County: GARFIELD Municipality: N/A

Is the Surface Location of this Well in an area designated as one of State interest and subject to the requirements of §

24-65.1-108 C.R.S.? No

Per § 34-60-106(1)(f)(I)(A) C.R.S., the following questions pertain to the Relevant Local Government approval of the siting of the proposed Oil and Gas Location.

SB 19-181 provides that when "applying for a permit to drill," operators must include proof that they sought a local government siting permit and the disposition of that permit application, or that the local government does not have siting regulations. § 34-60-106(1)(f)(I)(A) C.R.S.

Does the Relevant Local Government regulate the siting of Oil and Gas Locations, with respect to this Location? ☐ Yes ☒ No

☐ If yes, in checking this box, I hereby certify that an application has been filed with the local government with jurisdiction to approve the siting of the proposed oil and gas location.

The disposition of the application filed with the Relevant Local Government is: \_\_\_\_\_ Date of Final Disposition: \_\_\_\_\_

Comments: 

TEP Rocky Mountain LLC contacted Garfield County, the local government with jurisdiction over the siting of this proposed oil and gas location on April 20, 2021, and determined that no county permit is required for these wells and therefore per the Garfield County Land Use and Development Code, Table 3-403, "Oil and Gas Drilling and Production" and "Hydraulic Fracturing, Remote Surface Locations" are a use-by-right or exempt from Land Use Regulation, if the application does not trigger an Alternative Location Analysis.

## SURFACE AND MINERAL OWNERSHIP AT WELL'S OIL & GAS LOCATION

Surface Owner of the land at this Well's Oil and Gas Location: ☐ Fee ☐ State ☒ Federal ☐ Indian

Mineral Owner beneath this Well's Oil and Gas Location: ☐ Fee ☐ State ☒ Federal ☐ Indian

Surface Owner Protection Financial Assurance (if applicable): \_\_\_\_\_ Surety ID Number (if applicable): \_\_\_\_\_

## MINERALS DEVELOPED BY WELL

The ownership of all the minerals that will be developed by this Well is (check all that apply):

- ☐ Fee  
☐ State  
☒ Federal  
☐ Indian  
☐ N/A

## LEASE INFORMATION

Using standard QtrQtr, Section, Township, Range format describe one entire mineral lease as follows:

\* If this Well is within a unit, describe a lease that will be developed by the Well.

\* If this Well is not subject to a unit, describe the lease that will be produced by the Well.

(Attach a Lease Map or Lease Description or Lease if necessary.)

T7S-R93W  
Sec 19: Lots 5, 6, 9-12, 17, 18  
Sec 20: N2, W2SW4, N2SE4, SW4SE4  
Sec 29: Lots 4, 9, 12  
Sec 30: S2NE4, NE4SE4, Lots 5, 6, 12

Total Acres in Described Lease: 1161 Described Mineral Lease is: ☐ Fee ☐ State ☒ Federal ☐ Indian

Federal or State Lease # COC075070

## SAFETY SETBACK INFORMATION

Distance from Well to nearest:

INSTRUCTIONS:  
- Specify all distances per Rule 308.b.(1).

Building: 4451 Feet  
Building Unit: 5280 Feet  
Public Road: 5280 Feet  
Above Ground Utility: 5280 Feet  
Railroad: 5280 Feet  
Property Line: 233 Feet

- Enter 5280 for distance greater than 1 mile.  
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.  
- Building Unit – as defined in 100 Series Rules.

## OBJECTIVE FORMATIONS

Objective Formation(s)	Formation Code	Spacing Order Number(s)	Unit Acreage Assigned to Well	Unit Configuration (N/2, SE/4, etc.)
WILLIAMS FORK	WMFK	1-229		

Federal or State Unit Name (if appl): \_\_\_\_\_ Unit Number: \_\_\_\_\_

## SUBSURFACE MINERAL SETBACKS

Enter 5280 for distance greater than 1 mile.

Is this Well within a unit? No

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary: \_\_\_\_\_ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation: \_\_\_\_\_ Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease: 940 Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation: 330 Feet

## Exception Location

☐ If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers. \_\_\_\_\_

## SPACING & FORMATIONS COMMENTS

## DRILLING PROGRAM

Proposed Total Measured Depth: 11593 Feet

TVD at Proposed Total Measured Depth 10982 Feet

Distance from the proposed wellbore to nearest existing or proposed wellbore belonging to another operator, including plugged wells:

Enter distance if less than or equal to 1,500 feet: \_\_\_\_\_ Feet ☒ No well belonging to another operator within 1,500 feet

Will a closed-loop drilling system be used? Yes

Is H<sub>2</sub>S gas reasonably expected to be encountered during drilling operations at concentrations greater than or equal to 100 ppm? No If yes, attach an H<sub>2</sub>S Drilling Plan unless a plan was already submitted with the Form 2A per Rule 304.c.(10).

Will there be hydraulic fracture treatment at a depth less than 2,000 feet in this well? No

Will salt sections be encountered during drilling? No

Will salt based (>15,000 ppm Cl) drilling fluids be used? No

Will oil based drilling fluids be used? No

BOP Equipment Type: ☒ Annular Preventor ☒ Double Ram ☒ Rotating Head ☐ None

Beneficial reuse or land application plan submitted? No

Reuse Facility ID: \_\_\_\_\_ or Document Number: \_\_\_\_\_

## CASING PROGRAM

Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top
CONDUCTOR	30	20	X-65	78.67	0	84	199	84	0
SURF	13+1/2	9+5/8	J-55	36	0	1100	285	1100	0
1ST	8+3/4	4+1/2	P-110	11.6	0	11593	1017	11593	6963

☐ Conductor Casing is NOT planned

## POTENTIAL FLOW AND CONFINING FORMATIONS

Zone Type	Formation /Hazard	Top M.D.	Top T.V.D.	Bottom M.D.	Bottom T.V.D.	TDS (mg/L)	Data Source	Comment
Groundwater	Green River	0	0	919	900	501-1000	Other	Surface Water/Rose Stream Sample
Confining Layer	U. Wasatch	919	900	5379	4842			
Hydrocarbon	Wasatch G	5379	4842	7111	6500			Non-Productive Zone
Confining Layer	Ft Union	7111	6500	7463	6852			
Groundwater	L. Wasatch	7463	6852	7923	7312	>10000	Field Scout Card	
Hydrocarbon	Mesaverde	7923	7312	9443	8832			
Hydrocarbon	Top Gas	9443	8832	10673	10062			
Hydrocarbon	Cameo	10673	10062	11443	10832			
Hydrocarbon	Rollins	11443	10832	11593	10982			

## OPERATOR COMMENTS AND SUBMITTAL

Comments: Nearest offset well producing from the same lease and permitted or completed in the same formation: FEDERAL WMC 332-20 (Doc #402579539)

OGDP application (Docket #210500082) and Form 2A (Doc #402578943) approved on 9/1/2021.

This application is in a Comprehensive Area Plan No CAP #: \_\_\_\_\_

OGDP ID#: 480230 OGDP Name: FEDERAL WMC 24-17 Expiration Date: \_\_\_\_\_

Location ID: 480732 Location Name: \_\_\_\_\_

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_

Print Name: Vicki Schoeber \_\_\_\_\_

Title: Regulatory Specialist \_\_\_\_\_

Date: 9/1/2021 \_\_\_\_\_

Email: vschoeber@terraep.com \_\_\_\_\_

Operator must have a valid water right or permit allowing for industrial use or purchased water from a seller that has a valid water right or permit allowing for industrial use, otherwise an application for a change in type of use is required under Colorado law. Operator must also use the water in the location set forth in the water right decree or well permit, otherwise an application for a change in place of use is required under Colorado law. Section 37-92-103(5), C.R.S. (2011).

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules, applicable orders, and SB 19-181 and is hereby approved.

COGCC Approved: \_\_\_\_\_

Director of COGCC \_\_\_\_\_

Date: 9/21/2021 \_\_\_\_\_

Expiration Date: 09/20/2024 \_\_\_\_\_

**API NUMBER**

05 045 24490 00

**Conditions Of Approval**

All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.

**Condition of Approval****COA Type****Description**

Drilling/Completion Operations

1.Operator shall comply with the most current revision of the Northwest Notification Policy.

2.Operator shall comply with the most current revision of the Garfield County Rulison Field Notice to Operators, with the following exception: All field notice requirements specified in that Notice to Operators are superseded by the requirements of the most current revision of the Northwest Colorado Notification Policy (see Condition of Approval #1).

3.Operator shall comply with the Notice to Operators Drilling Wells in the Buzzard, Mamm Creek, and Rulison fields, Garfield County and Mesa County – Procedures and Submittal Requirements for Compliance with COGCC Order Nos. 1-107, 139-56, 191-22, and 369-2 (July 8, 2010).

4.Operator shall provide cement coverage from the production casing shoe (4 1/2" FIRST STRING) to a minimum of 500' above the Lower Wasatch (as defined by COGCC in the report "Casing and Cement Standards for Geologic Isolation Piceance Basin Bradenhead Monitoring Area and Nearby Fields," dated April 18, 2016, COGCC Document No. 2056199, Appendix A Field Scout Cards and Annotated Type Logs) to provide isolation of the Lower Wasatch, all Mesaverde Group formations including the Ohio Creek Formation, and underlying formations, if penetrated. Verify production casing cement coverage with a cement bond log.

Interim Reclamation

Operator shall comply with Notice to Operators: Interim Reclamation Procedures for Delayed Operations (dated January 5, 2017).

2 COAs

## Best Management Practices

<u>No</u>	<u>BMP/COA Type</u>	<u>Description</u>
1	Drilling/Completion Operations	Alternative Logging Program: One of the first wells drilled on this pad will be logged with an open-hole resistivity log with gamma-ray, from TD into the surface casing. All wells on the pad will have a cement bond log (CBL) with gamma-ray run on production casing (or on intermediate casing if production liner is run) into the surface casing. The Form 5, Completion Report, for each well on the pad will list all logs run and have those logs attached. The Form 5 for a well without open-hole logs will state "Alternative Logging Program - No open-hole logs were run" and will clearly identify the type of log and the well (by API#) in which open-hole logs were run.

Total: 1 comment(s)

## Attachment List

<u>Att Doc Num</u>	<u>Name</u>
402579530	FORM 2 SUBMITTED
402583603	WELL LOCATION PLAT
402583605	DIRECTIONAL DATA
402583606	DEVIATED DRILLING PLAN
402811482	OffsetWellEvaluations Data
402818111	OFFSET WELL EVALUATION

Total Attach: 6 Files

## General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Permit	Final Review Completed.	09/21/2021
Engineer	Uploaded offset well review from Operator  Surface hole location is within Lower Wasatch 500 ft. coverage area  Offset water well check: COGCC evaluated offset water wells within one mile of this proposed well's surface hole location. This information in addition to locally-available geophysical logs and hydrogeologic information was used to evaluate the adequacy of the operator's proposed surface casing setting depth. The deepest water well within one mile is 12 feet.  Offset Well Evaluation: Existing offset oil and gas wells within 1,500 feet of this wellbore meet standards. No mitigation required.	09/14/2021
Permit	Passed Permitting review.	09/14/2021
OGLA	The Commission approved OGDG #480230 on 09/01/2021 for the TEP Federal WMC 24-17 Oil and Gas Location (Location ID #480732) related to this Form 2.	09/07/2021

Total: 4 comment(s)