



8/12/2021

[illegible]

Well #:	8
---------	---

Invoice Ref. #:

OCSG #:

Chuck Briggs

[illegible]

**\$1,800.00**

81221

Hospital Ft Morgan

911 Caller #1 Gary

#2 Cliff

Meeting Spot #1 Mouth location

#2 Front of Rig



Brand X Wireline DBA

STS Wireline

# Job Safety Analysis

Date: 8-12-21 Customer: Public Service Location: Round Up #8

Written By: Chuck Briggs

## Personal Protective Equipment

☒ Hard Hat

☒ Safety Glasses

☐ Ear Protection

☒ Safety Shoes

☒ Gloves

☐ Face Shield

☒ First Aid Kit

☒ FRC's

## Job Steps:

Arrive, Check in, Review + Sign JSA's  
Safety meeting, Spot Truck, Rig up  
Run Squeeze gun  
Shoot Pull lay down  
Rig down  
access Job leave

## Potential Hazards:

Pressure, stuff on ground to trip over  
OVER HEAD Things, Explosives, Snakes  
Heat, Running wire

## Recommended Actions:

Keep well shut in, make sure no pressure before opening valves  
watch steps, stay out from under loads, watch others  
shut off phones when explosives in use, drink water, take breaks  
do not walk under or over wire line, stop work if ness

## Signatures

## Company

## Date

<u>[Signature]</u>	<u>Brand-X</u>	<u>8-12-21</u>
<u>[Signature]</u>	<u>Brand X</u>	<u>8-12-21</u>
<u>[Signature]</u>	<u>Yetter</u>	<u>8-12-21</u>
<u>[Signature]</u>	<u>YETTER</u>	<u>8-12-21</u>
<u>[Signature]</u>	<u>"</u>	<u>"</u>
<u>[Signature]</u>	<u>"</u>	<u>8-12-21</u>
<u>[Signature]</u>	<u>"</u>	<u>"</u>
<u>[Signature]</u>	<u>SSS</u>	<u>8-12-2021</u>