

**FORM
INSP**Rev
X/20**State of Colorado
Oil and Gas Conservation Commission**1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

Inspection Date:

09/21/2021

Submitted Date:

09/28/2021

Document Number:

689806426

FIELD INSPECTION FORMLoc ID 313178 Inspector Name: Waldron, Emily On-Site Inspection ☐ 2A Doc Num: _____**Operator Information:**

OGCC Operator Number: 95960

Name of Operator: WEXPRO COMPANY

Address: P O BOX 45003

City: SALT LAKE CITY State: UT Zip: 84145-

Status Summary:

- ☒ THIS IS A FOLLOW UP INSPECTION
- ☐ FOLLOW UP INSPECTION REQUIRED
- ☒ NO FOLLOW UP INSPECTION REQUIRED

Findings:

2 Number of Comments

1 Number of Corrective Actions

☒ Corrective Action Response Requested**ANY CORRECTIVE ACTION(S) FROM
PREVIOUS INSPECTIONS THAT HAVE NOT
BEEN ADDRESSED ARE STILL APPLICABLE****Contact Information:**

Contact Name	Phone	Email	Comment
Fredrickson, Tammy	307-352-7566	Tammy.Fredrickson@questar.com	

General Comment:

Routine FIU follow up inspection. Follow up to inspection from 8/3/2021 689806187. Stormwater BMPs have been repaired/installed. Former BMPs remain stored on location as debris.

LocationOverall Good: ☐

Emergency Contact Number:

Comment: Corrective Action: Date: **Good Housekeeping:**

Type	DEBRIS		
Comment:	Former stormwater BMPs remain stored on location as debris.		
Corrective Action:	Comply with Rule 606.		Date: 10/05/2021

Overall Good: ☐**Spills:**

Type	Area	Volume		
------	------	--------	--	--

In Containment: No

Comment: ☐ Multiple Spills and Releases?**Venting:**

Yes/No			
Comment:			
Corrective Action:		Date:	

Flaring:

Type		
Comment:		
Corrective Action:		Date:

Attached DocumentsYou can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
402825095	INSPECTION SUBMITTED	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5542094
689806427	Inspection Photos	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5542085