



**Location**

Overall Good:

Emergency Contact Number:

Comment:

Corrective Action:

Date: \_\_\_\_\_

**Good Housekeeping:**

Type	WEEDS		
Comment:	Weeds unmanaged on location		
Corrective Action:	Comply with COGCC housekeeping rules	Date:	12/29/2021
Type	UNUSED EQUIPMENT		
Comment:	Unused equipment on location, horizontal tank, and pumpint unit.		
Corrective Action:	Comply with COGCC housekeeping rules	Date:	12/29/2021

Overall Good:

**Spills:**

Type	Area	Volume		

In Containment: No

Comment:

Multiple Spills and Releases?

**Equipment:**

Type			corrective date
Type: Plunger Lift	# 1		
Comment:			
Corrective Action:		Date:	
Type: Bradenhead	# 1		
Comment:	Plumbed to surface		
Corrective Action:		Date:	
Type: Ancillary equipment	# 1		
Comment:	Automation		
Corrective Action:		Date:	

**Venting:**

Yes/No	NO		
Comment:			
Corrective Action:		Date:	

**Flaring:**

Type		
Comment:		
Corrective Action:		Date:

**Inspected Facilities**

Facility ID: 244762 Type: WELL API Number: 123-12557 Status: PR Insp. Status: PR

**Producing Well**

Comment: PR

Corrective Action:

Date:

**BradenHead**

Date of Last Brhd Test: 11/20/2020 Annual Brhd Completed? Yes

Last Brhd Test Results Initial Surf Csg Pressure: 0 Fluid Type: \_\_\_\_\_

End Surf Csg Pressure: 0

Comment:

Corrective Action:

Date:

**COGCC Comments**

Comment	User	Date
<p><a href="#">COGCC Inspection Report Summary</a>                      On 11/29/21 at approximately 1400 I, Inspector Justin Medina conducted an on-site inspection at:                      Well Name- UPRR 42 PAN AM AV 1                      Company Name- KPK                      API- 05-123-12557                      In Weld County Colorado.                      While there, I observed                      During this inspection the following possible compliance issues were observed:                      Weeds unmanaged on location, stained soil near tank.                      Comply with COGCC housekeeping rules 12/29/21                      Unused equipment on location needs to be removed                      Comply with COGCC housekeeping rules 12/29/21                      A follow up on this site inspection needs to be conducted to ensure the compliance issues have been corrected to comply with COGCC rules.                      This is a summary of inspection report.</p>	medinaj	11/30/2021

**Attached Documents**

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
699503368	Inspection pictures	<a href="http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5596441">http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5596441</a>