



DE	ET	OE	ES
----	----	----	----

Document Number:  
402941901

Date Received:  
01/31/2022

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: 10447

Contact Name Jeff Kirtland

Name of Operator: URSA OPERATING COMPANY LLC

Phone: (970) 263-2736

Address: 950 17TH STREET, SUITE 1900

Fax: ( )

City: DENVER State: CO Zip: 80202

Email: jkirtland@terraep.com

FORM 4 SUBMITTED FOR:

Facility Type: WELL

API Number : 05- 045 14476 00 ID Number: 291680

Name: MCPHERSON Number: A4

Location QtrQtr: NENW Section: 16 Township: 6S Range: 92W Meridian: 6

County: GARFIELD Field Name: MAMM CREEK

Oil & Gas Location(s) and Oil & Gas Development Plan (OGDP) Information

Location(s)

Location ID	Location Name and Number
335539	McPherson A Pad

OGDP(s)

No OGDP

WELL LOCATION CHANGE OR AS-BUILT GPS REPORT

☐ Change of Location for Well \*
 ☐ As-Built GPS Location Report
 ☐ As-Built GPS Location Report with Survey

\* Well Location Change requires a new Plat.

SURFACE LOCATION GPS DATA Data must be provided for Change of Surface Location and As Built Reports.

Latitude Longitude

GPS Quality Value: Type of GPS Quality Value: Measurement Date:

Well Ground Elevation: feet (Required for change of Surface Location.)

WELL LOCATION CHANGE

Well plan is: (Vertical, Directional, Horizontal)

Change of Surface Footage From:

Change of Surface Footage To:

Current Surface Location From

New Surface Location To

QtrQtr

NENW

Sec

16

Twp

6S

Range

92W

Meridian

6

Change of Top of Productive Zone Footage From:

Change of Top of Productive Zone Footage To:

Current Top of Productive Zone Location

New Top of Productive Zone Location

Sec

16

Twp

6S

Range

92W

Sec

Twp

Range

FNL/FSL

1044

FNL

FEL/FWL

1527

FWL

521

FNL

1859

FWL

\*\*

Change of **Base of Productive Zone** Footage **From:**

FNL

FWL

Change of **Base of Productive Zone** Footage **To:**

\*\*

Current **Base of Productive Zone** Location

Sec

Twp

Range

New **Base of Productive Zone** Location

Sec

Twp

Range

Change of **Bottomhole** Footage **From:**

521 FNL

1859 FWL

Change of **Bottomhole** Footage **To:**

\*\*

Current **Bottomhole** Location

Sec

Twp

Range

\*\* attach deviated drilling plan

New **Bottomhole** Location

Sec

Twp

Range

## SAFETY SETBACK INFORMATION

Required for change of Surface Location.

Distance from Well to nearest:

Building:  Feet  
Building Unit:  Feet  
Public Road:  Feet  
Above Ground Utility:  Feet  
Railroad:  Feet  
Property Line:  Feet

### INSTRUCTIONS:

- Specify all distances per Rule 308.b.(1).
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit – as defined in 100 Series Rules.

## SUBSURFACE MINERAL SETBACKS

Required for change of Top and/or Base of Productive Zone. Enter 5280 for distance greater than 1 mile.

Is this Well within a unit?

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary:  Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation:  Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease:  Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation:  Feet

## Exception Location

☐ If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers.

## LOCATION CHANGE COMMENTS

## CHANGE OR ADD OBJECTIVE FORMATION AND/OR SPACING UNIT

<u>Objective Formation</u>	<u>Formation Code</u>	<u>Spacing Order Number</u>	<u>Unit Acreage</u>	<u>Unit Configuration</u>	<u>Add</u>	<u>Modify</u>	<u>No Change</u>	<u>Delete</u>
ILES	ILES	191-34	160	NW4			X	
WILLIAMS FORK	WMFK	191-34	160	NW4			X	

## OTHER

## RULE 502 VARIANCE

Order Number:

Description:	
--------------	--

**REMOVE FROM SURFACE BOND** Signed surface use agreement is a required attachment

## CHANGE NAME OR NUMBER OF WELL, FACILITY, OIL & GAS LOCATION, OR OGDP

From: Name MCPHERSON Number A4 Effective Date:

To:	Name	Number
-----	------	--------

- **ABANDON PERMIT:** Permit can only be abandoned if the permitted operation has NOT been conducted. Field inspection will be conducted to verify site status.

☐ WELL:Abandon Application for Permit-to-Drill (Form2) – Well API Number has not been drilled.

☐ PIT: Abandon Earthen Pit Permit (Form 15) – COGCC Pit Facility ID Number \_\_\_\_\_ has not been constructed (Permitted and constructed pit requires closure per Rule 911)

☐ **CENTRALIZED E&P WASTE MANAGEMENT FACILITY:** Abandon Centralized E&P Waste Management Facility Permit  
(Form 28) – Facility ID Number has not been constructed (Constructed facility requires closure per Rule 907)

OIL &amp; GAS LOCATION ID Number:

☐ Abandon Oil & Gas Location Assessment (Form 2A) – Location has not been constructed and site will not be used in the future.

☐ Keep Oil & Gas Location Assessment (Form 2A) active until expiration date. This site will be used in the future.

**Surface disturbance from Oil and Gas Operations must be reclaimed per Rule 1003 and Rule 1004.**

**REQUEST FOR WELL RECORDS CONFIDENTIALITY (Rule 206.c.(1))**

## DIGITAL WELL LOG UPLOAD

**DOCUMENTS SUBMITTED** Purpose of Submission:

**COMPLIANCE with CONDITION OF APPROVAL (COA) on** Form NO: Document Number:

## RECLAMATION

## INTERIM RECLAMATION

☐ Interim Reclamation will commence approximately

Per Rule 1003.e.(3) operator shall submit Sundry Notice reporting interim reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

Interim reclamation complete, site ready for inspection.  
Per Rule 1003.e(3) describe interim reclamation procedure in Comments below or provide as an attachment and attach required location photographs.

**Field inspection will be conducted to document Rule 1003.e. compliance**

## FINAL RECLAMATION

☐ Final Reclamation will commence approximately

Per Rule 1004.c.(4) operator shall submit Sundry Notice reporting final reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

☐ Final reclamation complete, site ready for inspection. Per Rule 1004.c(4) describe final reclamation procedure in Comments below or provide as an attachment.

**Field inspection will be conducted to document Rule 1004.c. compliance**

Comments:

## ENGINEERING AND ENVIRONMENTAL WORK

### ☐ NOTICE OF CONTINUED TEMPORARILY ABANDONED STATUS

Indicate why the well is temporarily abandoned and describe future plans for utilization in the COMMENTS box below, as required by Rule 434.b.(3).

Date well temporarily abandoned \_\_\_\_\_

Has Production Equipment been removed from site? \_\_\_\_\_

Mechanical Integrity Test (MIT) required. Date of last MIT \_\_\_\_\_

## TECHNICAL ENGINEERING AND ENVIRONMENTAL WORK

Details of work must be described in full in the COMMENTS below or provided as an attachment.

☐ NOTICE OF INTENT/REQUEST FOR APPROVAL      Approximate Start Date \_\_\_\_\_

☒ SUBSEQUENT REPORT      Date of Activity    01/19/2022

- |   |  |  |
|---|--|--|
| <input checked="" type="checkbox"/> Bradenhead Plan   | <input type="checkbox"/> Venting or Flaring (Rule 903) | <input type="checkbox"/> E&P Waste Mangement           |
| <input type="checkbox"/> Change Drilling Plan   | <input type="checkbox"/> Repair Well                   | <input type="checkbox"/> Beneficial Reuse of E&P Waste |
| <input type="checkbox"/> Gross Interval Change  |  |  |
| <input type="checkbox"/> Underground Injection Control  |  |  |
| <input type="checkbox"/> Request approval of Reuse and Recycling Plan per Rule 905.a.(3). (Reuse and Recycling Plan must be attached.)                    |  |  |
| <input type="checkbox"/> Request approval of Alternative Sampling Plan per Rule 909.j.(6). for this Pit. (Alternative Sampling Program must be attached.) |  |  |
| <input type="checkbox"/> Other  |  |  |

☐ Request that an existing produced water sample from the same formation be used per Rule 909.j.(6) to meet the requirements of Rule 909.j.(1)-(5) for this Well.

Pit ID \_\_\_\_\_ Pit Name \_\_\_\_\_

(No Sample Provided)

☐ Subsequent well operations with heavy equipment (Rule 312)

(No Well Provided)

## COMMENTS:

TEP Rocky Mountain LLC (TEP) is reporting that the bradenhead on the McPherson A4 has been connected to the flowline as part of a Pressure Management Plan. On 9/23/2021, this well had a bradenhead pressure of 154 psi. This well has a surface casing depth (TVD) of 1,440', however this well is located within the Mamm Creek Bradenhead Monitoring Area and has a threshold pressure of 150 psi. TEP performed a blowdown test and submitted the test results via a Form 17 on 9/28/2021. A copy of the Form 17 is included in the "Related Forms" section. TEP monitored the bradenhead pressure after performing the test and determined that the bradenhead pressure continued to build and sustain pressures above the threshold pressure. On 1/19/2022, TEP connected the bradenhead to the flowline after experiencing delays due to parts and crew availability. The average sales line pressure for this well is 120 psi. The bradenhead was connected to the flowline at the wellhead with 2" steel pipe and a check valve. A typical diagram is attached which depicts the bradenhead connection.

## CASING PROGRAM

(No Casing Provided)

## POTENTIAL FLOW AND CONFINING FORMATIONS

## H2S REPORTING

- ☐ Intentional release of H2S gas due to Upset Condition or malfunction.
- ☐ Intent to temporarily abandon well with potential H2S concentration >100 ppm.

Data Fields in this section are intended to document Sample and Location Data associated with the collection of a Gas Sample that is submitted for Laboratory Analysis.

Gas Analysis Report must be attached.

H2S Concentration: \_\_\_\_\_ in ppm (parts per million)

Date of Measurement or Sample Collection \_\_\_\_\_

Description of Sample Point:

Absolute Open Flow Potential \_\_\_\_\_ in CFPD (cubic feet per day)

Description of Release Potential and Duration (If flow is not open to the atmosphere, identify the duration in which the container or pipeline would likely be opened for servicing operations.):

Distance to nearest occupied residence, school, church, park, school bus stop, place of business, or other areas where the public could reasonably be expected to frequent: \_\_\_\_\_

Distance to nearest Federal, State, County, or municipal road or highway owned and principally maintained for public use: \_\_\_\_\_

COMMENTS:

#### OIL & GAS LOCATION UPDATES

OGDP ID \_\_\_\_\_ OGDP Name \_\_\_\_\_

#### **SITE EQUIPMENT LIST UPDATES**

Indicate the number and type of major equipment components planned for use on this Oil and Gas Location:

Wells _____	Oil Tanks _____	Condensate Tanks _____	Water Tanks _____	Buried Produced Water Vaults _____
Drilling Pits _____	Production Pits _____	Special Purpose Pits _____	Multi-Well Pits _____	Modular Large Volume Tank _____
Pump Jacks _____	Separators _____	Injection Pumps _____	Heater-Treaters _____	Gas Compressors _____
Gas or Diesel Motors _____	Electric Motors _____	Electric Generators _____	Fuel Tanks _____	LACT Unit _____
Dehydrator Units _____	Vapor Recovery Unit _____	VOC Combustor _____	Flare _____	Enclosed Combustion Devices _____
Meter/Sales Building _____	Pigging Station _____	Vapor Recovery Towers _____		

#### **OTHER PERMANENT EQUIPMENT UPDATES**

#### **OTHER TEMPORARY EQUIPMENT UPDATES**

#### **CULTURAL AND SAFETY SETBACK UPDATES**

**OTHER LOCATION CHANGES AND UPDATES**

Provide a description of other changes or updates to technical information for this Location:

**POTENTIAL OGDG UPDATES****PROPOSED CHANGES TO AN APPROVED OGDG**

☐ This Sundry Form 4 is being submitted pursuant to Rule 301.c to propose changes to an approved Oil and Gas Development Plan.

Check all boxes that pertain to the type(s) of changes being proposed for this OGDG:

- |  |  |
|--|--|
| <input type="checkbox"/> Add Oil and Gas Location(s)                     | <input type="checkbox"/> Add Drilling and Spacing Unit(s)    |
| <input type="checkbox"/> Amend Oil and Gas Location(s)                   | <input type="checkbox"/> Amend Drilling and Spacing Unit(s)  |
| <input type="checkbox"/> Remove Oil and Gas Location(s)                  | <input type="checkbox"/> Remove Drilling and Spacing Unit(s) |
| <input type="checkbox"/> Oil and Gas Location attachment or plan updates | <input type="checkbox"/> Amend the lands subject to the OGDG |
| <input type="checkbox"/> Other   |  |

Provide a detailed description of the changes being proposed for this OGDG. Attach supporting documentation such as maps if necessary.

**Best Management Practices****No BMP/COA Type****Description**

<b><u>No BMP/COA Type</u></b>	<b><u>Description</u></b>
<input type="text"/>	<input type="text"/>

Operator Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Scott Ghan  
Title: Sr. Regulatory Specialist Email: sghan@terraep.com Date: 1/31/2022

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: Katz, Aaron Date: 2/2/2022

**CONDITIONS OF APPROVAL, IF ANY:****Condition of Approval****COA Type****Description**

- 1) Operator shall comply with the Notice to Operators Drilling Wells in the Buzzard, Mamm Creek, and Rulison fields, Garfield County and Mesa County – Procedures and Submittal Requirements for Compliance with COGCC Order Nos. 1-107, 139-56, 191-22, and 369-2 (“Bradenhead NTO”), dated July 8, 2010.
- 2) At least once a year shut in bradenhead for 7 days or until the pressure reaches the bradenhead threshold and perform a bradenhead test. Report results on a Form 17, as specified in Rule 420 or other Director approved submittal method.
- 3) Comply with any CDPHE, Air Pollution Control Division rules or requirements for all atmospheric discharges.
- 4) Any liquids blown down are to be collected, stored, handled, and treated or disposed as E&P waste per COGCC's 900 series rules.
- 5) At least one check valve is required for annular spaces that are tied to sales line or separator. Maintain equipment for pressure regulation and check valves in good working order.
- 6) At least one valve is required to monitor pressure and sample flow from the bradenhead.

1 COA

**General Comments****User Group****Comment****Comment Date**

Engineer

Well is located in BHTA with a 150 psi threshold pressure

02/02/2022

Total: 1 comment(s)

**Attachment List****Att Doc Num****Name**

402941901

SUNDRY NOTICE APPROVED-OBJ

402941911

OTHER

402944752

FORM 4 SUBMITTED

Total Attach: 3 Files