

State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <u>402907109</u>			
Date Received:			

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: <u>10261</u>	Contact Name <u>Lauren Walsh</u>
Name of Operator: <u>BAYSWATER EXPLORATION & PRODUCTION LLC</u>	Phone: <u>(720) 8814502</u>
Address: <u>730 17TH ST STE 500</u>	Fax: <u>()</u>
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80202</u>	Email: <u>lwalsh@bayswater.us</u>

FORM 4 SUBMITTED FOR:

Facility Type: LOCATION

API Number : 05-123-00 ID Number: 474389

Name: West Eaton Number: 2-A Pad

Location QtrQtr: NWNW Section: 2 Township: 6N Range: 66W Meridian: 6

County: WELD Field Name:

Oil & Gas Location(s) and Oil & Gas Development Plan (OGDP) Information

Location(s)

Location ID	Location Name and Number
474389	West Eaton 2-A Pad

OGDP(s)

No OGDP

GROUNDWATER SAMPLING

Uses of Groundwater Sampling Section

Request exceptions to current Groundwater sampling requirements in Rules 615.c and 907.b.(9) or to request exceptions to the requirements in previous Rules 318A.f and 609.

Request a previously sampled Water Source in the COGIS database be used to meet sampling requirements described in Rules 615.c.(3) and 907.b.(9).A or requirements in previous Rules 318A.f and 609.d.(3).

NOTE: If this Sundry Notice is being submitted to request a Groundwater Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

☒ Request an Exception to Groundwater Sampling Requirements per previous Rule 318A.f: There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a ½-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.

☐ Request exceptions to current Groundwater sampling requirements in Rules 615.c and 907.b.(9) or previous Rule 609.c.

Number of Water Sources located within one-half mile of an oil or gas well or multi-well site (Rule 615.c) or within one (1) mile of a Centralized E&P Waste Management Facility (Rule 907.b.(9)).

Number of Water Source Exceptions requested per Rule 615.c or Rule 907.b.(9).

Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**

Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling.

The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.

- ☐ Request a previously sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 615.d.(3) and 907.b.(9) or as described in previous Rules 318A.f.(2).A and 609.d.(3).

_____ Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

COMMENTS

Baseline sampling letters originally sent in 9/2019, letters to two landowners resent 11/5/21: 1 no response (said no in 2019), 1 responded no working well on property.

Operator Comments:

Access letter responses attached as correspondence, water well research attached as other.

For West Eaton, the original research done using the Colorado Division of Water Resources website (<http://water.state.co.us>) put the 56482-MH well on KTC Farm LLC's property.

They responded to the access request that they did not have a well on their property.

Additional research using Weld County Property portal shows the 56482-MH well to be on a different parcel owned by the Great Western Trails Authority. An additional access letter was mailed, but no response was received, per the attached water well research.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Jordan Lukasik

Title: Regulatory Analyst I Email: regulatory@ascentgeomatics.com Date: _____

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: _____ Date: _____

CONDITIONS OF APPROVAL, IF ANY:

COA Type

Description

--	--

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Environmental	Returned to Draft for correction. The West Eaton location 2-A Pad was approved under Rule 318A.f. Please amend the Sundry to request an exception to Rule 318A.f instead of Rule 609/615. Please verify that the water source search completed meets the requirements of 318 A.f prior to re-submitting the Sundry Notice.	02/08/2022

Total: 1 comment(s)

Attachment List

<u>Att Doc Num</u>	<u>Name</u>
402907156	CORRESPONDENCE
402907398	CORRESPONDENCE
402950627	OTHER

Total Attach: 3 Files