



DE	ET	OE	ES
----	----	----	----

Document Number:  
402921435

Date Received:  
02/11/2022

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: 100322

Contact Name Mike Marini

Name of Operator: NOBLE ENERGY INC

Phone: (713) 992 1123

Address: 1001 NOBLE ENERGY WAY

Fax: ( )

City: HOUSTON State: TX Zip: 77070

Email: mike.marini@chevron.com

FORM 4 SUBMITTED FOR:

Facility Type: WELL

API Number : 05- 123 49494 00 ID Number: 460655

Name: TATANKA FEDERAL Number: LD13-645

Location QtrQtr: NESE Section: 15 Township: 9N Range: 58W Meridian: 6

County: WELD Field Name: DJ HORIZONTAL NIOBRARA

Oil & Gas Location(s) and Oil & Gas Development Plan (OGDP) Information

Location(s)

Location ID	Location Name and Number
460648	LD15-09 PAD

OGDP(s)

No OGDP

WELL LOCATION CHANGE OR AS-BUILT GPS REPORT

☒ Change of Location for Well \*
 ☐ As-Built GPS Location Report
 ☐ As-Built GPS Location Report with Survey

\* Well Location Change requires a new Plat.

SURFACE LOCATION GPS DATA Data must be provided for Change of Surface Location and As Built Reports.

Latitude 40.749507 Longitude -103.841819

GPS Quality Value: 1.5 Type of GPS Quality Value: PDOP Measurement Date: 10/20/2016

Well Ground Elevation: 4662 feet (Required for change of Surface Location.)

WELL LOCATION CHANGE

Well plan is: HORIZONTAL (Vertical, Directional, Horizontal)

Change of Surface Footage From:

Change of Surface Footage To:

Current Surface Location From

New Surface Location To

QtrQtr

NESE

Sec

15

QtrQtr

NESE

Sec

15

Change of Top of Productive Zone Footage From:

Change of Top of Productive Zone Footage To:

Current Top of Productive Zone Location

New Top of Productive Zone Location

Sec

14

Sec

FNL/FSL

FEL/FWL

1994

FSL

335

FEL

1965

FSL

335

FEL

Twp

9N

Range

58W

Meridian

6

Twp

9N

Range

58W

Meridian

6

2180

FSL

200

FWL

Twp

9N

Range

58W

Twp

Range

\*\*

Change of **Base of Productive Zone** Footage **From:**

Change of **Base of Productive Zone** Footage **To:**

Current **Base of Productive Zone** Location

Sec

Twp

Range

New **Base of Productive Zone** Location

Sec

Twp

Range

Change of **Bottomhole** Footage **From:**

Change of **Bottomhole** Footage **To:**

\*\*

Current **Bottomhole** Location

Sec

Twp

Range

\*\* attach deviated drilling plan

New **Bottomhole** Location

Sec

Twp

Range

## SAFETY SETBACK INFORMATION

Required for change of Surface Location.

Distance from Well to nearest:

Building:  Feet  
Building Unit:  Feet  
Public Road:  Feet  
Above Ground Utility:  Feet  
Railroad:  Feet  
Property Line:  Feet

### INSTRUCTIONS:

- Specify all distances per Rule 308.b.(1).
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit – as defined in 100 Series Rules.

## SUBSURFACE MINERAL SETBACKS

Required for change of Top and/or Base of Productive Zone. Enter 5280 for distance greater than 1 mile.

Is this Well within a unit?

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary:  Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation:  Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease:  Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation:  Feet

## Exception Location

☐ If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers.

## LOCATION CHANGE COMMENTS

No TPZ/BHL Changes are proposed, so nearest well information is unchanged. Well name and SHL change only to reflect reduced spacing between SHL. Laterals are unchanged, so BHZ is unchanged but has been added to location table.

## CHANGE OR ADD OBJECTIVE FORMATION AND/OR SPACING UNIT

<u>Objective Formation</u>	<u>Formation Code</u>	<u>Spacing Order Number</u>	<u>Unit Acreage</u>	<u>Unit Configuration</u>	<u>Add</u>	<u>Modify</u>	<u>No. Change</u>	<u>Delete</u>
NIOBRARA	NBRR	535-911	1280	Sec 13&14ALL 9N58W			X	

## OTHER

### ☐ RULE 502 VARIANCE

Order Number: \_\_\_\_\_

Description: \_\_\_\_\_

### ☐ REMOVE FROM SURFACE BOND      Signed surface use agreement is a required attachment

### ☒ CHANGE NAME OR NUMBER OF WELL, FACILITY, OIL & GAS LOCATION, OR OGD

From:    Name    TATANKA FEDERAL                      Number    LD13-645                      Effective Date:    02/21/2022

To:       Name    Tatanka Federal LD                      Number    13-645

### ☐ ABANDON PERMIT: Permit can only be abandoned if the permitted operation has NOT been conducted. Field inspection will be conducted to verify site status.

☐ WELL: Abandon Application for Permit-to-Drill (Form2) – Well API Number \_\_\_\_\_ has not been drilled.

☐ PIT: Abandon Earthen Pit Permit (Form 15) – COGCC Pit Facility ID Number \_\_\_\_\_ has not been constructed (Permitted and constructed pit requires closure per Rule 911)

☐ CENTRALIZED E&P WASTE MANAGEMENT FACILITY: Abandon Centralized E&P Waste Management Facility Permit (Form 28) – Facility ID Number \_\_\_\_\_ has not been constructed (Constructed facility requires closure per Rule 907)

OIL & GAS LOCATION ID Number: \_\_\_\_\_

☐ Abandon Oil & Gas Location Assessment (Form 2A) – Location has not been constructed and site will not be used in the future.

☐ Keep Oil & Gas Location Assessment (Form 2A) active until expiration date. This site will be used in the future.

**Surface disturbance from Oil and Gas Operations must be reclaimed per Rule 1003 and Rule 1004.**

### ☐ REQUEST FOR WELL RECORDS CONFIDENTIALITY (Rule 206.c.(1))

### ☐ DIGITAL WELL LOG UPLOAD

☐ DOCUMENTS SUBMITTED      Purpose of Submission: \_\_\_\_\_

☐ COMPLIANCE with CONDITION OF APPROVAL (COA) on    Form NO: \_\_\_\_\_    Document Number: \_\_\_\_\_

## RECLAMATION

### INTERIM RECLAMATION

☐ Interim Reclamation will commence approximately \_\_\_\_\_

Per Rule 1003.e.(3) operator shall submit Sundry Notice reporting interim reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

☐ Interim reclamation complete, site ready for inspection.

Per Rule 1003.e(3) describe interim reclamation procedure in Comments below or provide as an attachment and attach required location photographs.

**Field inspection will be conducted to document Rule 1003.e. compliance**

### FINAL RECLAMATION

☐ Final Reclamation will commence approximately \_\_\_\_\_

Per Rule 1004.c.(4) operator shall submit Sundry Notice reporting final reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

☐ Final reclamation complete, site ready for inspection. Per Rule 1004.c(4) describe final reclamation procedure in Comments below or provide as an attachment.

**Field inspection will be conducted to document Rule 1004.c. compliance**

Comments:

## ENGINEERING AND ENVIRONMENTAL WORK

### ☐ NOTICE OF CONTINUED TEMPORARILY ABANDONED STATUS

Indicate why the well is temporarily abandoned and describe future plans for utilization in the COMMENTS box below, as required by Rule 434.b.(3).

Date well temporarily abandoned \_\_\_\_\_

Has Production Equipment been removed from site? \_\_\_\_\_

Mechanical Integrity Test (MIT) required. Date of last MIT \_\_\_\_\_

## TECHNICAL ENGINEERING AND ENVIRONMENTAL WORK

Details of work must be described in full in the COMMENTS below or provided as an attachment.

☒ NOTICE OF INTENT/REQUEST FOR APPROVAL      Approximate Start Date      02/01/2022

☐ SUBSEQUENT REPORT      Date of Activity \_\_\_\_\_

- ☐ Bradenhead Plan
- ☐ Venting or Flaring (Rule 903)
- ☐ E&P Waste Mangement
- ☒ Change Drilling Plan
- ☐ Repair Well
- ☐ Beneficial Reuse of E&P Waste
- ☐ Gross Interval Change
- ☐ Underground Injection Control
- ☐ Request approval of Reuse and Recycling Plan per Rule 905.a.(3). (Reuse and Recycling Plan must be attached.)
- ☐ Request approval of Alternative Sampling Plan per Rule 909.j.(6). for this Pit. (Alternative Sampling Program must be attached.)
- ☐ Other

☐ Request that an existing produced water sample from the same formation be used per Rule 909.j.(6) to meet the requirements of Rule 909.j.(1)-(5) for this Well.

Pit ID \_\_\_\_\_ Pit Name \_\_\_\_\_

(No Sample Provided)

☐ Subsequent well operations with heavy equipment (Rule 312)

(No Well Provided)

COMMENTS:

## CASING PROGRAM

Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top
CONDUCTOR	26	16	N/A	42	0	80	6	80	0
SURF	13+1/2	9+5/8	J55	36	0	1850	658	1850	0
1ST	8+1/2	5+1/2	HCP110	20	0	16123	2174	16123	2500

## POTENTIAL FLOW AND CONFINING FORMATIONS

Zone Type	Formation /Hazard	Top M.D.	Top T.V.D.	Bottom M.D.	Bottom T.V.D.	TDS (mg/L)	Data Source	Comment
Groundwater	Fox Hills	20	20	339	339	0-500	USGS	
Confining Layer	Pierre Shale	340	340	933	933			

Groundwater	Upper Pierre Aquifer	934	934	1098	1093	501-1000	WQCC	USFS226830
Confining Layer	Pierre Shale	1099	1094	3279	3163			
Hydrocarbon	Parkman	3280	3164	3804	3660			
Hydrocarbon	Sussex	3805	3661	4438	4260			
Hydrocarbon	Shannon	4439	4261	5649	5353			
Confining Layer	Sharon Springs	5650	5354	5821	5453			
Hydrocarbon	Niobrara	5822	5454	16123	5479			No base MD or TVD, the well does not exit the formation.

## H2S REPORTING

☐ Intentional release of H2S gas due to Upset Condition or malfunction.

☐ Intent to temporarily abandon well with potential H2S concentration >100 ppm.

Data Fields in this section are intended to document Sample and Location Data associated with the collection of a Gas Sample that is submitted for Laboratory Analysis.

Gas Analysis Report must be attached.

H2S Concentration: \_\_\_\_\_ in ppm (parts per million)

Date of Measurement or Sample Collection \_\_\_\_\_

Description of Sample Point:

Absolute Open Flow Potential \_\_\_\_\_ in CFPD (cubic feet per day)

Description of Release Potential and Duration (If flow is not open to the atmosphere, identify the duration in which the container or pipeline would likely be opened for servicing operations.):

Distance to nearest occupied residence, school, church, park, school bus stop, place of business, or other areas where the public could reasonably be expected to frequent: \_\_\_\_\_

Distance to nearest Federal, State, County, or municipal road or highway owned and principally maintained for public use: \_\_\_\_\_

COMMENTS:

## OIL & GAS LOCATION UPDATES

OGDP ID \_\_\_\_\_ OGDP Name \_\_\_\_\_

## SITE EQUIPMENT LIST UPDATES

Indicate the number and type of major equipment components planned for use on this Oil and Gas Location:

Wells _____	Oil Tanks _____	Condensate Tanks _____	Water Tanks _____	Buried Produced Water Vaults _____
Drilling Pits _____	Production Pits _____	Special Purpose Pits _____	Multi-Well Pits _____	Modular Large Volume Tank _____
Pump Jacks _____	Separators _____	Injection Pumps _____	Heater-Treaters _____	Gas Compressors _____
Gas or Diesel Motors _____	Electric Motors _____	Electric Generators _____	Fuel Tanks _____	LACT Unit _____

Dehydrator Units \_\_\_\_\_ Vapor Recovery Unit \_\_\_\_\_ VOC Combustor \_\_\_\_\_ Flare \_\_\_\_\_ Enclosed Combustion Devices \_\_\_\_\_  
 Meter/Sales Building \_\_\_\_\_ Pigging Station \_\_\_\_\_ Vapor Recovery Towers \_\_\_\_\_

#### OTHER PERMANENT EQUIPMENT UPDATES

#### OTHER TEMPORARY EQUIPMENT UPDATES

#### CULTURAL AND SAFETY SETBACK UPDATES

#### OTHER LOCATION CHANGES AND UPDATES

Provide a description of other changes or updates to technical information for this Location:

#### POTENTIAL OGDG UPDATES

##### PROPOSED CHANGES TO AN APPROVED OGDG

☐ This Sundry Form 4 is being submitted pursuant to Rule 301.c to propose changes to an approved Oil and Gas Development Plan.

Check all boxes that pertain to the type(s) of changes being proposed for this OGDG:

- |  |  |
|--|--|
| <input type="checkbox"/> Add Oil and Gas Location(s)                     | <input type="checkbox"/> Add Drilling and Spacing Unit(s)    |
| <input type="checkbox"/> Amend Oil and Gas Location(s)                   | <input type="checkbox"/> Amend Drilling and Spacing Unit(s)  |
| <input type="checkbox"/> Remove Oil and Gas Location(s)                  | <input type="checkbox"/> Remove Drilling and Spacing Unit(s) |
| <input type="checkbox"/> Oil and Gas Location attachment or plan updates | <input type="checkbox"/> Amend the lands subject to the OGDG |
| <input type="checkbox"/> Other   |  |

Provide a detailed description of the changes being proposed for this OGDG. Attach supporting documentation such as maps if necessary.

### **Best Management Practices**

No	BMP/COA Type	Description
1	Drilling/Completion Operations	Blowout Prevention Equipment ("BOPE"): A double ram and annular preventer will be used during drilling. Stabbing valves shall be installed in the event of reverse circulation and shall be prior tested with low- and high-pressure fluid.
2	Drilling/Completion Operations	Bradenhead Monitoring: Operator acknowledges and will comply with COGCC Policy for Bradenhead Monitoring during Hydraulic Fracturing Treatments in the Greater Wattenberg Area dated May 29, 2012.
3	Drilling/Completion Operations	Alternative Logging Program - One of the first wells drilled on the pad will be logged with Open Hole Resistivity Log and Gamma Ray Log from the kick-off point to into the surface casing. All wells on the pad will have a cement bond log with gamma-ray run on production casing (or on intermediate casing if production liner is run) into the surface casing. The horizontal portion of every well will be logged with a measured-while-drilling gamma-ray log. The Form 5, Completion Report, for each well on the pad will list all logs run and have those logs attached. The Form 5 for a well without open-hole logs shall clearly state "Alternative Logging Program - No open-hole logs were run" and shall clearly identify (by API#, well name & number) the well in which open-hole logs were run.
4	Drilling/Completion Operations	Anti-collision: Operator will perform an anti-collision evaluation of all active (producing, shut in, or temporarily abandoned) offset wellbores that have the potential of being within 150 feet of a proposed well prior to drilling operations for the proposed well. Notice shall be given to all offset operators prior to drilling.

Total: 4 comment(s)

**Operator Comments:**

There have been no new buildings constructed and no changes to the surrounding land use. There are also no changes to the Surface & Minerals, nearest wells, lease, formation/spacing, or offset well evaluations. All previously submitted notices, Surface Use Agreements, and letters are also still valid. Cultural distances updated to reflect SHL changes do not newly encroach any regulatory setbacks to receptors. Operator requests to expedite sundries due to pad construction having started.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Justin Garrett  
 Title: Sr. Regulatory Analyst Email: regulatory@ascentgeomatics.com Date: 2/11/2022

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: Acks, Alex Date: 2/17/2022

**CONDITIONS OF APPROVAL, IF ANY:****Condition of Approval****COA Type****Description**

	This Sundry Notice Form 4 authorizes changes in the drilling/casing/cementing program as shown on the Drilling Permit Form 2 and must be visibly posted with the permit during drilling.
	Approval of this sundry makes changes to the current APD and a copy of this sundry shall be displayed in the doghouse along with the APD while this well is being drilled.
2 COAs	

**General Comments**

<b><u>User Group</u></b>	<b><u>Comment</u></b>	<b><u>Comment Date</u></b>
Permit	Corrected BPZ per attached Well Location Plat with operator concurrence. Permitting review complete.	02/17/2022
Permit	BPZ does not match attached Well Location Plat. Emailed operator.	02/16/2022
Engineer	PFZ table is incomplete, RTD for Operator correction. Done. Updated proposed depth in well update.	02/07/2022

Total: 3 comment(s)

**Attachment List**

<b><u>Att Doc Num</u></b>	<b><u>Name</u></b>
402921435	SUNDRY NOTICE APPROVED-LOC-SFTY-STBK-MNRL-STBK-OBJ-NAME-DRLG-CSG
402937524	DIRECTIONAL DATA
402937526	DEVIATED DRILLING PLAN
402937527	WELL LOCATION PLAT
402958928	FORM 4 SUBMITTED

Total Attach: 5 Files