

FORM  
INSPRev  
X/20State of Colorado  
Oil and Gas Conservation Commission1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109

Inspection Date:

05/13/2022

Submitted Date:

05/20/2022

Document Number:

702800231

## FIELD INSPECTION FORM

 Loc ID 313411 Inspector Name: O'Malley, Anna On-Site Inspection  2A Doc Num:
**Status Summary:**

- THIS IS A FOLLOW UP INSPECTION
- FOLLOW UP INSPECTION REQUIRED
- NO FOLLOW UP INSPECTION REQUIRED

**Operator Information:**
 OGCC Operator Number: 10759  
 Name of Operator: ORGANIC ENERGY COMPANY LLC  
 Address: 1318 SMEDE HWY (HWY 92)  
 City: BROUSSARD State: LA Zip: 70518
**Findings:**

- 5 Number of Comments
- 1 Number of Corrective Actions
- Corrective Action Response Requested

**ANY CORRECTIVE ACTION(S) FROM PREVIOUS INSPECTIONS THAT HAVE NOT BEEN ADDRESSED ARE STILL APPLICABLE**

**Contact Information:**

Contact Name	Phone	Email	Comment
Waldron, Emily		emily.waldron@state.co.us	
Benjamin Bienvenu		ben@organicenergyco.com	

**Inspected Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status
313411	LOCATION	AC			-	STATE-66N91W 15NWSE	RI

**General Comment:**

On 05/13/2022, Reclamation Specialist O'Malley conducted a reclamation and stormwater inspection at Organic Energy Company LLC's State-66N91W /15NWSE Location #313411 in Moffat County, Colorado.

The following compliance issues were observed during this inspection:

- Location not progressing towards 1003 standards
- Noxious Weeds: knapweed, houndstongue

Refer to the "Location," "Reclamation," and "Stormwater" sections of this inspection report for additional details.

Refer to the photo-documentation of the observed compliance issues attached to this report.

Any corrective action(s) from previous inspections that have not been addressed are still applicable.

A follow up inspection on this site will be conducted to ensure the compliance issues have been corrected to comply with COGCC rules.

**Location**

Overall Good:

**Signs/Marker:**

Type	WELLHEAD		
Comment:	Previous inspection #689805689 observed sign not posted or information inaccurate at well(s). Inspector required Operator to install sign to comply with Rule 605.d by 07/05/2021.  It was observed in this inspection that signage is posted at the wellhead to comply with Rule 605.d. This corrective action appears to have been addressed.		
Corrective Action:		Date:	
Type	BATTERY		
Comment:	Previous inspection #689805689 observed tank battery sign incomplete. Inspector required Operator to install sign to comply with Rule 605.e by 07/05/2021.  It was observed in this inspection that signage is posted at the tank battery to comply with Rule 605.e. This corrective action appears to have been addressed.		
Corrective Action:		Date:	

**Emergency Contact Number:**

Comment:

Corrective Action:

Date: \_\_\_\_\_

Overall Good:

**Spills:**

Type	Area	Volume		

In Containment: No \_\_\_\_\_

Comment:

Multiple Spills and Releases?

**Venting:**

Yes/No			
Comment:			
Corrective Action:		Date:	

**Flaring:**

Type		
Comment:		
Corrective Action:		Date:

**Inspected Facilities**

Facility ID: 313411 Type: LOCATION API Number: - Status: AC Insp. Status: RI

**Reclamation - Storm Water - Pit**

**Interim Reclamation:**

Date Interim Reclamation Started: \_\_\_\_\_ Date Interim Reclamation Completed: \_\_\_\_\_

Land Use: \_\_\_\_\_

Comment: \_\_\_\_\_

**1002 SITE PREPARATION AND STABILIZATION**

1002a. FENCING \_\_\_\_\_

Comment \_\_\_\_\_

Corrective Action \_\_\_\_\_

Date \_\_\_\_\_

1002b. SOIL REMOVAL AND \_\_\_\_\_

Comment \_\_\_\_\_

Corrective Action \_\_\_\_\_

Date \_\_\_\_\_

1002c. PROTECTION OF SOILS \_\_\_\_\_

Comment \_\_\_\_\_

Corrective Action \_\_\_\_\_

Date \_\_\_\_\_

1002E. SURFACE DISTURBANCE MINIMIZATION \_\_\_\_\_

Comment \_\_\_\_\_

Corrective Action \_\_\_\_\_

Date \_\_\_\_\_

1003a. Waste and Debris removed? Pass

Comment \_\_\_\_\_

Corrective Action \_\_\_\_\_

Date \_\_\_\_\_

Unused or unneeded equipment onsite? Pass

Comment \_\_\_\_\_

Corrective Action \_\_\_\_\_

Date \_\_\_\_\_

Pit, cellars, rat holes and other bores closed? Pass

Comment \_\_\_\_\_

Corrective Action \_\_\_\_\_

Date \_\_\_\_\_

Guy line anchors marked? \_\_\_\_\_

Comment \_\_\_\_\_

Corrective Action \_\_\_\_\_

Date \_\_\_\_\_

1003b. Area no longer in use? Fail Production areas stabilized ? Pass  
 1003c. Compacted areas have been cross ripped? \_\_\_\_\_  
 1003d. Drilling pit closed? \_\_\_\_\_ Subsidence over on drill pit? \_\_\_\_\_  
 Cuttings management: \_\_\_\_\_  
 1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? Fail  
 Production areas have been stabilized? Pass Segregated soils have been replaced? \_\_\_\_\_

**RESTORATION AND REVEGETATION**

Cropland

Top soil replaced \_\_\_\_\_ Recontoured \_\_\_\_\_ Perennial forage re-established \_\_\_\_\_

Non-Cropland

Top soil replaced \_\_\_\_\_ Recontoured \_\_\_\_\_ 80% Revegetation Fail

1003e. INTERIM VEGETATION TRANSECT  
 TRANSECT RESULTS OF DISTURBED AREA% \_\_\_\_\_  
 TRANSECT RESULTS OF REFERENCE AREA% \_\_\_\_\_  
 TOTAL % OF DESIRABLE VEGETATION COVER \_\_\_\_\_  
 VEGETATIVE COVER \_\_\_\_\_

1003 f. Weeds Noxious weeds? F

Comment

It was observed in this inspection that vegetation in the interim areas of the Location is not progressing towards 1003 standards. Interim areas are dominated by knapweed (likely diffuse knapweed) and houndstongue (less common) (both CO List B Noxious Weeds). The annual undesirable species/weed, bur buttercup also dominates. Western wheatgrass (native perennial grass) is rare. Sagebrush and rabbitbrush (native shrubs) and curlycup gumweed (native forb) are sporadically present.

Knapweed is very widespread and dense on the Location and access road. Areas outside of the Location disturbance have little to no knapweed. Weed management is required to prevent the spread of noxious weeds to undisturbed native rangeland.

Corrective Action

**Corrective Action #1: Comply with the 1003 interim reclamation rules. Establish total perennial, non-invasive uniform plant cover of at least eighty (80) percent of pre-disturbance or reference area levels. CA date: 11/15/2022**

**Corrective Action #2: Comply with Rule 1003.f and conduct weed management on the Location to prevent further establishment and spread of CO State List B Noxious Weeds; ongoing weed management required. CA date: 05/27/2022.**

Date 05/27/2022

Overall Interim Reclamation Fail

**Final Reclamation/ Abandoned Location:**

Date Final Reclamation Started: \_\_\_\_\_ Date Final Reclamation Completed: \_\_\_\_\_

Final Land Use: \_\_\_\_\_

Reminder: \_\_\_\_\_

Comment: \_\_\_\_\_

Well plugged \_\_\_\_\_ Pit mouse/rat holes, cellars backfilled \_\_\_\_\_

Debris removed \_\_\_\_\_ No disturbance /Location never built \_\_\_\_\_

Access Roads Regraded \_\_\_\_\_ Contoured \_\_\_\_\_ Culverts removed \_\_\_\_\_

Gravel removed \_\_\_\_\_

Location and associated production facilities reclaimed \_\_\_\_\_ Locations, facilities, roads, recontoured \_\_\_\_\_

Compaction alleviation \_\_\_\_\_ Dust and erosion control \_\_\_\_\_

Non cropland: Revegetated 80% \_\_\_\_\_ Cropland: perennial forage \_\_\_\_\_

Weeds present \_\_\_\_\_ Subsidence \_\_\_\_\_

1004.d. FINAL VEGETATION TRANSECT

TRANSECT RESULTS OF DISTURBED AREA% \_\_\_\_\_  
 TRANSECT RESULTS OF REFERENCE AREA% \_\_\_\_\_  
 TOTAL % OF DESIRABLE VEGETATION COVER \_\_\_\_\_  
 VEGETATIVE COVER \_\_\_\_\_

Comment: \_\_\_\_\_

Corrective Action: \_\_\_\_\_

Date \_\_\_\_\_

Overall Final Reclamation \_\_\_\_\_

Well Release on Active Location

Multi-Well Location

**Storm Water:**

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment

Comment: [At the time of this inspection no stormwater issues were observed.](#)

Corrective Action: \_\_\_\_\_

Date: \_\_\_\_\_

**Pits:**  NO SURFACE INDICATION OF PIT

**Attached Documents**

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
403055596	INSPECTION SUBMITTED	<a href="http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5759102">http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5759102</a>
702800233	Inspection Photos	<a href="http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5759100">http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5759100</a>