

ANALYTICAL REPORT

Eurofins TestAmerica, Denver
4955 Yarrow Street
Arvada, CO 80002
Tel: (303)736-0100


Laboratory Job ID: 280-155799-2

Client Project/Site: 909j Water Sampling- RAD ONLY

For:

Evergreen Natural Resources LLC
27000 Hwy 12
Trinidad, Colorado 81082

Attn: Lab Data



Authorized for release by:
12/29/2021 4:22:32 PM

Danielle Harrington, Project Manager II
(303)736-0176
Danielle.Harrington@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.




Table of Contents

Cover Page	1
Table of Contents	2
Definitions	3
Case Narrative	4
Detection Summary	5
Method Summary	6
Sample Summary	7
Client Sample Results	8
Chronicle	14
Chain of Custody	16

Definitions/Glossary

Client: Evergreen Natural Resources LLC
Project/Site: 909j Water Sampling- RAD ONLY

Job ID: 280-155799-2

Qualifiers

Rad

Qualifier	Qualifier Description
G	The Sample MDC is greater than the requested RL.
U	Result is less than the sample detection limit.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Evergreen Natural Resources LLC
Project/Site: 909j Water Sampling- RAD ONLY

Job ID: 280-155799-2

Job ID: 280-155799-2

Laboratory: Eurofins TestAmerica, Denver

Narrative

CASE NARRATIVE

Client: Evergreen Natural Resources, Inc.

Project: 909j Water Sampling- RAD ONLY

Report Number: 280-155799-2

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

This report may include reporting limits (RLs) less than Eurofins TestAmerica's standard reporting limit. The reported sample results and associated reporting limits are being used specifically to meet the needs of this project. Note that data are not normally reported to these levels without qualification because they are inherently less reliable and potentially less defensible than required by the latest industry standards.

Receipt

The samples were received on 11/18/2021. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 3 coolers at receipt time were 1.3°C, 1.8°C and 2.3°C.

This report only contains the Radiochemistry analyses. The analyses for Radiochemistry were performed at the Eurofins TestAmerica St. Louis laboratory.

Eurofins TestAmerica St. Louis
13715 Rider Trail North
Earth City, MO 63045
Phone: 314-298-8566

Radiochemistry

Radium 226 batch 538017

The LCS recovered at (72%). The limits in our LIMS system at 75-125 reflect the requirements of a regulatory agency that represents a large amount of our work. However the samples associated with this LCS are not from this agency and are therefore held to our in-house statistical limits of (67-118%) per method requirements. The LCS passes, no further action is required

The detection goal was not met for sample 268202 (280-155799-1). The sample was prepped at a reduced aliquot due to the presence of matrix interferences. Analytical results are reported with the detection limit achieved.

The method 903.0 MS/MSD could not be performed for this batch, due to insufficient sample volume. Method precision and accuracy have been verified by the acceptable LCS/LCSD analysis data.

The method 904.0 MS/MSD could not be performed for this batch, due to insufficient sample volume. Method precision and accuracy have been verified by the acceptable LCS/LCSD analysis data.

No other anomalies were observed.

Detection Summary

Client: Evergreen Natural Resources LLC
Project/Site: 909j Water Sampling- RAD ONLY

Job ID: 280-155799-2

Client Sample ID: 268202

Lab Sample ID: 280-155799-1

No Detections.

Client Sample ID: 263613

Lab Sample ID: 280-155799-2

No Detections.

Client Sample ID: 264491

Lab Sample ID: 280-155799-3

No Detections.

Client Sample ID: 256668

Lab Sample ID: 280-155799-4

No Detections.

Client Sample ID: 294815

Lab Sample ID: 280-155799-5

No Detections.


Client Sample ID: 301238

Lab Sample ID: 280-155799-6

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Denver



Method Summary

Client: Evergreen Natural Resources LLC
Project/Site: 909j Water Sampling- RAD ONLY

Job ID: 280-155799-2

Method	Method Description	Protocol	Laboratory
903.0	Radium-226 (GFPC)	EPA	TAL SL
904.0	Radium-228 (GFPC)	EPA	TAL SL
PrecSep_0	Preparation, Precipitate Separation	None	TAL SL
PrecSep-21	Preparation, Precipitate Separation (21-Day In-Growth)	None	TAL SL

Protocol References:

EPA = US Environmental Protection Agency
None = None

Laboratory References:

TAL SL = Eurofins TestAmerica, St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566



Sample Summary

Client: Evergreen Natural Resources LLC
Project/Site: 909j Water Sampling- RAD ONLY

Job ID: 280-155799-2

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
280-155799-1	268202	Water	11/17/21 12:00	11/18/21 08:45
280-155799-2	263613	Water	11/17/21 13:00	11/18/21 08:45
280-155799-3	264491	Water	11/17/21 10:30	11/18/21 08:45
280-155799-4	256668	Water	11/17/21 11:15	11/18/21 08:45
280-155799-5	294815	Water	11/17/21 08:30	11/18/21 08:45
280-155799-6	301238	Water	11/17/21 09:15	11/18/21 08:45

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

Client Sample Results

Client: Evergreen Natural Resources LLC
 Project/Site: 909j Water Sampling- RAD ONLY

Job ID: 280-155799-2

Client Sample ID: 268202
Date Collected: 11/17/21 12:00
Date Received: 11/18/21 08:45

Lab Sample ID: 280-155799-1
Matrix: Water

Method: 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.495	U	0.540	0.542	1.00	0.873	pCi/L	11/22/21 12:42	12/14/21 18:15	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	77.2		40 - 110					11/22/21 12:42	12/14/21 18:15	1

Method: 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	1.19	G	0.767	0.775	1.00	1.19	pCi/L	11/22/21 13:28	12/14/21 13:09	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	77.2		40 - 110					11/22/21 13:28	12/14/21 13:09	1
Y Carrier	75.5		40 - 110					11/22/21 13:28	12/14/21 13:09	1

Client Sample Results

Client: Evergreen Natural Resources LLC
 Project/Site: 909j Water Sampling- RAD ONLY

Job ID: 280-155799-2

Client Sample ID: 263613
Date Collected: 11/17/21 13:00
Date Received: 11/18/21 08:45


Lab Sample ID: 280-155799-2
Matrix: Water

Method: 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.380	U	0.325	0.327	1.00	0.497	pCi/L	11/22/21 12:42	12/14/21 18:16	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	99.7		40 - 110					11/22/21 12:42	12/14/21 18:16	1

Method: 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.684		0.330	0.336	1.00	0.472	pCi/L	11/22/21 13:28	12/14/21 13:09	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	99.7		40 - 110					11/22/21 13:28	12/14/21 13:09	1
Y Carrier	78.5		40 - 110					11/22/21 13:28	12/14/21 13:09	1



Client Sample Results

Client: Evergreen Natural Resources LLC
 Project/Site: 909j Water Sampling- RAD ONLY

Job ID: 280-155799-2

Client Sample ID: 264491
Date Collected: 11/17/21 10:30
Date Received: 11/18/21 08:45


Lab Sample ID: 280-155799-3
Matrix: Water

Method: 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	2.61		0.714	0.752	1.00	0.623	pCi/L	11/22/21 12:42	12/14/21 18:16	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	107		40 - 110					11/22/21 12:42	12/14/21 18:16	1

Method: 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	2.80		0.620	0.672	1.00	0.705	pCi/L	11/22/21 13:28	12/14/21 13:09	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	107		40 - 110					11/22/21 13:28	12/14/21 13:09	1
Y Carrier	81.1		40 - 110					11/22/21 13:28	12/14/21 13:09	1



Client Sample Results

Client: Evergreen Natural Resources LLC
 Project/Site: 909j Water Sampling- RAD ONLY

Job ID: 280-155799-2

Client Sample ID: 256668
Date Collected: 11/17/21 11:15
Date Received: 11/18/21 08:45


Lab Sample ID: 280-155799-4
Matrix: Water

Method: 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.724		0.469	0.474	1.00	0.667	pCi/L	11/22/21 12:42	12/14/21 20:12	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	69.1		40 - 110					11/22/21 12:42	12/14/21 20:12	1

Method: 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.361	U	0.404	0.406	1.00	0.663	pCi/L	11/22/21 13:28	12/14/21 13:09	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	69.1		40 - 110					11/22/21 13:28	12/14/21 13:09	1
Y Carrier	82.6		40 - 110					11/22/21 13:28	12/14/21 13:09	1



Client Sample Results

Client: Evergreen Natural Resources LLC
 Project/Site: 909j Water Sampling- RAD ONLY

Job ID: 280-155799-2

Client Sample ID: 294815
Date Collected: 11/17/21 08:30
Date Received: 11/18/21 08:45


Lab Sample ID: 280-155799-5
Matrix: Water

Method: 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.442	U	0.320	0.323	1.00	0.464	pCi/L	11/22/21 12:42	12/14/21 20:13	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.2		40 - 110					11/22/21 12:42	12/14/21 20:13	1

Method: 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.755		0.359	0.366	1.00	0.514	pCi/L	11/22/21 13:28	12/14/21 13:10	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.2		40 - 110					11/22/21 13:28	12/14/21 13:10	1
Y Carrier	78.5		40 - 110					11/22/21 13:28	12/14/21 13:10	1



Client Sample Results

Client: Evergreen Natural Resources LLC
 Project/Site: 909j Water Sampling- RAD ONLY

Job ID: 280-155799-2

Client Sample ID: 301238
Date Collected: 11/17/21 09:15
Date Received: 11/18/21 08:45


Lab Sample ID: 280-155799-6
Matrix: Water

Method: 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.433		0.287	0.289	1.00	0.385	pCi/L	11/22/21 12:42	12/14/21 20:13	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.2		40 - 110					11/22/21 12:42	12/14/21 20:13	1

Method: 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.341	U	0.335	0.336	1.00	0.542	pCi/L	11/22/21 13:28	12/14/21 13:10	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.2		40 - 110					11/22/21 13:28	12/14/21 13:10	1
Y Carrier	75.1		40 - 110					11/22/21 13:28	12/14/21 13:10	1



Lab Chronicle

Client: Evergreen Natural Resources LLC
Project/Site: 909j Water Sampling- RAD ONLY

Job ID: 280-155799-2

Client Sample ID: 268202

Date Collected: 11/17/21 12:00

Date Received: 11/18/21 08:45

Lab Sample ID: 280-155799-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			500.57 mL	1.0 g	538017	11/22/21 12:42	LPS	TAL SL
Total/NA	Analysis	903.0		1	1.0 mL	1.0 mL	541921	12/14/21 18:15	ANW	TAL SL
Total/NA	Prep	PrecSep_0			500.57 mL	1.0 g	538020	11/22/21 13:28	LPS	TAL SL
Total/NA	Analysis	904.0		1			541920	12/14/21 13:09	FLC	TAL SL

Client Sample ID: 263613

Date Collected: 11/17/21 13:00

Date Received: 11/18/21 08:45

Lab Sample ID: 280-155799-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			749.49 mL	1.0 g	538017	11/22/21 12:42	LPS	TAL SL
Total/NA	Analysis	903.0		1	1.0 mL	1.0 mL	541921	12/14/21 18:16	ANW	TAL SL
Total/NA	Prep	PrecSep_0			749.49 mL	1.0 g	538020	11/22/21 13:28	LPS	TAL SL
Total/NA	Analysis	904.0		1			541920	12/14/21 13:09	FLC	TAL SL

Client Sample ID: 264491

Date Collected: 11/17/21 10:30

Date Received: 11/18/21 08:45

Lab Sample ID: 280-155799-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			500.13 mL	1.0 g	538017	11/22/21 12:42	LPS	TAL SL
Total/NA	Analysis	903.0		1	1.0 mL	1.0 mL	541921	12/14/21 18:16	ANW	TAL SL
Total/NA	Prep	PrecSep_0			500.13 mL	1.0 g	538020	11/22/21 13:28	LPS	TAL SL
Total/NA	Analysis	904.0		1			541920	12/14/21 13:09	FLC	TAL SL

Client Sample ID: 256668

Date Collected: 11/17/21 11:15

Date Received: 11/18/21 08:45

Lab Sample ID: 280-155799-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			750.65 mL	1.0 g	538017	11/22/21 12:42	LPS	TAL SL
Total/NA	Analysis	903.0		1	1.0 mL	1.0 mL	541920	12/14/21 20:12	FLC	TAL SL
Total/NA	Prep	PrecSep_0			750.65 mL	1.0 g	538020	11/22/21 13:28	LPS	TAL SL
Total/NA	Analysis	904.0		1			541920	12/14/21 13:09	FLC	TAL SL

Client Sample ID: 294815

Date Collected: 11/17/21 08:30

Date Received: 11/18/21 08:45

Lab Sample ID: 280-155799-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			750.27 mL	1.0 g	538017	11/22/21 12:42	LPS	TAL SL
Total/NA	Analysis	903.0		1	1.0 mL	1.0 mL	541920	12/14/21 20:13	FLC	TAL SL
Total/NA	Prep	PrecSep_0			750.27 mL	1.0 g	538020	11/22/21 13:28	LPS	TAL SL
Total/NA	Analysis	904.0		1			541920	12/14/21 13:10	FLC	TAL SL

Eurofins TestAmerica, Denver

Lab Chronicle

Client: Evergreen Natural Resources LLC
Project/Site: 909j Water Sampling- RAD ONLY

Job ID: 280-155799-2

Client Sample ID: 301238

Lab Sample ID: 280-155799-6

Date Collected: 11/17/21 09:15


Matrix: Water

Date Received: 11/18/21 08:45

<u>Prep Type</u>	<u>Batch Type</u>	<u>Batch Method</u>	<u>Run</u>	<u>Dil Factor</u>	<u>Initial Amount</u>	<u>Final Amount</u>	<u>Batch Number</u>	<u>Prepared or Analyzed</u>	<u>Analyst</u>	<u>Lab</u>
Total/NA	Prep	PrecSep-21			750.07 mL	1.0 g	538017	11/22/21 12:42	LPS	TAL SL
Total/NA	Analysis	903.0		1	1.0 mL	1.0 mL	541920	12/14/21 20:13	FLC	TAL SL
Total/NA	Prep	PrecSep_0			750.07 mL	1.0 g	538020	11/22/21 13:28	LPS	TAL SL
Total/NA	Analysis	904.0		1			541920	12/14/21 13:10	FLC	TAL SL

Laboratory References:

TAL SL = Eurofins TestAmerica, St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566



Chain of Custody Record



Client Information
 Client Contact: **M. Smith**
 Company: **Evergreen Natural Resources LLC**
 Address: **27000 Hwy 12**
 City: **Trinidad**
 State, Zip: **CO, 81082**
 Phone: _____
 Email: **hbs@evergreen-nr.com**
 Project Name: **Evergreen Natural Resources**
 Site/Colorado: **909J Water Sampling**

Sampler: **Mark M**
 Lab PM: **Harrington, Danielle M 280-155799 Chain of Custody**
 Phone: **719.846.7898**
 E-Mail: **Danielle.Harrington@Eurofinset.com**
 State of Origin: _____

Analysis Requested

Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Preservation Code:	Matrix (W=water, S=solid, O=wastelol, BT=Tissue, A=All)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	903.0 - RAD-226	904.0 - RAD-228 / RAD226+Rad226 calc	200.7, 200.8 - CWA Total Metals	365.1 - Total Phosphorus	8260B - BTEX	8015C - GRO	8015C - PRO	pH/Alkalinity/IC Chloride, Fluoride, Bromide, Sulfate, Nitrate, Nitrite/Conductivity	2540C_Calc - Solids, Total Dissolved (TDS)/2540D Total Suspended Solids	Total Number of Containers	Special Instructions/Note:
268202	11-17-21	G	1200	Water	N	X	X	X	X	X	X	X	X	X	X	14	
263613	11-17-21	G	1300	Water	N	X	X	X	X	X	X	X	X	X	X	14	

Preservation Codes:
 A - HCL
 B - NaOH
 C - Zn Acetate
 D - Nitric Acid
 E - NaHSO4
 F - MeOH
 G - Amchlor
 H - Ascorbic Acid
 I - Ice
 J - DI Water
 K - EDTA
 L - EDA
 Other: _____

Special Instructions/Note:
 Login: Shortholds include Nitrate and Nitrite Method 300.0 and pH

Possible Hazard Identification
 Non-Hazard Flammable Skin Irritant Poison B Unknown Radiological

Deliverable Requested: I, II, III, IV, Other (specify) _____

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return To Client Disposal By Lab Archive For _____ Months

Special Instructions/QC Requirements: _____

Empty Kit Relinquished by: _____ Date: _____

Relinquished by: **Mark M** Date/Time: **11-17-21 1800** Company: **ENR**

Relinquished by: _____ Date/Time: _____ Company: _____

Relinquished by: _____ Date/Time: _____ Company: _____

Custody Seals Intact: Yes No **Custody Seal No.: 1494621**

Cooler Temperature(s) °C and Other Remarks: **0.5 121C/410**



