

Oxy Operations Summary

Well:	PLATTE 24-34			Spud Date:	9/19/2007 4:00:00 PM
Project:	COLORADO-WELD-NAD83-UTM13			Site:	PLATTE 8-34 PAD
Event:	ABANDONMENT			Rig Name:	BRIGADE 14
Start Date:	6/8/22			End Date:	7/15/22
Datum:	PU184 12'KB @ 4752			Well UWI:	0512324391
Report Date	Time From	Time To	Duration (hr)	Operation	
4/6/22	6:00	7:00	1	FORM 17 TEST SC PRODUCED 5 GAL OF WATER, SC START 86 PSI AND SC END WHISPER. SAMPLE COLLECTED ON 2/10/22.	
5/5/22	8:30	10:30	2	RU EXCELLENCE LOGGING SITP 450 SICP 500 FL (NOT DETECTED) RIHW 2" JUC FISH PAD PLUNGER @ 7607' FISH FLOATER @ 7608' RIHW 1.5 BB TAG @ 7680' OOH RDMO SLICKLINE	
6/3/22	6:00	7:00	1	FORM 17 TEST, SC PRODUCED 8 GAL OF WATER, SC START 78 PSI AND SC END WHISPER. SAMPLE COLLECTED ON 2/10/22.	
6/8/22	6:00	6:30	0.50	CREW TRAVEL TO LOCATION	
6/8/22	6:30	7:00	0.50	REVIEW JSA W RIG CREW AND TRUCK DRIVER	
6/8/22	7:00	10:00	3	<p>CHECK PRESSURES S/C 86 PSI TBG - 650 PSI CSG - 650 PSI</p> <p>bled off all surface pressures, spot in base beam and spill containment, spot in service rig and support equipmnt, RU service rig, run and restrain hardline</p> <p>pressure test BOP and TIW valves as per oxy best practices</p>	
6/8/22	10:00	11:00	1	KILL WELL BULLHEAD 65 BBL DOWN CSG, 30 BBL DOWN TBG, MONITOR WELL	
6/8/22	11:00	12:00	1	ND PRODUCTION TREE NU BOPE AND TORQUE TO SPEC PER ONSIGHT ENSIGN REP, PRESSURE TEST BOPE	
6/8/22	12:00	14:30	2.50	TOOH W 222 JTS TO DERRICK, LD 21 JTS, 243 JTS OF 2 3/8 4.7 J55 TBG SN, NC.	
6/8/22	14:30	14:45	0.25	RU RANGER WL UNIT, TORQUE WL FLANGE W TORQUE WRENCH	
6/8/22	14:45	17:15	2.50	PU & RIH W 3.62 GR & JB TO 7560' W NO ISSUE, POOH & LD GRJB PU & RIH W 4 1/2 CIBP & SET @ 7550' POOH & LD TOOLS, PU & RIH W DUMP BAILOR AND DUMP 2 SX ON PLUG. POOH & LD BAILOR, RIH W 4 1/2 CIBP & SET @ 7120', POOH & LD TOOLS, PU & RIH W DUMP BAILOR & DUMP 2 SX ON PLUG, POOH & LD TOOLS. RDMO WL UNIT.	
6/8/22	17:15	17:30	0.25	CLOSE AND LOCK BLIND RAMS, SECURE WELL & TANKS, SDFN.	
6/8/22	17:30	18:00	0.50	CREW TRAVEL TO YARD	
6/8/22	18:00	18:00	0	TO BE COMPLETED BY JUSTIN LEE	

Well:	PLATTE 24-34			Spud Date:	9/19/2007 4:00:00 PM
Project:	COLORADO-WELD-NAD83-UTM13			Site:	PLATTE 8-34 PAD
Event:	ABANDONMENT			Rig Name:	BRIGADE 14
Start Date:	6/8/22			End Date:	7/15/22
Datum:	PU184 12'KB @ 4752			Well UWI:	0512324391
Report Date	Time From	Time To	Duration (hr)	Operation	
6/8/22	18:00	18:00	0	START DATE: 06/07/2022; 07:00AM FORM 6: EXPIRES 11/12/2022 FORM 4: NOT REQUIRED FAA: PERMIT APPROVED BLM: NO FORM 17: COMPLETED SAMPLE: COMPLETED Thank you,	
6/9/22	6:00	6:30	0.50	CREW TRAVEL TO LOCATION	
6/9/22	6:30	7:00	0.50	REVIEW JSA W RIG CREW	
6/9/22	7:00	7:30	0.50	CHECK SHUT IN WELL PRESSURES. SURFACE CASING: 50 PSI. PRODUCTION CASING: 31 (PSI). TUBING: 0 (NA). INTERMEDIATE CASING: ## (NA).	
6/9/22	7:30	10:00	2.50	RIH W CICR, 219 JTS 2 3/8 4.7 TBG, 2-10' PUP JTS. SET CICR @ 6884'	
6/9/22	10:00	10:30	0.50	ESTABLISH INJ RATE 1,700 PSI @ 1 BPM.	
6/9/22	10:30	11:30	1	FILL WELL W 50 BBL & CIRCULATE 150 BBL OF FRESH BIO	
6/9/22	11:30	13:00	1.50	REPLACE HAMMER UNIONS ON HARD LINE	
6/9/22	13:00	13:30	0.50	MIRU CEMENTERS. HOLD JSA MEETING.CMT COMPANY: (NEXTIER).	
6/9/22	13:30	14:00	0.50	PUMP 100 SX, 15.8 PPG 1.52 CF/SX CLASS G CEMENT, (AGM BLEND) BALANCE PLUG: (NO), TOC 6518 FT, BOC 6916' FT SQUEEZE: (YES), EQUIPMENT: (CICR) DEPTH: 6884 FT, BOTTOM (PERF): 7068 FT, TOP (NA): FT, TOC IN CSG: 6518FT	
6/9/22	14:00	14:30	0.50	LD 11 JTS, 2-10' PUP JTS, 2 3/8 TBG, EOT@ 6518'	
6/9/22	14:30	16:30	2	CLEAN UP CEMENT TRUCK & REVERSE OUT W 192 BBL	
6/9/22	16:30	18:30	2	TOOH W 184 JTS 2 3/8 TBG, LD 24 JTS 2 3/8 4.7 TBG	
6/9/22	18:30	19:00	0.50	CLOSE AND LOCK BLIND RAMS, SECURE WELL, AND TANKS, SDFN	
6/9/22	19:00	19:30	0.50	CREW TRAVEL TO YARD	
6/10/22	6:00	6:30	0.50	CREW TRAVEL TO LOCATION	
6/10/22	6:30	7:00	0.50	REVIEW JSA W RIG CREW	
6/10/22	7:00	7:30	0.50	CHECK SHUT IN WELL PRESSURES. SURFACE CASING: 48 PSI. PRODUCTION CASING: 0 (PSI). TUBING: 0 (NA). INTERMEDIATE CASING: ## (NA).	
6/10/22	7:30	8:00	0.50	RU RANGER WL UNIT	

Well:	PLATTE 24-34			Spud Date:	9/19/2007 4:00:00 PM
Project:	COLORADO-WELD-NAD83-UTM13			Site:	PLATTE 8-34 PAD
Event:	ABANDONMENT			Rig Name:	BRIGADE 14
Start Date:	6/8/22			End Date:	7/15/22
Datum:	PU184 12'KB @ 4752			Well UWI:	0512324391
Report Date	Time From	Time To	Duration (hr)	Operation	
6/10/22	8:00	8:30	0.50	PU & RIH W 3 1/8 4' 4SPF DP PERF GUN, SHOOT SQUEEZE HOLES @ 5,815'-5,819'	
6/10/22	8:30	8:45	0.25	RD RANGER WL UNIT	
6/10/22	8:45	10:00	1.25	RIH W 184 JTS & 1- 10' PUP JTS	
6/10/22	10:00	10:15	0.25	SET CICR @ 5,778'	
6/10/22	10:15	11:00	0.75	PUMP TO ESTABLISH INJECTION RATE, PRESSURE UP TO 3200 PSI , MADE SEVERAL ATTEMPTS, WAS NOT ABLE TO PUMP INTO PERFS.	
6/10/22	11:00	11:30	0.50	MIRU CEMENTERS. HOLD JSA MEETING.CMT COMPANY: (NEXTIER).	
6/10/22	11:30	12:00	0.50	PUMP 11 SX, 15.8 PPG 1.52 CF/SX CLASS G CEMENT, (NIO BLEND) BALANCE PLUG: (YES), TOC 5584' FT, BOC 5778 FT SQUEEZE: (NO), EQUIPMENT: (CICR) DEPTH: 5778 FT, BOTTOM (PERF): 5819 FT, TOP (NA): 5778 FT, TOC IN CSG: 5584FT	
6/10/22	12:00	12:30	0.50	LD 24 JTS 2 3/8 TBG EOT @ 5015'	
6/10/22	12:30	13:30	1	REVERSE OUT W 2 HOLE VOLUMES	
6/10/22	13:30	15:30	2	LD 32 JTS, POOH W 128 JTS 2 3/8 4.7 TBG TO DERRICK, LD MEC SET TOOL	
6/10/22	15:30	16:00	0.50	RU RANGER WL UNIT	
6/10/22	16:00	17:00	1	SHOOT SQUEEZE HOLES @ 4,095'- 4099'	
6/10/22	17:00	17:30	0.50	RDMO RANGER WL UNIT	
6/10/22	17:30	18:00	0.50	CLOSE AND LOCK BLIND RAMS, SECURE WELL & TANKS, SDFWE	
6/10/22	18:00	18:30	0.50	CREW TRAVEL TO YARD	
6/13/22	6:00	6:30	0.50	CREW TRAVEL TO LOCATION	
6/13/22	6:30	7:00	0.50	REVIEW JSA W ALL PERSONNEL ON LOCATION	
6/13/22	7:00	7:30	0.50	CHECK SHUT IN WELL PRESSURES. SURFACE CASING: 55 PSI. PRODUCTION CASING: 0 (PSI). TUBING: 0 (NA). INTERMEDIATE CASING: ## (NA).	
6/13/22	7:30	9:00	1.50	PU & RIH W 4 1/2 CICR, 129 JTS 2 3/8 4.7 TBG, SET RETAINER @ 4,059'	
6/13/22	9:00	10:00	1	PUMP TO ESTABLISH INJECTION RATE, PRESSURE UP TO 3200 PSI , MADE SEVERAL ATTEMPTS, WAS NOT ABLE TO PUMP INTO SQUEEZE HOLES	
6/13/22	10:00	10:30	0.50	WAIT FOR CEMENT EQUIPMENT TO ARRIVE ON LOCATION	
6/13/22	10:30	11:00	0.50	MIRU CEMENTERS. HOLD JSA MEETING.CMT COMPANY: (NEXTIER).	
6/13/22	11:00	11:30	0.50	PUMP 15 SX, 15.8 PPG 1.17 CF/SX CLASS G CEMENT, (SUSX BLEND) BALANCE PLUG: (YES), TOC 3865' FT, BOC 4,059 FT SQUEEZE: (NO), EQUIPMENT: (CICR) DEPTH: 4,059' FT, BOTTOM (PERF): 4,099 FT, TOP (NA): 4,095 FT, TOC IN CSG: 3,865FT	

Well:	PLATTE 24-34			Spud Date:	9/19/2007 4:00:00 PM
Project:	COLORADO-WELD-NAD83-UTM13			Site:	PLATTE 8-34 PAD
Event:	ABANDONMENT			Rig Name:	BRIGADE 14
Start Date:	6/8/22			End Date:	7/15/22
Datum:	PU184 12'KB @ 4752			Well UWI:	0512324391
Report Date	Time From	Time To	Duration (hr)	Operation	
6/13/22	11:30	11:45	0.25	LD 11 JTS EOT @ 3700'	
6/13/22	11:45	12:30	0.75	REVERSE CIRCULATE 2 HOLE VOLUMES.	
6/13/22	12:30	13:00	0.50	MONITORED WELL FOR 30 MIN AFTER PUMPING PLUG @ 4,059',W NO SIGNS OF FLUID MIGRATION	
6/13/22	13:00	14:00	1	LD 78 JTS 2 3/8 TBG	
6/13/22	14:00	14:30	0.50	TOOH W 40 JTS TO DERRICK	
6/13/22	14:30	15:00	0.50	RU RANGER WL UNIT	
6/13/22	15:00	15:15	0.25	SHOOT BH GUN @ 3,000' - 3004'	
6/13/22	15:15	15:30	0.25	RDMO RANGER WL UNIT	
6/13/22	15:30	16:15	0.75	CIRCULATE DOWN PRODUCTION CSG, TAKING RETURNS UP SURFACE CASING, RETURNING HEAVY MUD, PUMPED 110 BBL 3 BPM 400 PSI	
6/13/22	16:15	18:00	1.75	SHUT DOWN & EMPTY RETURN TANK DUE TO VALVE NOT WORKING, REPLACE VALVE	
6/13/22	18:00	18:30	0.50	LOCK BLIND RAMS, SECURE WELL & TANKS, SDFN	
6/13/22	18:30	19:00	0.50	CREW TRAVEL TO YARD	
6/14/22	6:00	6:30	0.50	CREW TRAVEL TO LOCATION	
6/14/22	6:30	7:00	0.50	REVIEW JSA W ALL PERSONNEL ON LOCATION	
6/14/22	7:00	9:15	2.25	HYDROVAC RIG TANK, CEMENT IN TANK WAS TO HARD TO CLEAN OUT, SEND TANK TO BRIGADE YARD	
6/14/22	9:15	10:30	1.25	CIRCULATE DOWN PRODUCTION CSG, TAKING RETURNS UP SURFACE CASING, RETURNING HEAVY MUD, PUMPED 250 BBL BBL AVE RATE 4 BPM AVE PRESSURE 300 PSI	
6/14/22	10:30	11:00	0.50	CIRCULATE 48 BBL OF 160 F WATER W HSF, DISPLACE TO PERF	
6/14/22	11:00	13:00	2	SOAK HSF FOR 2 HRS	
6/14/22	13:00	14:00	1	CIRCULATE OUT HSF W 130 BBL OF FRESH BIO	
6/14/22	14:00	14:30	0.50	MIRU CEMENTERS. HOLD JSA MEETING.CMT COMPANY: (NEXTIER).	
6/14/22	14:30	15:00	0.50	WAIT FOR WATER TO ARRIVE ON LOCATION	
6/14/22	15:00	15:30	0.50	PUMP 220 SX, 15.8 PPG 1.20 CF/SX CLASS G CEMENT, (AGM BLEND) BALANCE PLUG: (NO), TOC 2300' FT, BOC 3000 FT SQUEEZE: (YES), EQUIPMENT: (NONE) DEPTH: ' FT, BOTTOM (PERF): 3,000 FT, TOP (NA): ##### FT, TOC IN CSG: 2300FT	
6/14/22	15:30	16:30	1	RDMO CEMENT EQUIPMENT, CLEAN AND BTM OUT TANK	
6/14/22	16:30	17:00	0.50	LOCK BLIND RAMS, SECURE WELL & TANKS, SDFN.	
6/15/22	6:00	6:30	0.50	CREW TRAVEL TO LOCATION	
6/15/22	6:30	7:00	0.50	REVIEW JSA W ALL PERSONNEL ON LOCATION	

Well:	PLATTE 24-34			Spud Date:	9/19/2007 4:00:00 PM
Project:	COLORADO-WELD-NAD83-UTM13			Site:	PLATTE 8-34 PAD
Event:	ABANDONMENT			Rig Name:	BRIGADE 14
Start Date:	6/8/22			End Date:	7/15/22
Datum:	PU184 12'KB @ 4752			Well UWI:	0512324391
Report Date	Time From	Time To	Duration (hr)	Operation	
6/15/22	7:00	7:05	0.08	CHECK SHUT IN WELL PRESSURES. SURFACE CASING: 48 PSI. PRODUCTION CASING: 0 (PSI). TUBING: 0 (NA). INTERMEDIATE CASING: ## (NA).	
6/15/22	7:05	7:30	0.42	SIRU RANGER WL UNIT	
6/15/22	7:30	8:00	0.50	RIH W BH GUN AND SHOOT SQUEEZE HOLES @ 2,000'- 2004' TAGGED TOC @ 2144'	
6/15/22	8:00	8:15	0.25	RDMO RANGER WL UNIT	
6/15/22	8:15	9:30	1.25	CIRCULATE DOWN PRODUCTION CASING TAKING RETURNS UP SURFACE CASING, AVE PRESSURE 200 PSI, AVE RATE 3 BPM, SEEN GAS FOR THE FIRST BTM UP 84 BBL, CIRCULTAE 225 BBL TOTAL.	
6/15/22	9:30	10:30	1	RIH W 2 3/8 NC, SN, 40 JTS OUT OF DERRICK, PU 23 JTS EOT @ 1981'	
6/15/22	10:30	16:15	5.75	RU SWAB EQUIPMENT, MADE 19 SWAB RUNS, STARTING FL SURFACE, RECOVERED 30 BBL, FL 1900	
6/15/22	16:15	17:15	1	SWAB AND VENT, WAIT ONE HR.	
6/15/22	17:15	17:30	0.25	MADE ONE SWAB RUN FL 1900, RECOVERED NO FLUID. SURFACE CSG FLOWING WATER AND GAS, FLOWED 26 BBL 100 LEL.	
6/15/22	17:30	18:00	0.50	CLOSE AND LOCK PIPE RAMS, SECURE WELL & TANKS, SDFN.	
6/15/22	18:00			CREW TRAVEL TO YARD	
6/16/22	6:00	6:30	0.50	CREW TRAVEL TO LOCATION	
6/16/22	6:30	7:00	0.50	REVIEW JSA W RIG CREW	
6/16/22	7:00	7:30	0.50	CHECK SHUT IN WELL PRESSURES. SURFACE CASING: 180 PSI. PRODUCTION CASING: 0 (PSI). TUBING: 0 (PSI). INTERMEDIATE CASING: ## (NA).	
6/16/22	7:30	8:30	1	CIRCULATE DOWN PRODUCTION CASING TAKING RETURNS UP SURFACE CASING, AVE PRESSURE 200 PSI, AVE RATE 3 BPM, SEEN GAS FOR THE FIRST BTM UP 84 BBL, CIRCULTAE 225 BBL TOTAL.	
6/16/22	8:30	13:00	4.50	RU SWAB EQUIPMENT, MADE 14 RUNS, RECOVERED 21 BBL, SURFACE CSG FLOWING WATER AND GAS, SURFACE CSG FLOWED 46 BBL, 35 LEL	
6/16/22	13:00	13:30	0.50	RD SWAB EQUIPMENT	
6/16/22	13:30	14:00	0.50	LD 23 JTS OF 2 3/8 4.7 TBG, TOO H TO DERRICK W 40 JTS 2 3/8 TBG	
6/16/22	14:00	15:00	1	CIRCULATE 110 BBL OF 160F WATER W 55 GAL OF HSF & DISPLACE TO PERF	
6/16/22	15:00	17:00	2	SOAK HSF FOR 2 HRS	
6/16/22	17:00	18:00	1	CIRC OUT HSF W 120 BBL OF FRESH BIO	
6/16/22	18:00	18:30	0.50	EMPTY RETURN TANK	
6/16/22	18:30	19:00	0.50	LOCK BLIND RAMS, SECURE WELL & TANKS, SDFN	
6/16/22	19:00	19:30	0.50	CREW TRAVEL TO YARD	

Well:	PLATTE 24-34			Spud Date:	9/19/2007 4:00:00 PM
Project:	COLORADO-WELD-NAD83-UTM13			Site:	PLATTE 8-34 PAD
Event:	ABANDONMENT			Rig Name:	BRIGADE 14
Start Date:	6/8/22			End Date:	7/15/22
Datum:	PU184 12'KB @ 4752			Well UWI:	0512324391
Report Date	Time From	Time To	Duration (hr)	Operation	
6/17/22	6:00	6:30	0.50	CREW TRAVEL TO LOCATION	
6/17/22	6:30	7:00	0.50	REVIEW JSA W ALL PERSONNEL ON LOCATION	
6/17/22	7:00	8:00	1	CHECK SHUT IN WELL PRESSURES. SURFACE CASING: 35 PSI. PRODUCTION CASING: 30 (PSI). TUBING: 0 (NA). INTERMEDIATE CASING: ## (NA).	
6/17/22	8:00	9:30	1.50	CIRCULATE DOWN PRODUCTION CASING TAKING RETURNS UP SURFACE CASING, AVE PRESSURE 200 PSI, AVE RATE 3 BPM, 0 LEL CIRCULTAE 225 BBL TOTAL.	
6/17/22	9:30	10:00	0.50	MIRU CEMENTERS. HOLD JSA MEETING.CMT COMPANY: (NEXTIER).	
6/17/22	10:00	11:00	1	PUMP 220 SX, 15.8 PPG 1.20 CF/SX CLASS G CEMENT, (AGM BLEND) BALANCE PLUG: (NO), TOC 1300' FT, BOC 2,004 FT SQUEEZE: (YES), EQUIPMENT: (NONE) DEPTH: ' FT, BOTTOM (PERF): 2,004 FT, TOP (PERF): 2,000 FT, TOC IN CSG: 1,300FT	
6/17/22	11:00	12:00	1	LOCK BLIND RAMS, INSTALL NIGHT CAPS ON SURFACE LINES, CLEAN RETURN TANK, SDFWE.	
6/17/22	12:00	12:30	0.50	CREW TRAVEL TO YARD	
6/20/22	6:00	6:30	0.50	CREW TRAVEL TO LOCATION	
6/20/22	6:30	7:00	0.50	REVIEW JSA W ALL PERSONNEL ON LOCATION	
6/20/22	7:00	7:30	0.50	CHECK SHUT IN WELL PRESSURES. SURFACE CASING: 40 PSI. PRODUCTION CASING: 0 (PSI). TUBING: 0 (NA). INTERMEDIATE CASING: ## (NA).	
6/20/22	7:30	8:00	0.50	RU RANGER WIRELINE UNIT	
6/20/22	7:30	7:30	0	on 6/17/2022 PUMPED CIRCULATION SQUEEZE AT 2,000' ON 6/20/2022 TIH W 2 3/8 TBG TAGGED TOC @ 1,306' TOO H LOAD WELL W 2 BBL OF FRESH BIOCID, NO PRESSURE, NO FLUID MIGRATION, NO LEL BEFORE CUTTING 4.5 CASING AT 1200' AND PLACING SHOE PLUG.	
6/20/22	8:00	8:30	0.50	RIH & TAG TOC @ 1,306' SHOOT BH GUN @ 1,190' TO 1,194'	
6/20/22	8:30	9:00	0.50	LD TOOLS & VERIFY ASF, RDMO RANGER WIRELINE UNIT	
6/20/22	9:00	10:00	1	CIRCULATE DOWN PRODUCTION CASING TAKING RETURNS UP SURFACE CASING, AVE PRESSURE 100 PSI, AVE RATE 3 BPM, 0 LEL CIRCULTAE 135 BBL TOTAL.	
6/20/22	10:00	11:00	1	RIH W 38 JTS EOT @ 1200'	
6/20/22	11:00	14:30	3.50	RU SWAB EQUIPMENT, MADE 8 RUNS, RECOVERED 21 BBL, TBG STARTED FLOWING, FLOWED 17 BBL	
6/20/22	14:30	15:30	1	FILL WELL W FRESH BIO	

Well:	PLATTE 24-34			Spud Date:	9/19/2007 4:00:00 PM
Project:	COLORADO-WELD-NAD83-UTM13			Site:	PLATTE 8-34 PAD
Event:	ABANDONMENT			Rig Name:	BRIGADE 14
Start Date:	6/8/22			End Date:	7/15/22
Datum:	PU184 12'KB @ 4752			Well UWI:	0512324391
Report Date	Time From	Time To	Duration (hr)	Operation	
6/20/22	15:30	16:00	0.50	TOOH W 19 38 JTS TO DERRICK	
6/20/22	16:00	17:00	1	PUMP 100 BBL OF 11 PPG MUD, RETURNED 9 BBL TO TANK	
6/20/22	17:00	18:00	1	LEAVE ALL VALVES OPEN FOR 1 HR TO LET THE WELL BALANCE OUT	
6/20/22	18:00	18:30	0.50	LOCK BLIND RAMS, INSTALL NIGHT CAPS ON SURFACE LINES, SECURE WELL & TANKS, SDFN	
6/21/22	7:00	7:30	0.50	CREW TRAVEL TO LOCATION	
6/21/22	7:30	8:00	0.50	REVIEW JSA W ALL PERSONNEL ON LOCATION	
6/21/22	8:00	8:15	0.25	CHECK SHUT IN WELL PRESSURES. SURFACE CASING: 0 PSI. PRODUCTION CASING: 0 (PSI). TUBING: 0 (NA). INTERMEDIATE CASING: ## (NA).	
6/21/22	8:15	8:30	0.25	on 6/17/2022 PUMPED CIRCULATION SQUEEZE AT 2,000' ON 6/20/2022 TIH W 2 3/8 TBG TAGGED TOC @ 1,306' TOOHL LOAD WELL W 2 BBL OF FRESH BIOCID, NO PRESSURE, NO FLUID MIGRATION, NO LEL BEFORE CUTTING 4.5 CASING AT 1200' AND PLACING SHOE PLUG.	
6/21/22	8:30	8:45	0.25	RIH W MECHANICAL CUTTER 38 JTS 2 3/8 TBG, PU 10' SUB	
6/21/22	8:45	9:00	0.25	RU POWER SWIVEL	
6/21/22	9:00	9:15	0.25	CUT CASING @ 1210'	
6/21/22	9:15	9:30	0.25	RD POWER SWIVEL	
6/21/22	9:30	10:00	0.50	TOOH W 38 JTS 2 3/8 TBG, LD CUTTER X-O TO 4 1/2 EQUIPMENT	
6/21/22	10:00	10:30	0.50	RD WORK FLOOR , ND BOPE & TH	
6/21/22	10:30	12:00	1.50	NU 9' BOPE, RU WORK FLOOR	
6/21/22	12:00	13:30	1.50	LD 28 JTS 4.5 CSG	
6/21/22	14:00	15:00	1	CROSS OVER TO 2 3/8 EQUIPMENT, TIH W 2 3/8 DIVERTER TOOL, 38 JTS 2 3/8 TBG EOT 1210'	
6/21/22	15:00	15:30	0.50	MIRU CEMENTERS. HOLD JSA MEETING.CMT COMPANY: (NEXTIER).	
6/21/22	15:30	16:30	1	PUMP 305 SX, 15.8 PPG 1.21 CF/SX CLASS G CEMENT, (AGM BLEND) BALANCE PLUG: (YES), TOC 1300' FT, BOC 2,004 FT SQUEEZE: (YES), EQUIPMENT: (NONE) DEPTH: ##### FT, BOTTOM (CSG CUT): 1210 FT, TOP (NA): ##### FT, TOC IN CSG: 572FT	
6/21/22	16:30	17:00	0.50	RDMO CEMENT EQUIPMENT	
6/21/22	17:00	17:30	0.50	LD 28 JTS, TOOHL W 10 JTS TO DERRICK	
6/21/22	17:30	18:30	1	LOCK BLIND RAMS, CAP ALL SURFACE VALVES, SECURE WELL AND TANKS, CLEAN RETURN TANK, SDFN.	
6/21/22	18:30	19:00	0.50	CREW TRAVEL TO YARD	
6/22/22	6:00	6:30	0.50	CREW TRAVEL TO LOCATION	

Well:	PLATTE 24-34			Spud Date:	9/19/2007 4:00:00 PM
Project:	COLORADO-WELD-NAD83-UTM13			Site:	PLATTE 8-34 PAD
Event:	ABANDONMENT			Rig Name:	BRIGADE 14
Start Date:	6/8/22			End Date:	7/15/22
Datum:	PU184 12'KB @ 4752			Well UWI:	0512324391
Report Date	Time From	Time To	Duration (hr)	Operation	
6/22/22	6:30	7:00	0.50	REVIEW JSA W ALL PERSONNEL ON LOCATION	
6/22/22	7:00	7:30	0.50	PU & RIH W 8 5/8 SCRAPER & 10 jts 2 3/8 tbg, TAG TOC @ 321'	
6/22/22	7:30	8:00	0.50	LD 2 JTS, TOO H W 8 JTS TO DERRICK	
6/22/22	8:00	8:30	0.50	SET 8 5/8 CIBP @ 260'	
6/22/22	8:30	9:00	0.50	PU 2 3/8 DIVERTER TOOL TIH W 8 JTS 2 3/8 TBG	
6/22/22	9:00	9:30	0.50	RU SWAB EQUIPMENT	
6/22/22	9:30	12:30	3	SWAB WELL DRY	
6/22/22	12:30	13:00	0.50	RD SWAB EQUIPMENT	
6/22/22	13:00	13:30	0.50	MIRU CEMENTERS. HOLD JSA MEETING.CMT COMPANY: (NEXTIER).	
6/22/22	13:30	14:00	0.50	PUMP 85 SX, 15.8 PPG 1.21 CF/SX CLASS G CEMENT, (AGM BLEND) BALANCE PLUG: (YES), TOC 10' FT, BOC 260 FT SQUEEZE: (NO), EQUIPMENT: (NONE) DEPTH: ' FT, BOTTOM (CSG CUT): FT, TOP (NA): ##### FT, TOC IN CSG: 10'FT	
6/22/22	14:00	14:30	0.50	LD 8 JTS 2 3/8 TBG & DIVERTER TOOL, PU TBG SUB & WASH UP PUMP & LINES.	
6/22/22	14:30	15:00	0.50	RDMO CEMENT EQUIPMENT	
6/22/22	15:00	15:15	0.25	RD WORK FLOOR AND POWER TONGS	
6/22/22	15:15	15:30	0.25	ND BOPE	
6/22/22	15:30	16:30	1	RD BRIGADE RIG 14, BTM OUT TANKS, RD PUMP & LINES	
6/22/22	16:30	16:30	0	EACH PLUG PUMPED WAS AT LEAST 100' LONG	
6/22/22	16:30	16:30	0	MEASURES TAKEN TO CONTROL ALL VENTING AND EMISSIONS THROUGHOUT P&A. USED BULLHEAD/ FLARE METHOD TO KILL WELL. FLUID LEVEL MAINTAINED THROUGHOUT OPERATIONS.	
6/22/22	16:30	16:30	0	INFORMATIONS SIGNS POSTED IN REQUESTED AREAS THROUGHOUT P&A OPERATIONS.	
6/22/22	17:30	18:00	0.50	CREW TRAVEL TO YARD	
7/15/22	8:00	9:00	1	DUG UP SURFACE CASING	
7/15/22	9:00	10:00	1	CUT CASING 6' BELOW GL, 8 5/8 CEMENT AT 5 FEET 2 INCHES, FILLED CASING STUB WITH 2 BAGS OF 5000 PSI CEMENT.	
7/15/22	10:00	11:00	1	CAPPED CASING WITH A METAL PLATE CONTAINING WELL INFO	
7/15/22	11:00	12:00	1	BACKFILLED	
7/15/22	12:00	12:00	0	PLACED MARKER BALL	