



Tuesday, June 21, 2022

Randy Evans
Randy Evans
328 South Overland Tr.
Fort Collins, CO 80521

Re: ALS Workorder: 2206241
Project Name: WPWT Facility
Project Number:

Dear Mr. Evans:

Five water samples were received from Randy Evans, on 6/9/2022. The samples were scheduled for the following analyses:

Inorganics

Metals

The results for these analyses are contained in the enclosed reports.

This report was originally submitted on June, 20, 2022. It has been revised with the corrected sampling dates from the client.


The data contained in the following report have been reviewed and approved by the personnel listed below. In addition, ALS certifies that the analyses reported herein are true, complete and correct within the limits of the methods employed. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained from ALS Environmental.

Thank you for your confidence in ALS Environmental. Should you have any questions, please call.

Sincerely,

For

ALS Environmental
Katie M. OBrien
Project Manager

	<h1>Accreditations</h1>	Effective June 7, 2022
		ALS Environmental – Fort Collins

Accreditations: ALS Environmental – Fort Collins is accredited by the following accreditation bodies for various testing scopes in accordance with requirements of each accreditation body. All testing is performed under the laboratory management system, which is maintained to meet these requirement and regulations. Please contact the laboratory or accreditation body for the current scope testing parameters.

ALS Environmental – Fort Collins	
Accreditation Body	License or Certification Number
Arizona	AZ0828
California (CA)	2926
Colorado (CO)	CO01099
Florida (FL)	E87914
Idaho (ID)	CO01099
Kansas (KS)	E-10381
Kentucky (KY)	90137
Oklahoma	1301
Louisiana	197538
Maryland (MD)	285
PJLA (DoD ELAP/ISO 170250)	95377
PJLA (DOE-AP/ISO 17025)	95377
Nebraska(NE)	NE-OS-24-13
Nevada (NV)	CO010992018-1
New York (NY)	12036
North Dakota (ND)	R-057
Oklahoma (OK)	1301
Pennsylvania (PA)	68-03116
Tennessee (TN)	TN02976
Texas (TX)	T104704241
Utah (UT)	CO01099
Washington (WA)	C1280
Virginia	460305

40 CFR Part 136: All analyses for Clean Water Act samples are analyzed using the 40 CFR Part 136 specified method and include all the QC requirements.



2206241

Metals:

The samples were analyzed following SW-846, 3rd Edition procedures. Analysis by Trace ICP followed method 6010D and the current revision of SOP 834.

All acceptance criteria were met.

Inorganics:

The samples were analyzed following EMSL and Standard Method procedures for the current revisions of the following SOPs and methods:

<u>Analyte</u>	<u>Method</u>	<u>SOP #</u>
TDS	SM2540C	1101
Chloride	300.0 Revision 2.1	1113
Fluoride	300.0 Revision 2.1	1113
Sulfate	300.0 Revision 2.1	1113

A matrix spike (MS) was prepared and analyzed with the anion batch. All guidance criteria for precision and accuracy were met with the following exception:

<u>Analyte</u>	<u>Sample ID</u>
Sulfate	2206241-4MS

The native sample result is flagged for sulfate. The laboratory control samples indicate that the procedure was in control.

All remaining acceptance criteria were met.

ALS -- Fort Collins

Sample Number(s) Cross-Reference Table

OrderNum: 2206241

Client Name: Randy Evans

Client Project Name: WPWT Facility

Client Project Number:

Client PO Number: WO 032

Client Sample Number	Lab Sample Number	COC Number	Matrix	Date Collected	Time Collected
Outfall 050A; EDD Facility ID 767	2206241-1		WATER	08-Jun-22	9:00
Outfall 050B; EDD Facility ID 767	2206241-2		WATER	08-Jun-22	10:00
Outfall 050C; EDD Facility ID 767	2206241-3		WATER	08-Jun-22	11:00
Outfall 050D; EDD Facility ID 767	2206241-4		WATER	08-Jun-22	12:00
Outfall 050E; EDD Facility ID 767	2206241-5		WATER	08-Jun-22	13:00



Chain-of-Custody

Chain-of-Custody

TF: (800) 443-1511 PH: (970) 490-1511 FX: (970) 490-1522

Form 2021a

WORKORDER

206241

DATE _____

PAGE

1

[illegible]

*Time Zone (Circle): EST CST MST PST Matrix: O = oil S = soil NS = non-soil solid W = water L = liquid E = extract F = filter

For metals or anions, please detail analytes below.

Comments: EDO Facility ID Number is listed in Field ID for Reference Do Not use Facility Number as part of the Field ID of 15 8430	QC PACKAGE (check below)	
	LEVEL II (Standard QC)	
	LEVEL III (Std QC + forms)	
	LEVEL IV (Std QC + forms + raw data)	
Preservative Key: 1-HCl 2-HNO3 3-H2SO4 4-NaOH 5-NaHSO4 7-Other 8-4 degrees C 9-5035		

Preservative Key:	1-HCl	2-HNO ₃	3-H ₂ SO ₄	4-NaOH	5-NaHSO ₄	7-Other	8-4 degrees C	9-5035
-------------------	-------	--------------------	----------------------------------	--------	----------------------	---------	---------------	--------



ALS Environmental - Fort Collins
CONDITION OF SAMPLE UPON RECEIPT FORM

Client: RANDY EVANS Workorder No: 2206241
 Project Manager: KMO Initials: AXK Date: 06/09/2022

	N/A	YES	NO
1. Are airbills / shipping documents present and/or removable?	X		
Tracking number:			
2. Are custody seals on shipping containers intact?	X		
3. Are custody seals on sample containers intact?	X		
4. Is there a COC (chain-of-custody) present?		X	
5. Is the COC in agreement with samples received? (IDs, dates, times, # of samples, # of containers, matrix, requested analyses, etc.)		X	
6. Are short-hold samples present?			X
7. Are all samples within holding times for the requested analyses?		X	
8. Were all sample containers received intact? (not broken or leaking)		X	
9. Is there sufficient sample for the requested analyses?		X	
10. Are samples in proper containers for requested analyses? (form 250, <i>Sample Handling Guidelines</i>)		X	
11. Are all aqueous samples preserved correctly, if required? (excluding volatiles)		X	
12. Are all samples requiring no headspace (VOC, GRO, RSK/MEE, radon) free of bubbles > 6 mm (1/4 inch) diameter? (i.e. size of green pea)	X		
13. Were the samples shipped on ice?		X	
14. Were cooler temperatures measured at 0.1-6.0°C?	IR gun used*: #6	RAD ONLY	X
Cooler #: <u>1</u> Temperature (°C): <u>4.3</u> # of custody seals on cooler: <u>0</u> External µR/hr reading: <u>-</u> Background µR/hr reading: <u>11</u> Were external µR/hr readings ≤ two times background and within DOT acceptance criteria? <u>NA</u> (If no, see Form 008.)			

* Please provide details here for NO responses to boxes above - for 2 thru 5 & 7 thru 12, notify PM & continue w/ login.

Were unpreserved bottles pH checked? NA All client bottle ID's vs ALS lab ID's double-checked by: AK

If applicable, was the client contacted? YES / NO / NA Contact: Margaret G. O'Brien Date/Time: 6/11/22

Project Manager Signature / Date: Margaret G. O'Brien

Client: Randy Evans
Project: WPWT Facility
Sample ID: Outfall 050A; EDD Facility ID 767702
Legal Location:
Collection Date: 6/8/2022 09:00

Date: 21-Jun-22
Work Order: 2206241
Lab ID: 2206241-1
Matrix: WATER
Percent Moisture:

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Total Recoverable ICP Metals			SW6010		Prep Date: 6/14/2022	PrepBy: ETC
BORON	0.21		0.1	MG/L	1	6/16/2022 11:01
BARIUM	ND		0.1	MG/L	1	6/16/2022 11:01
SODIUM	53		1	MG/L	1	6/16/2022 11:01
Ion Chromatography			EPA300.0		Prep Date: 6/13/2022	PrepBy: AOW
CHLORIDE	18		2	MG/L	10	6/13/2022 16:39
SULFATE	850		10	MG/L	10	6/13/2022 16:39
Total Dissolved Solids			SM2540C		Prep Date: 6/13/2022	PrepBy: KRL
TOTAL DISSOLVED SOLIDS	1500		40	MG/L	1	6/14/2022

Client: Randy Evans
Project: WPWT Facility
Sample ID: Outfall 050B; EDD Facility ID 767706
Legal Location:
Collection Date: 6/8/2022 10:00

Date: 21-Jun-22
Work Order: 2206241
Lab ID: 2206241-2
Matrix: WATER
Percent Moisture:

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Total Recoverable ICP Metals		SW6010			Prep Date: 6/14/2022	PrepBy: ETC
BORON	0.51		0.1	MG/L	1	6/16/2022 11:02
BARIUM	0.22		0.1	MG/L	1	6/16/2022 11:02
SODIUM	210		1	MG/L	1	6/16/2022 11:02
Ion Chromatography		EPA300.0			Prep Date: 6/13/2022	PrepBy: AOW
CHLORIDE	52		2	MG/L	10	6/13/2022 16:45
FLUORIDE	ND		1	MG/L	10	6/13/2022 16:45
SULFATE	660		10	MG/L	10	6/13/2022 16:45
Total Dissolved Solids		SM2540C			Prep Date: 6/13/2022	PrepBy: KRL
TOTAL DISSOLVED SOLIDS	1300		40	MG/L	1	6/14/2022

Client: Randy Evans
Project: WPWT Facility
Sample ID: Outfall 050C; EDD Facility ID 767703
Legal Location:
Collection Date: 6/8/2022 11:00

Date: 21-Jun-22
Work Order: 2206241
Lab ID: 2206241-3
Matrix: WATER
Percent Moisture:

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Total Recoverable ICP Metals		SW6010			Prep Date: 6/14/2022	PrepBy: ETC
BORON	0.21		0.1	MG/L	1	6/16/2022 11:03
BARIUM	0.13		0.1	MG/L	1	6/16/2022 11:03
SODIUM	53		1	MG/L	1	6/16/2022 11:03
Ion Chromatography		EPA300.0			Prep Date: 6/13/2022	PrepBy: AOW
CHLORIDE	18		2	MG/L	10	6/13/2022 16:51
SULFATE	810		10	MG/L	10	6/13/2022 16:51
Total Dissolved Solids		SM2540C			Prep Date: 6/13/2022	PrepBy: KRL
TOTAL DISSOLVED SOLIDS	1200		40	MG/L	1	6/14/2022

Client: Randy Evans
Project: WPWT Facility
Sample ID: Outfall 050D; EDD Facility ID 767704
Legal Location:
Collection Date: 6/8/2022 12:00

Date: 21-Jun-22
Work Order: 2206241
Lab ID: 2206241-4
Matrix: WATER
Percent Moisture:

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Total Recoverable ICP Metals			SW6010		Prep Date: 6/14/2022	PrepBy: ETC
BORON	0.18		0.1	MG/L	1	6/16/2022 11:04
BARIUM	ND		0.1	MG/L	1	6/16/2022 11:04
SODIUM	37		1	MG/L	1	6/16/2022 11:04
Ion Chromatography			EPA300.0		Prep Date: 6/13/2022	PrepBy: AOW
CHLORIDE	12		2	MG/L	10	6/13/2022 16:57
SULFATE	680	N	10	MG/L	10	6/13/2022 16:57
Total Dissolved Solids			SM2540C		Prep Date: 6/13/2022	PrepBy: KRL
TOTAL DISSOLVED SOLIDS	1100		40	MG/L	1	6/14/2022

Client: Randy Evans
Project: WPWT Facility
Sample ID: Outfall 050E; EDD Facility ID 767705
Legal Location:
Collection Date: 6/8/2022 13:00

Date: 21-Jun-22
Work Order: 2206241
Lab ID: 2206241-5
Matrix: WATER
Percent Moisture:

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Total Recoverable ICP Metals		SW6010			Prep Date: 6/14/2022	PrepBy: ETC
BORON	0.12		0.1	MG/L	1	6/16/2022 11:05
BARIUM	ND		0.1	MG/L	1	6/16/2022 11:05
SODIUM	40		1	MG/L	1	6/16/2022 11:05
Ion Chromatography		EPA300.0			Prep Date: 6/13/2022	PrepBy: AOW
CHLORIDE	35		2	MG/L	10	6/13/2022 17:09
SULFATE	490		10	MG/L	10	6/13/2022 17:09
Total Dissolved Solids		SM2540C			Prep Date: 6/13/2022	PrepBy: KRL
TOTAL DISSOLVED SOLIDS	960		40	MG/L	1	6/14/2022

Client: Randy Evans
Project: WPWT Facility
Sample ID: Outfall 050E; EDD Facility ID 767705
Legal Location:
Collection Date: 6/8/2022 13:00

Date: 21-Jun-22
Work Order: 2206241
Lab ID: 2206241-5
Matrix: WATER
Percent Moisture:

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
----------	--------	------	--------------	-------	-----------------	---------------

Explanation of Qualifiers

Radiochemistry:

- "Report Limit" is the MDC
 U or ND - Result is less than the sample specific MDC.
 Y1 - Chemical Yield is in control at 100-110%. Quantitative yield is assumed.
 Y2 - Chemical Yield outside default limits.
 W - DER is greater than Warning Limit of 1.42
 * - Aliquot Basis is 'As Received' while the Report Basis is 'Dry Weight'.
 # - Aliquot Basis is 'Dry Weight' while the Report Basis is 'As Received'.
 G - Sample density differs by more than 15% of LCS density.
 D - DER is greater than Control Limit
 M - Requested MDC not met.

M3 - The requested MDC was not met, but the reported activity is greater than the reported MDC.
 L - LCS Recovery below lower control limit.
 H - LCS Recovery above upper control limit.
 P - LCS, Matrix Spike Recovery within control limits.
 N - Matrix Spike Recovery outside control limits
 NC - Not Calculated for duplicate results less than 5 times MDC
 B - Analyte concentration greater than MDC.
 B3 - Analyte concentration greater than MDC but less than Requested MDC.

Inorganics:

B - Result is less than the requested reporting limit but greater than the instrument method detection limit (MDL).
 U or ND - Indicates that the compound was analyzed for but not detected.
 E - The reported value is estimated because of the presence of interference. An explanatory note may be included in the narrative.
 M - Duplicate injection precision was not met.
 N - Spiked sample recovery not within control limits. A post spike is analyzed for all ICP analyses when the matrix spike and or spike duplicate fail and the native sample concentration is less than four times the spike added concentration.
 Z - Spiked recovery not within control limits. An explanatory note may be included in the narrative.
 * - Duplicate analysis (relative percent difference) not within control limits.
 S - SAR value is estimated as one or more analytes used in the calculation were not detected above the detection limit.

Organics:

U or ND - Indicates that the compound was analyzed for but not detected.
 B - Analyte is detected in the associated method blank as well as in the sample. It indicates probable blank contamination and warns the data user.
 E - Analyte concentration exceeds the upper level of the calibration range.
 J - Estimated value. The result is less than the reporting limit but greater than the instrument method detection limit (MDL).
 A - A tentatively identified compound is a suspected aldol-condensation product.
 X - The analyte was diluted below an accurate quantitation level.
 * - The spike recovery is equal to or outside the control criteria used.
 + - The relative percent difference (RPD) equals or exceeds the control criteria.
 G - A pattern resembling gasoline was detected in this sample.
 D - A pattern resembling diesel was detected in this sample.
 M - A pattern resembling motor oil was detected in this sample.
 C - A pattern resembling crude oil was detected in this sample.
 4 - A pattern resembling JP-4 was detected in this sample.
 5 - A pattern resembling JP-5 was detected in this sample.
 H - Indicates that the fuel pattern was in the heavier end of the retention time window for the analyte of interest.
 L - Indicates that the fuel pattern was in the lighter end of the retention time window for the analyte of interest.
 Z - This flag indicates that a significant fraction of the reported result did not resemble the patterns of any of the following petroleum hydrocarbon products:
 - gasoline
 - JP-8
 - diesel
 - mineral spirits
 - motor oil
 - Stoddard solvent
 - bunker C

ALS -- Fort Collins

Client: Randy Evans
Work Order: 2206241
Project: WPWT Facility

Date: 6/21/2022 10:19:

QC BATCH REPORT

Batch ID: IP220614-5-1 Instrument ID: ICP5900 Method: SW6010

LCS Sample ID: IP220614-5 Units: MG/L Analysis Date: 6/16/2022 10:58

Client ID: Run ID: IT220616-1A3 Prep Date: 6/14/2022 DF: 1

Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref Value	RPD	RPD Limit	Qual
BARIUM	0.988	0.1	1		99	80-120				20	
BORON	1.02	0.1	1		102	80-120				20	
SODIUM	39.3	1	40		98	80-120				20	

LCSD Sample ID: IP220614-5 Units: MG/L Analysis Date: 6/16/2022 10:59

Client ID: Run ID: IT220616-1A3 Prep Date: 6/14/2022 DF: 1

Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref Value	RPD	RPD Limit	Qual
BARIUM	0.958	0.1	1		96	80-120		0.988	3	20	
BORON	0.988	0.1	1		99	80-120		1.02	3	20	
SODIUM	38.3	1	40		96	80-120		39.3	3	20	

MB Sample ID: IP220614-5 Units: MG/L Analysis Date: 6/16/2022 10:56

Client ID: Run ID: IT220616-1A3 Prep Date: 6/14/2022 DF: 1

Analyte	Result	ReportLimit	Qual
BARIUM	ND	0.1	
BORON	ND	0.1	
SODIUM	ND	1	

The following samples were analyzed in this batch:

2206241-1	2206241-2	2206241-3
2206241-4	2206241-5	

Client: Randy Evans
Work Order: 2206241
Project: WPWT Facility

QC BATCH REPORT

Batch ID: **IC220613-1-1** Instrument ID: **IC3** Method: **EPA300.0**

LCS	Sample ID: IC220613-1				Units: MG/L		Analysis Date: 6/13/2022 14:01				
Client ID:	Run ID: IC220613-1A1				Prep Date: 6/13/2022			DF: 1			
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref Value	RPD	RPD Limit	Qual
FLUORIDE	5.05	0.1	5		101	90-110				15	
CHLORIDE	10.1	0.2	10		101	90-110				15	
SULFATE	50.2	1	50		100	90-110				15	

LCSD	Sample ID: IC220613-1				Units: MG/L		Analysis Date: 6/13/2022 15:14				
Client ID:	Run ID: IC220613-1A1				Prep Date: 6/13/2022			DF: 1			
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref Value	RPD	RPD Limit	Qual
FLUORIDE	5.01	0.1	5		100	90-110		5.05	1	15	
CHLORIDE	10	0.2	10		100	90-110		10.1	1	15	
SULFATE	50.1	1	50		100	90-110		50.2	0	15	

MB		Sample ID: IC220613-1		Units: MG/L		Analysis Date: 6/13/2022 14:07	
Client ID:		Run ID: IC220613-1A1		Prep Date: 6/13/2022		DF: 1	
Analyte		Result	ReportLimit	Qual			
FLUORIDE		ND	0.1				
CHLORIDE		ND	0.2				
SULFATE		ND	1				

MS				Sample ID: 2206241-4				Units: UG/L				Analysis Date: 6/13/2022 17:03			
Client ID: Outfall 050D; EDD Facility ID 767704				Run ID: IC220613-1A1				Prep Date: 6/13/2022				DF: 10			
Analyte		Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref Value	RPD	RPD Limit	Qual			
FLUORIDE		22800	1000	20000	1000	114	85-115				15				
CHLORIDE		64.8	2	50	12	106	85-115				15				
SULFATE		847	10	200	680	82	85-115				15	N			

The following samples were analyzed in this batch:

2206241-1	2206241-2	2206241-3
2206241-4	2206241-5	

Client: Randy Evans
Work Order: 2206241
Project: WPWT Facility

QC BATCH REPORT

Batch ID: **TD220613-1-1** Instrument ID: **Balance** Method: **SM2540C**

LCS	Sample ID: TD220613-1			Units: MG/L			Analysis Date: 6/14/2022				
Client ID:		Run ID: TD220614-1A1			Prep Date: 6/13/2022			DF: 1			
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref Value	RPD	RPD Limit	Qual
TOTAL DISSOLVED SOLIDS	385	20	400		96	85-115				14	

LCSD		Sample ID: TD220613-1			Units: MG/L		Analysis Date: 6/14/2022				
Client ID:		Run ID: TD220614-1A1			Prep Date: 6/13/2022			DF: 1			
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref Value	RPD	RPD Limit	Qual
TOTAL DISSOLVED SOLIDS	385	20	400		96	85-115		385	0	14	

MB		Sample ID: TD220613-1			Units: MG/L		Analysis Date: 6/14/2022		
Client ID:		Run ID: TD220614-1A1			Prep Date: 6/13/2022			DF: 1	
Analyte		Result	ReportLimit						
TOTAL DISSOLVED SOLIDS		ND	20						

The following samples were analyzed in this batch:

2206241-1	2206241-2	2206241-3
2206241-4	2206241-5	