

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: 403138696			
Date Received: 08/20/2022			

SUNDRY NOTICE

This form is required for reports, updates, and requests as specified in the COGCC rules. It is also used to request changes to some aspects of approved permits for Wells and Oil and Gas Locations.

OGCC Operator Number: <u>95620</u>	Contact Name <u>Steven James</u>
Name of Operator: <u>WESTERN OPERATING COMPANY</u>	Phone: <u>(303) 893-2438</u>
Address: <u>1165 DELAWARE STREET #200</u>	Fax: <u>(303) 629-5735</u>
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80204</u>	Email: <u>steve@westernoperating.com</u>

FORM 4 SUBMITTED FOR:

Facility Type: WELL

API Number : 05- 121 08743 00 ID Number: 236253

Name: BASLER Number: 1

Location QtrQtr: NWNE Section: 14 Township: 1N Range: 54W Meridian: 6

County: WASHINGTON Field Name: SHEARS DRAW

Oil & Gas Location(s) and Oil & Gas Development Plan (OGDP) Information

Location(s)

Location ID	Location Name and Number
317099	BASLER-61N54W 14NWNE

OGDP(s)

No OGDP

WELL LOCATION CHANGE OR AS-BUILT GPS REPORT

- Change of Location for Well * As-Built GPS Location Report As-Built GPS Location Report with Survey

* Well Location Change requires a new Plat.

SURFACE LOCATION GPS DATA Data must be provided for Change of Surface Location and As Built Reports.

Latitude _____ Longitude _____

GPS Quality Value: _____ Type of GPS Quality Value: _____ Measurement Date: _____

Well Ground Elevation: _____ feet (Required for change of Surface Location.)

WELL LOCATION CHANGE

Well plan is: _____ (Vertical, Directional, Horizontal)

				FNL/FSL		FEL/FWL	
Change of Surface Footage From :				<input type="text" value="673"/>	<input type="text" value="FNL"/>	<input type="text" value="1907"/>	<input type="text" value="FEL"/>
Change of Surface Footage To :				<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Current Surface Location From	QtrQtr <input type="text" value="NWNE"/>	Sec <input type="text" value="14"/>	Twp <input type="text" value="1N"/>	Range <input type="text" value="54W"/>	Meridian <input type="text" value="6"/>		
New Surface Location To	QtrQtr <input type="text"/>	Sec <input type="text"/>	Twp <input type="text"/>	Range <input type="text"/>	Meridian <input type="text"/>		
Change of Top of Productive Zone Footage From :				<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Change of Top of Productive Zone Footage To :				<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Current Top of Productive Zone Location		Sec <input type="text"/>	Twp <input type="text"/>	Range <input type="text"/>			
New Top of Productive Zone Location		Sec <input type="text"/>	Twp <input type="text"/>	Range <input type="text"/>			

**

Change of **Base of Productive Zone** Footage **From:**

Change of **Base of Productive Zone** Footage **To:**

**

Current **Base of Productive Zone** Location

Sec

Twp

Range

New **Base of Productive Zone** Location

Sec

Twp

Range

Change of **Bottomhole** Footage **From:**

Change of **Bottomhole** Footage **To:**

**

Current **Bottomhole** Location

Sec

Twp

Range

** attach deviated drilling plan

New **Bottomhole** Location

Sec

Twp

Range

SAFETY SETBACK INFORMATION

Required for change of Surface Location.

Distance from Well to nearest:

- Building: _____ Feet
- Building Unit: _____ Feet
- Public Road: _____ Feet
- Above Ground Utility: _____ Feet
- Railroad: _____ Feet
- Property Line: _____ Feet

INSTRUCTIONS:

- Specify all distances per Rule 308.b.(1).
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit – as defined in 100 Series Rules.

SUBSURFACE MINERAL SETBACKS

Required for change of Top and/or Base of Productive Zone. Enter 5280 for distance greater than 1 mile.

Is this Well within a unit? _____

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary: _____ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation: _____ Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease: _____ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation: _____ Feet

Exception Location

If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers. _____

LOCATION CHANGE COMMENTS

CHANGE OR ADD OBJECTIVE FORMATION AND/OR SPACING UNIT

<u>Objective Formation</u>	<u>Formation Code</u>	<u>Spacing Order Number</u>	<u>Unit Acreage</u>	<u>Unit Configuration</u>	<u>Add</u>	<u>Modify</u>	<u>No Change</u>	<u>Delete</u>
J SAND	JSND						X	

Comments:

ENGINEERING AND ENVIRONMENTAL WORK

REPORT OF TEMPORARY ABANDONMENT

Describe the method used to ensure that the Well is closed to the atmosphere and the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(1).

REQUEST FOR TEMPORARY ABANDONMENT EXCEEDING 6 MONTHS

State the reason for the extension request and explain the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(3).

Date well temporarily abandoned _____

Has Production Equipment been removed from site? _____

Mechanical Integrity Test (MIT) required. Date of last MIT _____

TECHNICAL ENGINEERING AND ENVIRONMENTAL WORK

Details of work must be described in full in the COMMENTS below or provided as an attachment.

NOTICE OF INTENT/REQUEST FOR APPROVAL Approximate Start Date 08/22/2022

SUBSEQUENT REPORT Date of Activity _____

- | | | |
|---|--|--|
| <input type="checkbox"/> Bradenhead Plan | <input type="checkbox"/> Venting or Flaring (Rule 903) | <input type="checkbox"/> E&P Waste Mangement |
| <input type="checkbox"/> Change Drilling Plan | <input checked="" type="checkbox"/> Repair Well | <input type="checkbox"/> Beneficial Reuse of E&P Waste |
| <input type="checkbox"/> Gross Interval Change | | |
| <input type="checkbox"/> Underground Injection Control | | |
| <input type="checkbox"/> Request approval of Reuse and Recycling Plan per Rule 905.a.(3). (Reuse and Recycling Plan must be attached.) | | |
| <input type="checkbox"/> Request approval of Alternative Sampling Plan per Rule 909.j.(6). for this Pit. (Alternative Sampling Program must be attached.) | | |
| <input type="checkbox"/> Other | | |

Request that an existing produced water sample from the same formation be used per Rule 909.j.(6) to meet the requirements of Rule 909.j.(1)-(5) for this Well.

Pit ID _____ Pit Name _____

(No Sample Provided)

Subsequent well operations with heavy equipment (Rule 312)

(No Well Provided)

COMMENTS:

See submit tab comments

GAS CAPTURE

VENTING AND FLARING:

Operation type: _____ Operational phase requiring venting/flaring: _____

Reason for venting/flaring: _____

Describe Other reason for venting/flaring:

Describe why venting or flaring is necessary. If reporting per Rule 903.b.(2), 903.c.(3).C, or 903.d.(2), include the explanation, rationale, and cause of the event:

Describe how the operation will protect and minimize adverse impacts to public health, safety, welfare, the environment, and wildlife resources. If reporting per Rule 903.d.(2), include BMPs used to minimize venting on the BMP Tab:

Total volume of gas vented or flared: _____ mcf estimated measured

Total duration of emission event: _____ hours consecutive cumulative

Submit a single representative gas analysis via Form 43 to create a Sample Site Facility ID# for this Location. Reference the Form 43 document number on the Related Forms tab.

Sample Site Facility ID#: _____

GAS CAPTURE PLAN

Describe the plan to connect to a gathering line or beneficially use the gas; include anticipated timeline:

A Gas Capture Plan that meets the requirements of Rule 903.e is attached.

CASING PROGRAM

<u>Casing Type</u>	<u>Size of Hole</u>	<u>Size of Casing</u>	<u>Grade</u>	<u>Wt/Ft</u>	<u>Csg/Liner Top</u>	<u>Setting Depth</u>	<u>Sacks Cmt</u>	<u>Cmt Btm</u>	<u>Cmt Top</u>
1ST LINER	4+15/16	4+1/2	.5	11.5	0	4995	80	4995	0

POTENTIAL FLOW AND CONFINING FORMATIONS

<u>Zone Type</u>	<u>Formation /Hazard</u>	<u>Top M.D.</u>	<u>Top T.V.D.</u>	<u>Bottom M.D.</u>	<u>Bottom T.V.D.</u>	<u>TDS (mg/L)</u>	<u>Data Source</u>	<u>Comment</u>
Groundwater	Shallow groundwater	20	20	20	20	0-500	DWR	TDS theoretical for shallow groundwater. Groundwater bottom unknown
Confining Layer	Bentonite	4741	4741	4833	4833			
Hydrocarbon	J Sand	4904	4904	5045	5045			

H2S REPORTING

- Intentional release of H2S gas due to Upset Condition or malfunction.
- Intent to temporarily abandon well with potential H2S concentration >100 ppm.

Data Fields in this section are intended to document Sample and Location Data associated with the collection of a Gas Sample that is submitted for Laboratory Analysis.

Gas Analysis Report must be attached.

H2S Concentration: _____ in ppm (parts per million) Date of Measurement or Sample Collection _____

Description of Sample Point:

Absolute Open Flow Potential _____ in CFPD (cubic feet per day)

Description of Release Potential and Duration (If flow is not open to the atmosphere, identify the duration in which the container or pipeline would likely be opened for servicing operations.):

Distance to nearest occupied residence, school, church, park, school bus stop, place of business, or other areas where the

public could reasonably be expected to frequent: _____

Distance to nearest Federal, State, County, or municipal road or highway owned and principally maintained for public use: _____

COMMENTS:

OIL & GAS LOCATION UPDATES

OGDP ID _____ OGDG Name _____

SITE EQUIPMENT LIST UPDATES

Indicate the number and type of major equipment components planned for use on this Oil and Gas Location:

Wells _____	Oil Tanks _____	Condensate Tanks _____	Water Tanks _____	Buried Produced Water Vaults _____
Drilling Pits _____	Production Pits _____	Special Purpose Pits _____	Multi-Well Pits _____	Modular Large Volume Tank _____
Pump Jacks _____	Separators _____	Injection Pumps _____	Heater-Treaters _____	Gas Compressors _____
Gas or Diesel Motors _____	Electric Motors _____	Electric Generators _____	Fuel Tanks _____	LACT Unit _____
Dehydrator Units _____	Vapor Recovery Unit _____	VOC Combustor _____	Flare _____	Enclosed Combustion Devices _____
Meter/Sales Building _____	Pigging Station _____	Vapor Recovery Towers _____		

OTHER PERMANENT EQUIPMENT UPDATES

OTHER TEMPORARY EQUIPMENT UPDATES

CULTURAL AND SAFETY SETBACK UPDATES

OTHER LOCATION CHANGES AND UPDATES

Provide a description of other changes or updates to technical information for this Location:

POTENTIAL OGDG UPDATES

PROPOSED CHANGES TO AN APPROVED OGDG

This Sundry Form 4 is being submitted pursuant to Rule 301.c to propose changes to an approved Oil and Gas Development Plan.

Check all boxes that pertain to the type(s) of changes being proposed for this OGDG:

- | | |
|--|--|
| <input type="checkbox"/> Add Oil and Gas Location(s) | <input type="checkbox"/> Add Drilling and Spacing Unit(s) |
| <input type="checkbox"/> Amend Oil and Gas Location(s) | <input type="checkbox"/> Amend Drilling and Spacing Unit(s) |
| <input type="checkbox"/> Remove Oil and Gas Location(s) | <input type="checkbox"/> Remove Drilling and Spacing Unit(s) |
| <input type="checkbox"/> Oil and Gas Location attachment or plan updates | <input type="checkbox"/> Amend the lands subject to the OGDG |
| <input type="checkbox"/> Other | |

Provide a detailed description of the changes being proposed for this OGDG. Attach supporting documentation such as maps if necessary.

Best Management Practices

No BMP/COA Type

Description

--	--

Operator Comments:

Run gauge ring with tbg to bottom. Pull tbg. Run and set CIBP at approx. 5000' with 2 sacks sand on top. Pull tbg. Run 4.5" casing with collars trimmed down to 4.802 inches. Will weld collars on 1st 10 jts of 4.5". Set 4.5" at approx 4995' just on top of CIBP. Fill casing with water. Mix and run approx 80 sacks cement or what it takes to fill casing between 4.5 and 5.5. Let cure. Run tbg with drill bit and drill out any cement inside 4.5 and CIBP. Circulate hole clean and pull tbg and run production packer on tbg. Set packer and ready for MIT test.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Steven D James
 Title: President Email: steve@westernoperating.com Date: 8/20/2022

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: Wolfe, Stephen Date: 8/22/2022

CONDITIONS OF APPROVAL, IF ANY:

Condition of Approval

COA Type

Description

	1) Provide electronic Form 42 Notice of MIRU 2 business days ahead of operations. 2) Prior to starting repair work a bradenhead test shall be performed if one has not been performed within previous 60 days. If the beginning pressure is greater than 25 psi, or if pressure remains at the conclusion of the test, or if any liquids were present contact COGCC Engineer for sampling requirements before pumping any cement. The Form 17 shall be submitted within 10 days of the test. 3) Details of the liner installation shall be submitted on a Form 5 in 30 days. Include an updated wellbore diagram, cement job and operations summary and any logs run. 4) This well must pass a Mechanical Integrity Test witnessed by the COGCC prior to returning to injection operations.
--	--

1 COA

General Comments

User Group	Comment	Comment Date
OGLA	OGLA review complete	08/21/2022
Engineer	RTD for Operator to attach a wellbore diagram. Specify injection zone, confining layer and any groundwater zone in the potential flow zone table. Hole size for liner is the ID of the 5 1/2" casing. Why is the top of cement planned for 95'? Run 4 1/2 to 4802' and then set at 4995', can you explain? 312 box was not checked as requested. Ogla review required before commencing operations.	08/18/2022
Engineer	RTD per Operator request	08/17/2022

Total: 3 comment(s)

Attachment List

Att Doc Num	Name
403138696	SUNDRY NOTICE APPROVED-OBJ-SBSQ-OPS-REPAIR-CSG
403142303	WELLBORE DIAGRAM
403142395	FORM 4 SUBMITTED

Total Attach: 3 Files