

Location			
Overall Good: <input checked="" type="checkbox"/>			
Signs/Marker:			
Type	WELLHEAD		
Comment:	Adequate		
Corrective Action:			Date:
Emergency Contact Number:			
Comment:	<input style="width: 100%;" type="text"/>		
Corrective Action:	<input style="width: 100%;" type="text"/>		Date: _____
Good Housekeeping:			
Type	WEEDS		
Comment:	Weeds inside wellhead fencing. See attached photos		
Corrective Action:	Comply with Rule 606.		Date: 08/16/2022
Overall Good: <input type="checkbox"/>			
Spills:			
Type	Area	Volume	
In Containment: No			
Comment:	<input style="width: 100%;" type="text"/>		
<input type="checkbox"/> Multiple Spills and Releases?			
Fencing/:			
Type	WELLHEAD		
Comment:	iron		
Corrective Action:			Date:
Equipment:			
Type: Plunger Lift	# 1		corrective date
Comment:			
Corrective Action:			Date:
Type: Bradenhead	# 1		
Comment:			
Corrective Action:			Date:
Venting:			
Yes/No	NO		
Comment:			
Corrective Action:			Date:
Flaring:			
Type			
Comment:			
Corrective Action:			Date:

Inspected Facilities		
Facility ID: <u>251652</u>	Type: <u>WELL</u>	API Number: <u>123-19455</u> Status: <u>PR</u> Insp. Status: <u>PR</u>
Producing Well		
Comment:		
Corrective Action:		Date:
COGCC Comments		
Comment	User	Date
<p style="color: blue;">THIS IS A FOLLOW UP INSPECTION TO PREVIOUS INSPECTION DOC#: 679604881. All previous corrective actions assigned to this location have not been resolved. All previous corrective actions have been re-assigned to this location with their original corrective action date. No new corrective actions have been observed at the time of re-inspection.</p> <p>COGCC Inspection Report Summary **Weather Conditions: sunny, dry ground On Friday, August 26, 2022 at approximately 10:40, I, Inspector Brittani Santistevan, conducted an on-site inspection at MOORE 13-35 (PDC Energy), at API #: 05-123-19455 in WELD COUNTY Colorado. While there, I observed a producing wellhead. During this inspection the following possible compliance issues were observed: 1. Weeds inside wellhead fencing. Remove to comply with Rule 606. (Corrective Action Date: August 16, 2022) See attached photo #2. A follow up on this site inspection needs to be conducted to ensure the compliance issues have been corrected to comply with COGCC rules. This is a summary of inspection report.</p>	santistb	08/29/2022

Attached Documents

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
679605027	Photos	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=5841806