

## Attachment B

**TASMAN****Borehole Logging Form**

BOREHOLE ID: <u>SB01</u>	SITE NAME: <u>Bath 7-26 WH</u>	CLIENT NAME: <u>PDC ENERGY</u>
Date Completed: <u>6/2/27</u>	Location: <u>Source</u>	
Drilling Company: <u>Tasman</u>	Surface Completion: <u>      </u>	DTW: <u>      </u> TD: <u>~8'</u>
Type of Drill: <u>Hand Auger</u>	Geologist: <u>M. Connolly</u>	Project Manager: <u>B. Nelson</u>
Bit Size: <u>2 3/8"</u>	Logging Method: <u>      </u>	

Well Const. Material: Diameter: 1" Screen: Sch 40 PVC Slotted 0.010 Riser: Sch 40 PVC Blank							
Depth (feet)	Well Completion	Sample Type	% Recovery	PID (ppm)	Laboratory Sample	USCS	Description
1	NA			0.0		SW	Brown, sand, fine to coarse grain, poorly sorted, trace gravel, dry, no odor
2				0.0			
3				0.1		SC	Brown, clayey sand, fine to medium grain, poorly sorted, moist, no odor
4		FIA	100%	0.0			
5				0.0		SC	Brown, clayey sand, fine to coarse grain, poorly sorted, moist, no odor
6				0.0			
7				0.0			
8				0.0	SB01e7.8 (1002)		
9							-As above
10							-Groundwater not encountered
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							

**TASMAN****Borehole Logging Form**

BOREHOLE ID: 5802 SITE NAME: Booth 72b WH CLIENT NAME: PDC ENERGY

Date Completed: 6/2/22 Location: N of Source

Drilling Company: Tasman Surface Completion: DTW: NA TD: ~4'

Type of Drill: Hand Auger Geologist: M. Connolly Project Manager: B. Nelson

Bit Size: 2 3/8" Logging Method:

Well Const. Material: Diameter: 1" Screen: Sch 40 PVC Slotted 0.010 Riser: Sch 40 PVC Blank

Depth (feet)	Well Completion	Sample Type	% Recovery	PID (ppm)	Laboratory Sample	USCS	Description
1	NA			0.0		SW	Brown, sandy, fine to coarse grain, poorly sorted, dry, no odor
2		HA	100%	0.0			
3				0.0			
4				0.1	5802 e34 (952)	SC	Brown, clayey sand, fine to coarse grain, poorly sorted, moist, no odor, - Groundwater not encountered
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							

**TASMAN****Borehole Logging Form**

BOREHOLE ID: <u>SB03</u>		SITE NAME: <u>Booth 7-26 WH</u>		CLIENT NAME: <u>PDC ENERGY</u>			
Date Completed: <u>6/2/22</u>		Location: <u>W of Source</u>					
Drilling Company: <u>Tasman</u>		Surface Completion: <u>      </u>		DTW: <u>NA</u> TD: <u>4'</u>			
Type of Drill: <u>Hand Auger</u>		Geologist: <u>M. Connolly</u>		Project Manager: <u>B. Nelson</u>			
Bit Size: <u>2 3/8"</u>		Logging Method: <u>      </u>					
Well Const. Material: <u>Diameter: 1"</u>		Screen: <u>Sch 40 PVC Slotted 0.010</u>		Riser: <u>Sch 40 PVC Blank</u>			
Depth (feet)	Well Completion	Sample Type	% Recovery	PID (ppm)	Laboratory Sample	USCS	Description
1	NA			0.0		SW	Brown, sand, fine to coarse grain, poorly sorted, dry, no odor
2		HA	100%	0.0			
3				0.0		SC	Brown, clayey sand, fine to medium grain, poorly sorted, moist, no odor
4				0.0	SB03C34 (928)		- Groundwater not encountered
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							



# TASMAN

## Borehole Logging Form

BOREHOLE ID: <u>S804</u>	SITE NAME: <u>Booth 7-26 WH</u>	CLIENT NAME: <u>PDC ENERGY</u>
Date Completed: <u>6/2/22</u>	Location: <u>S of Source</u>	
Drilling Company: <u>Tasman</u>	Surface Completion: <u>—</u>	DTW: <u>NA</u> TD: <u>7'</u>
Type of Drill: <u>Hand Auger</u>	Geologist: <u>M. Connolly</u>	Project Manager: <u>B. Nelson</u>
Bit Size: <u>2 3/8"</u>	Logging Method:	

Well Const. Material: Diameter: 1"		Screen: Sch 40 PVC Slotted 0.010		Riser: Sch 40 PVC Blank			
Depth (feet)	Well Completion	Sample Type	% Recovery	PID (ppm)	Laboratory Sample	USCS	Description
1	NA			0.0		SW	Brown, sand, fine to coarse grain, poorly sorted, trace gravel, dry, no odor
2		HA	100%	0.0			
3				0.0			
4				0.0	S804 e34 (1023)	SC	Brown, clayey sand, fine to medium grain, poorly sorted, moist, no odor
5							-Groundwater not encountered
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							



# TASMAN

## Borehole Logging Form

BOREHOLE ID: <u>SB05</u>	SITE NAME: <u>Booth 726 WH</u>	CLIENT NAME: <u>PDC ENERGY</u>
Date Completed: <u>6/2/22</u>	Location: <u>E of Source</u>	
Drilling Company: <u>Tasman</u>	Surface Completion: <u>—</u>	DTW: <u>NA</u> TD: <u>~4'</u>
Type of Drill: <u>Hand Auger</u>	Geologist: <u>M. Connolly</u>	Project Manager: <u>B. Nelson</u>
Bit Size: <u>2 3/8"</u>	Logging Method: <u>                    </u>	

Well Const. Material: Diameter: 1" Screen: Sch 40 PVC Slotted 0.010 Riser: Sch 40 PVC Blank								
Depth (feet)	Well Completion	Sample Type	% Recovery	PID (ppm)	Laboratory Sample	USCS	Description	
1	NA			0.0		SW	Brown sand, fine to coarse grain, poorly sorted, trace gravel, dry, no odor	
2		HA	100%	0.1				
3				0.0		SC	Brown, clayey sand, fine to medium grain, poorly sorted, moist, no odor - Groundwater not encountered	
4				0.0	SB05 @ 34 (1016)			
5								
6								
7								
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								
25								

**TASMAN****Borehole Logging Form**

BOREHOLE ID: <u>BX602</u>		SITE NAME: <u>Booth 7-76 WH</u>		CLIENT NAME: <u>PDC ENERGY</u>	
Date Completed: <u>6/2/22</u>		Location: <u>W of Source</u>			
Drilling Company: <u>Tasman</u>		Surface Completion: <u>—</u>		DTW: <u>NA</u>	TD: <u>✓ 8'</u>
Type of Drill: <u>Hand Auger</u>		Geologist: <u>M. Connolly</u>		Project Manager: <u>B. Nelson</u>	
Bit Size: <u>2 3/8"</u>		Logging Method: <u>                    </u>			
Well Const. Material: <u>          </u>		Diameter: <u>          </u>		Screen: <u>          </u>	
				Riser: <u>          </u>	

Depth (feet)	Well Completion	Sample Type	% Recovery	PID (ppm)	Laboratory Sample	USCS	Description
1	NA			0.0		SW	Brown, sand, fine to coarse grain, poorly sorted, dry, no odor
2				0.0		SW	Brown, sand, fine to medium grain, poorly sorted, dry, no odor
3				0.0			
4		HA	100%	0.0	BX602 C3-4 (1032)		-As above, trace fines
5				0.0			
6				0.0			
7				0.0			
8				0.0	BX602 e79 (1059)		-As above, trace gravel
9							-Groundwater not encountered
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							

**TASMAN****Borehole Logging Form**

BOREHOLE ID: <b>BK603</b>	SITE NAME: <b>Bath 7-26 WH</b>	CLIENT NAME: <b>PDC ENERGY</b>
Date Completed: <b>6/2/22</b>	Location: <b>E / slightly SE of source w/ slight SW of source</b>	
Drilling Company: <b>Tasman</b>	Surface Completion: <b>—</b>	DTW: <b>NA</b> TD: <b>~8'</b>
Type of Drill: <b>Hand Auger</b>	Geologist: <b>M. Connolly</b>	Project Manager: <b>B. Nelson</b>

Bit Size : 2 3/8"      Logging Method:

Well Const. Material: Diameter:		Screen:		Riser:		USCS	Description
Depth (feet)	Well Completion	Sample Type	% Recovery	PID (ppm)	Laboratory Sample		
1	NA			0.0		SW	Brown, sand, fine to coarse grain, poorly sorted, dry, no odor
2				0.0		SW	Brown, sand, fine to medium grain, poorly sorted, dry, no odor
3				0.0			
4		HA	100%	0.0	BK603@3.4 (1103)		-As above, trace fines
5				0.0			
6				0.0			-As above, no trace fines
7				0.0			
8				0.0	BK603@7.8 (1128)		
9							-Groundwater not encountered
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							



**TASMAN****Borehole Logging Form**

<b>BOREHOLE ID:</b> BK604		<b>SITE NAME:</b> Bath 7-26 WH		<b>CLIENT NAME:</b> PDC ENERGY	
<b>Date Completed:</b> 6/2/22		<b>Location:</b> <del>Site</del> <sup>MC</sup> W/SW (close) of source			
<b>Drilling Company:</b> Tasman		<b>Surface Completion:</b> —		<b>DTW:</b> NA	<b>TD:</b> ~8'
<b>Type of Drill:</b> Hand Auger		<b>Geologist:</b> Mike Connolly		<b>Project Manager:</b> B.Nelson	
<b>Bit Size :</b> 2 3/8"		<b>Logging Method:</b>			
<b>Well Const. Material:</b> Diameter: 1"		<b>Screen:</b> Sch 40 PVC Slotted 0.010		<b>Riser:</b> Sch 40 PVC Blank	

Depth (feet)	Well Completion	Sample Type	% Recovery	PID (ppm)	Laboratory Sample	USCS	Description	
1	NA			0.1		SW	Brown sand, fine to coarse grain, poorly sorted, dry, no odor	
2				0.0		SW	Brown, sand, fine to medium grain, poorly sorted, dry, no odor	
3				0.0				
4		HA	100%	0.0	BK604e34 (1045)			
5				0.0			-As above, trace fines	
6				0.6				
7				0.0				
8				0.0	BK604e78 (1111)		-As above, trace gravel	
9							-Groundwater not encountered	
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								
25								



# TASMAN

## Borehole Logging Form

BOREHOLE ID: BK605 SITE NAME: Booth 7-26 Wrl CLIENT NAME: PDC ENERGY

Date Completed: 6/2/22 Location: W/SW (far) of Sarge

Drilling Company: Tasman Surface Completion: — DTW: NA TD: ~8'

Type of Drill: Hand Auger Geologist: Mike Connolly Project Manager: B.Nelson

Bit Size: 2 3/8" Logging Method: —

Well Const. Material: Diameter: 1" Screen: Sch 40 PVC Slotted 0.010 Riser: Sch 40 PVC Blank

Depth (feet)	Well Completion	Sample Type	% Recovery	PID (ppm)	Laboratory Sample	USCS	Description
1	NA			0.0		SW	Brown, sand, fine to coarse grain, poorly sorted, dry, no odor
2				0.0		SW	Brown, sand, fine to medium grain, poorly sorted, dry, no odor
3				0.0			
4		HA	100%	0.0	BK605@3-4 (1138)		
5				0.0			
6				0.0			
7				0.0			
8				0.0	BK605@7B (1201)		
9							- As above - Groundwater not encountered
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							

**TASMAN****Borehole Logging Form**

BOREHOLE ID: BK606 SITE NAME: Benth 7-26 WH CLIENT NAME: PDC ENERGY

Date Completed: 6/2/22 Location: 61 SW of Suro

Drilling Company: Tasman Surface Completion: — DTW: NA TD: -8'

Type of Drill: Hand Auger Geologist: Mike Connolly Project Manager: B. Nelson

Bit Size: 2 3/8" Logging Method: —

Well Const. Material: Diameter: 1" Screen: Sch 40 PVC Slotted 0.010 Riser: Sch 40 PVC Blank

Depth (feet)	Well Completion	Sample Type	% Recovery	PID (ppm)	Laboratory Sample	USCS	Description
1	NA			0.0		Sw	Brown, sand, fine to coarse grain, poorly sorted, dry, no odor
2				0.0			-As above, fine to medium grain
3				0.0			
4		HA	100%	0.0	BK606 @ 3-7 (1226)		
5				0.0			
6				0.0			
7				0.0			
8				0.0	BK606 @ 7-8' (1250)		-As above
9							-Groundwater not encountered
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							