

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

403160303

Date Received:

09/08/2022

FIR RESOLUTION FORM

Overall Status: CAC

CA Summary:

2 of 2 CAs from the FIR responded to on this Form

2 CA Completed
0 Factual Review Request

OPERATOR INFORMATION

OGCC Operator Number: 10705 Contact Name and Telephone:
Name of Operator: EVERGREEN NATURAL RESOURCES LLC Name: _____
Address: 1875 LAWRENCE ST STE 1150 Phone: () _____ Fax: () _____
City: DENVER State: CO Zip: 80202 Email: _____

Additional Operator Contact:

Contact Name	Phone	Email
<u>Distribution, Evergreen</u>	<u>719-846-7898</u>	<u>cogcc.evergreen@enrllc.com</u>

COGCC INSPECTION SUMMARY:

FIR Document Number: 695106646
Inspection Date: 08/26/2022 FIR Submit Date: 08/26/2022 FIR Status: _____

Inspected Operator Information:

Company Name: EVERGREEN NATURAL RESOURCES LLC Company Number: 10705
Address: 1875 LAWRENCE ST STE 1150
City: DENVER State: CO Zip: 80202

LOCATION - Location ID: 308994

Location Name: ARROWWOOD-635S64W Number: 6SWNW County: LAS ANIMAS
Qtrqr: SWN Sec: 6 Twp: 35S Range: 64W Meridian: 6
W
Latitude: 37.029580 Longitude: -104.609260

FACILITY - API Number: 05-071-00 Facility ID: 286295

Facility Name: ARROWWOOD Number: 12-6
Qtrqr: SWN Sec: 6 Twp: 35S Range: 64W Meridian: 6
W
Latitude: 37.029580 Longitude: -104.609260

CORRECTIVE ACTIONS:

1 CA# 164158

Corrective Action: E&P Waste not properly stored, handled, transported, treated, recycled, or disposed per Rule 905. Date: 08/27/2022

Response: CA COMPLETED Date of Completion: 09/03/2022

Operator Comment: E&P waste properly stored, handled, transported, treated, recycled, and disposed per Rule 905.

COGCC Decision: Approved via an AMI

COGCC
Representative:

2 CA# 164159

Corrective Action: Lower fluid level so at least two feet of freeboard exists per Rule 909.c.

Date: 08/27/2022

Response: CA COMPLETED

Date of Completion: 09/03/2022

Operator
Comment: Lowered fluid level so two feet of freeboard exist per Rule 909.c.

COGCC Decision: Approved via an AMI

COGCC
Representative:

OPERATOR COMMENT AND SUBMITTAL

Comment: Please find the attached Photo's

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Susan Wolfram

Signed: _____

Title: Sr. Safety Coordinator

Date: 9/8/2022 5:04:27 PM

ATTACHMENT LIST

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

Document Number	Description
403160303	FIR RESOLUTION SUBMITTED
403160304	Arrowwood 12-6

Total Attach: 2 Files